







Look for this sticker

on specially marked cartons of Nekoosa print media.

COLLECT NEKOOSA BUCKS

AND EARN MONEY



Enjoy a little extra on us by redeeming Nekoosa Bucks for cash. Redeeming is easy, just visit our website:

- 1. Go to NEKOOSABUCKS.COM, click on the gold Nekoosa Bucks icon on our homepage.
- 2. Log in to your existing account, or create a new account if you are redeeming a Nekoosa Buck for the first time.
- 3. Enter the code found on the front of the Nekoosa Bucks flyer, which are found in each qualifying carton.

It's that easy! Once you reach \$25 in redemptions, we will send you a \$25 MasterCard rewards card. You can also continue to grow your account and request gift cards in larger denominations. Your redemptions will add up. The more Nekoosa print media you run, the more you earn!

FIND NEKOOSA BUCKS* IN THESE CARTONS: TDIFFCTA® Multipurpose Removable Pressure Sensitive Textured Viryal

'	Mil ECIA Multipulpose Reli	iovable i ressure serisitiv	c restared viriyi			
VEW	Description	Adhesive	Liner	Thickness	Roll Size	SKU#
	Textured Matte White	Universal Removable	90# Layflat	6 mil	54" x 100 ft	SPMTRI54100

WALL GRAPHICS® Wall Decal Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Matte White	Microsphere Removable	90# Paper	6 mil	54" x 50 yd	SPMWG65450
Augusta Embossed Matte White	Microsphere Removable	90# Paper	6 mil	54" x 50 yd	SPMAUG5450

HI-STAT® Cling Window Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Clear	None	10 pt Board	8 mil	54" x 50 yd	SPMHSC5450
White	None	10 pt Board	8 mil	54" x 50 yd	SPMHSW5450
Optically Clear	None	Film	8 mil	54" x 50 yd	SPMHSC5C5450

SIGN-AD® Low Tack Window Vinyl

	Description	Adhesive	Liner	Thickness	Roll Size	SKU#
NEW	White	Low-Tack Removable	90# Paper	4 mil	54" x 50 yd	SPMSA5450
	White Opaque	Moderate-Tack Removable	90# Paper	6 mil	54" x 50 yd	SPMSABF5450
	White Air-Egress	Low-Tack Removable	90# Paper	4 mil	54" x 50 yd	SPESA5450
	Clear	Low-Tack Removable	90# Paper	4 mil	54" x 50 yd	SPMCAD5450
NEW	Optically Clear	Low-Tack Removable	Film	4 mil	54" x 50 yd	SPMCADP5450
	Clear Air-Egress	Low-Tack Removable	Film	4 mil	54" x 50 yd	SPECADP5450

PREMIUM VINYL General Use Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Gloss White	Permanent	90# Paper	3 mil	54" x 50 yd	SPM300GWF5450
Gloss White	Removable Gray	90# Paper	3 mil	54" x 50 yd	SPM300GWR/GR5450
Gloss White	Permanent Gray	90# Paper	3 mil	54" x 50 yd	SPM300GWF/GR5450
Gloss White	High-Bond Permanent	90# Paper	3 mil	54" x 50 yd	SPM300GWF/HT5450
Matte White	Permanent	90# Paper	4 mil	54" x 50 yd	SPM400FW/P5450
Matte White	Removable Gray	90# Paper	4 mil	54" x 50 yd	SPM400FWR/GR5450
Matte White	Permanent Gray	90# Paper	4 mil	54" x 50 yd	SPM400FWP/GR5450
Matte White	High-Bond Permanent	90# Paper	4 mil	54" x 50 yd	SPM400FWP/HT5450
Matte White	Removable	90# Paper	4 mil	54" x 50 yd	SPM400FW/R5450
Clear	Permanent	90# Paper	4 mil	54" x 50 yd	SPM400C5450
Matte White	Permanent	90# Paper	6 mil	54" x 50 yd	SPM6005450N

OVERLAMINATE FILMS

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Luster Clear	Permanent	53# Paper	3 mil	54" x 50 yd	LM3LL5450
Matte Clear	Permanent	53# Paper	3 mil	54" x 50 yd	LM3MCL5450
Gloss Clear	Permanent	53# Paper	3 mil	54" x 50 yd	LM3CL5450

BARRIER FILM

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Gloss White	Permanent	53# Paper	2.3 mil	54" x 50 yd	SPMBF5450N

WIDE FORMAT PRODUCTS

		HICKNESS	SIZES 24" Roll	36" Roll	38" Roll	42" Roll	48" Roll	51' Roll	54" Roll	60" Roll	61"Roll	62" Roll	87" Roll	APPLICATIONS Simple Curves Decals Decals Fleet w/o Rivets Window Floor Wall Banner Indoor Outdoor Gloss Gloss Gloss Gloss Gloss Hatte Luster Velvet White Clear Opaque Clear Opaque Clear White Clear White Clear White Clear An-Tack Adhesive Low-Tack Adhesive Low-Tack Adhesive Air-Egress Permanent Removable Removable
Multipurpose Textured														
Trifecta	• • • •	6 mil							100 ft					
Point-of-Purchase Disp														
Premium Vinyl	• • • •	3,4, 6 & 8 mil							50 yd	50 yd				
Classic Vinyl	• • • •	3 & 4 mil							50 yd	50 yd		F0.0.100 J		
Trans-Ad ChalkTalk	• • •	3 & 4 mil	100 501				10 0 501		50 yd	50 yd		50 & 100 yd		
SYNAPS OM	• •	7 mil 5, 8, 10 & 14 mil	10 & 50 yd	100 ft			10 & 50 yd		E0.vd					
STNAPSOM	• • •	5, 8, 10 & 14 Mil		10011					50 yd					
Window Graphics														
Sign-Ad	• • • •	4 & 6 mil							50 yd	50 yd				
ZTac	•	3 mil							50 yd					
Hi-Stat	• • • •	8 mil							50 yd	50 yd				
Opti-Cling	• • • •	8 mil							50 yd					
Catapaque	•	8 mil							50 yd					
Barrier Film	•	2.3 mil							50 & 100 yd					
One-Way Vision	• • • •	6 & 8 mil							100 ft					
Wall Graphics														
Wall Graphics		4, 6 & 8 mil							50 yd	50 yd				
Augusta Wall Graphics		6 mil							50 yd					
ClingZ	•	2 mil				50 yd			50 yd					
Floor Graphics														
Walk-On Graphics		4 mil							50 yd					
Overlaminates		4 & 6 mil							50 yd					
		10011111							Jo yu					
Translucents & Reflect														
Translucents	• • • •	4 mil							50 yd	50 yd				
Reflectives		7 mil	50 yd				50 yd							
Mounting Films														
Mounting Films		1 & 2 mil			50 yd			50 yd	50 yd					
Overlaminates											·			
Overlaminates Polyester*		1 & 2 mil							50 yd	50 yd				
Cast		2 mil							50 yd	50 yd				
Calendered		3, 4 & 6 mil							50 yd	50 yd				
Eclypse Vinyl		3, 4 & 6 11111			50 yd			50 yd	50 yd	30 yu	50 yd			
Eclypse Villyi Eclypse Polycarbonate		3, 5 & 10 mil			JU yu	50 yd		50 yd	30 yu		30 yu			
Eciypse Polycarbonate		3, 3 & 10 mil				50 yd		50 yd						

*1 mil has dry erase capabilities

 $Additional\ information\ can \ be\ found\ on\ the\ NEKOOSA.COM\ website\ or\ by\ contacting\ a\ Nekoosa\ customer\ service\ representative.$











One product, endless applications. Create floor, wall and window graphics with one universal media ... Trifecta™.

6 mil semi-rigid matte white textured facestock rated for <5 years of outdoor use

High opacity film with an excellent white point

Universal removable adhesive that will cleanly remove from indoor and outdoor application surfaces for <6 months

Stable 90# layflat polycoated paper liner for ease of printing and installation

Made in the U.S.A.

Print Compatibility: Eco-Solvent, True Solvent, Latex, UV Wide Format, Screen, UV Offset

When to use Trifecta

One-Step Floor Graphics – Create UL 410 slip resistant floor graphics in one easy step ... no overlaminate required. Easy to install and remove. Trifecta™ is suitable for indoor short term floor graphics (<6 months). *Not intended for outdoor floor graphic applications.

Wall Graphics – Hassle free textured wall decals - peel, stick, done. No need for tapes, tacks or nails and will remove cleanly from painted dry wall. Print right to the edge!

Window Graphics – Enhance the look of standard window graphics with a dimensional, textured finish. Perfect for short term decorative window decals smaller than 2' x 2'.



Applications: One-Step Floor Graphics | Wall Graphics | Window Signage | Social Distancing Floor Graphics | Counter Mats | Wayward Signage | One-Way Window Graphics | Floor Advertisement | Point-of-Purchase Signage

Trifecta | Multipurpose Removable Pressure Sensitive Textured Vinyl

NEW	Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
	Textured Matte White	SPMTRI54100	\$	6 mil	Universal Removable	90# Layflat	Up to 5 years	54" x 100 ft









POINT-OF-PURCHASE DISPLAYS, EXHIBITS & DECALS













Premium Vinus | WIDE FORMAT HIGH PERFORMANCE CALENDERED VINYLS

Turn to Nekoosa's Premium Vinyls when you need to produce specific signage applications that require superior features including robust adhesive systems, liners and finishes.

Suitable for indoor and outdoor applications (<3 to 5 years outdoors)

Grades with removable adhesives will remove cleanly from surfaces within 1 year

High opacity films with an excellent white point

Matte white, gloss white or clear finish

Clear or gray block-out; permanent, removable, high-bond permanent pressure sensitive adhesive

Air-egress options available

Lay-flat 90# release liner, superior for printing with latex and UV wide format printers

Versatile product offering compatible for print and cut machines

3, 4 and 6 mil thickness options available for easy installation onto flat or simple curves without rivets

Made in the U.S.A.

Printer Compatibility: Latex, UV Inkjet, Eco-Solvent, True Solvent

Applications: Banner Graphics | Cut Lettering | Decals | Point-of-Purchase Signage | Bumper Stickers | Fleet Markings | Name Plates | In-Store Promotions

Premium Calendered Vinyls | High Performance Calendered Vinyls

	Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
	Gloss White	SPM300GWF5450	\$	3 mil	Dormanant	00# Lovelot	Evene	54" x 50 yd
	GIOSS WITHE	SPM300GWF6050		3 11111	Permanent	90# Layflat	5 years	60" x 50 yd
	Gloss White	SPM300GWR/GR5450	\$	3 mil	Cray Pamayabla	00# Lovelot	Evene	54" x 50 yd
	GIOSS WITHE	SPM300GWR/GR6050		3 11111	Gray Removable	90# Layflat	5 years	60" x 50 yd
	Gloss White	SPM300GWF/GR5450	\$	3 mil	Cray Dormanant	00# Lovelot	Events	54" x 50 yd
	GIOSS WITHE	SPM300GWF/GR6050		3 11111	Gray Permanent	90# Layflat	5 years	60" x 50 yd
VEW	Gloss White	SPM300GWF/HT5450	\$	3 mil	High-Bond Permanent	90# Layflat	5 years	54" x 50 yd
'EW	Gloss White	SPM600G5450		6 mil	High-Bond Permanent	90# Layflat	3 years	54" x 50 yd
	Matte White	SPM400FW/P5450	\$	4 mil	Dormanant	00# Lovelot	Evene	54" x 50 yd
	Matte Wille	SPM400FW/P6050		4 11111	Permanent	90# Layflat	5 years	60" x 50 yd
	Matte White	SPM400FWR/GR5450	\$	4 mil	Cray Pomovable	00# Lovelot	Evene	54" x 50 yd
	Matte Wille	SPM400FWR/GR6050		4 11111	Gray Removable	90# Layflat	5 years	60" x 50 yd
	Matte White	SPM400FWP/GR5450	\$	4 mil	CD	00# Lovelot	Evene	54" x 50 yd
	Matte Wille	SPM400FWP/GR6050		411111	Gray Permanent	90# Layflat	5 years	60" x 50 yd
	Matte White	SPM400FWP/HT5450	\$	4 mil	High-Bond Permanent	90# Layflat	5 years	54" x 50 yd
	Matte White	SPM400FW/R5450	\$	4 mil	Removable	00# Lovelot	Evene	54" x 50 yd
	Matte Wille	SPM400FW/R6050		4 11111	Removable	90# Layflat	5 years	60" x 50 yd
	Matte White	SPM6005450N	\$	6 mil	High-Bond Permanent	90# Layflat	5 years	54" x 50 yd
	Clear	SPM400C5450	\$	4 mil	Permanent	00# Lavelat	5 years	54" x 50 yd
	CiEdi	SPM400C6050		7 11111	reillidileilt	90# Layflat	5 years	60" x 50 yd

Air-Egress Premium Calendered Vinyls

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPE300GWR/GR5450		3 mil	Gray Removable	90# Layflat Air-Egress	5 years	54" x 50 yd
GIOSS WITTE	SPE300GWR/GR6050		311111	Gray Removable	90# Layllat All-Egless	5 years	60" x 50 yd
Gloss White	SPE300GWF/GR5450		3 mil	Gray Permanent	90# Layflat Air-Egress	5 years	54" x 50 yd
GIOSS WITTE	SPE300GWF/GR6050		311111	Gray Fermanent	90# Layllat All-Egless	3 years	60" x 50 yd
Matte White	SPE400FWR/GR5450		4 mil	Cray Pomovable	90# Layflat Air-Egress	5 years	54" x 50 yd
Matte Wille	SPE400FWR/GR6050		411111	Gray Removable	90# Layllat All-Egless	5 years	60" x 50 yd
Matte White	SPE400FWP/GR5450		4 mil	Gray Permanent	90# Layflat Air-Egress	5 years	54" x 50 yd
ivialle Wille	SPE400FWP/GR6050		4 11111	Gray Fermanent	30# Laylidt All-Egless	5 years	60" x 50 yd







WIDE FORMAT GENERAL USE CALENDERED VINYLS

Nekoosa's Classic Vinyls are intended for interior and exterior point-of-purchase graphic applications.

Suitable for indoor and outdoor applications (<3 years outdoors)

Grades with removable adhesive will remove cleanly from surfaces within 1 year

Matte or gloss bright white finishes

Clear or gray block-out, permanent or removable pressure sensitive adhesive

Air-egress options available

Easy installation onto flat and simple curves without rivets

Made in the U.S.A.

Print Compatibility: Latex, UV Inkjet, Eco-Solvent, True Solvent



Applications: Banner Graphics | Cut Lettering | Decals | Point-of-Purchase Signage | Bumper Stickers | Fleet Markings | Name Plates | In-Store Promotions


Classic Vinyls | General Use Calendered Vinyls

	Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Durability	Size
	Gloss White	SPM3415450N	3 mil	Permanent	78#	3 years	54" x 50 yd
	GIOSS WITTE	SPM3416050N	311111	Fermanent	7011	3 years	60" x 50 yd
	Gloss White	SPM341G5450N	3 mil	Gray Permanent	78#	3 years	54" x 50 yd
NEW	GIOSS WITTE	SPM341G6050N	311111	Gray Permanent	/ O#F	3 years	60" x 50 yd
EW	Gloss White	SPM390G5450	3 mil	Gray Permanent	90# Layflat	3 years	54" x 50 yd
	Gloss White	SPM390GWR/GR5450	3 mil	Gray Removable	90# Layflat	3 years	54" x 50 yd
	Matte White	SPM4415450N	4 mil	Permanent	78#	2 40000	54" x 50 yd
	Matte Wille	SPM4416050N	411111	Permanent	/ O#F	3 years	60" x 50 yd
	Matte White	SPM441G5450N	4 mil	Gray Permanent	78#	2 years	54" x 50 yd
NEW	Matte Wille	SPM441G6050N	411111	Gray Fermanient	70#	3 years	60" x 50 yd
EW	Matte White	SPM490FWP/GR5450	4 mil	Gray Permanent	90# Layflat	3 years	54" x 50 yd
	Matte White	SPM490FWR/GR5450	4 mil	Gray Removable	90# Layflat	3 years	54" x 50 yd

Air-Egress Classic Vinyls

No	Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Durability	Size
NEW	Gloss White	SPE390GWF/GR5450	3 mil	Gray Permanent	90# Layflat Air-Egress	3 years	54" x 50 yd
	Gloss White	SPE390GWR/GR5450	3 mil	Gray Removable	90# Layflat Air-Egress	3 years	54" x 50 yd
	Matte White	SPE490FWP/GR5450	4 mil	Gray Permanent	90# Layflat Air-Egress	3 years	54" x 50 yd
	Matte White	SPE490FWR/GR5450	4 mil	Gray Removable	90# Layflat Air-Egress	3 years	54" x 50 yd





WIDE FORMAT TRANSIT GRAPHIC VINYL

Trans-Ad® is a matte white opaque premium vinyl for high-quality transportation and fleet graphic applications on smooth, flat surfaces such as bus signs, automobiles, rail platform posters and transportation signs.

OUTFRONT Media approved

Suitable for indoor and outdoor use (<2 years outdoors)

Bright white point and excellent opacity

Clear, removable adhesive – air egress option available

Easy installation onto flat and simple curves without rivets

Cover previous graphics with ease – up to three layers can be applied

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent

Applications: Bus Kings, Queens & Tails | Auto & Transportation Signage | Fleet Graphics Without Rivets or Corrugated Surfaces | Decals | Simple Curves

Trans-Ad | Opaque Premium Calendered Transit Vinyl

Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Durability	Size
	SPETAMW5450N	4 mil	Removable 90# Air-Egress 1 year	90# Air-Egress	1 year	54" x 50 yd
Matte White	SPETAMW6050N					60" x 50 yd
	SPETAMW6250N			62" x 50 yd		
Matta White	SPMTAMW5450N	4!!	Domovable	90#	1 year	54" x 50 yd
Matte White	SPMTAMW6050N	4 mil	Removable	90#		60" x 50 yd

^{*}Only Trans-Ad is OUTFRONT Media approved and UL Certified

Calendered Vinyl | Vehicle Wrap Transit Vinyl

Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPEVW3R5450	3 mil	Gray Removable	90# Air-Egress	5 year	54" x 50 yd
GIOSS WITHLE	SPEVW3R6050					60" x 50 yd









WIDE FORMAT CHALKBOARD FILM

Printable, chalkboard film with removable adhesive for all your creative uses.

Removable adhesive

6 mil. textured, slate gray surface

Easy application to flat, smooth, clean surfaces like painted drywall, kitchen cabinets and refrigerators


Write with chalk or liquid chalk ink pens for best results

Wipes clean with a damp cloth

Eco-friendly, child safe, CPSIA compliant, lead-free, plasticizer-free and phthalate-free

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format



Applications: Restaurant Menu Boards | To-Do Lists | Promotional Displays

ChalkTalk | Chalkboard Film

Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Size
	1320106				24" x 10 yd
Tayturad Clata Cray	1320136	6 mil	Domovable	88# Polycoated Kraft	24" x 50 yd
Textured Slate Gray	1320206		Removable	66# Polycoated Mait	48" x 10 yd
	1320236				48" x 50 yd





SYNAPS OM | WIDE FORMAT POLYESTER FILM

SYNAPS OM is a latex and UV printable polyester film that will not bow, fade, curl or warp.

No lamination required

Lays flat even when rolled – roll up banners will not wrinkle or fray on the edges

Waterproof and tear proof – suitable for indoor and outdoor applications

Polyester film with a glare free double sided matte white finish

High white point for superior image quality

Printable on both sides

Print Compatibility: Latex, UV Wide Format

Applications: Restaurant Menu Boards | To-Do Lists | Promotional Displays

SYNAPS OM | Polyester Film


Finish/Color	SKU #	Thickness	Opacity	Brightness	Size
	66101	5 mil	92%	100	36" x 100 ft
	66102	5 mil	92%	100	54" x 100 ft
	66103	8 mil	96%	100	36" x 100 ft
Matte White	66104	8 mil	96%	100	54" x 100 ft
Matte Write	66105	10 mil	96%	98	36" x 100 ft
	66106	10 mil	96%	98	54" x 100 ft
	66110	14 mil	97%	93	36" x 100 ft
	66111	14 mil	97%	93	54" x 100 ft





WINDOW GRAPHICS













Sign-Ad® is a flexible calendered vinyl coated with a low/moderate-tack adhesive for easy-to-apply window graphics.

Removable adhesive

Easy to remove without leaving adhesive residue behind

No solvents needed for application or removal

For indoor and outdoor window graphic applications for up to 3 years (outdoors)

Made in the U.S.A.

Print Compatibility: HP Indigo, Conventional and UV Offset, Latex, Eco-Solvent, Solvent, UV Wide Format, Screen





Applications: Window Advertising | Point-of-Purchase Window Decals | Price Stickers | Counter Mats

Sign-Ad | Calendered Vinyl *Clear finishes formerly referred to as CLEAR-AD®.

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss Clear	SPMCAD5450	\$	4 mil	Low-Tack Removable	90# Layflat Paper	Up to 3 years	54" x 50 yd
Gioss Clear	SPMCAD6050						60" x 50 yd
Gloss Optically Clear	SPMCADP5450	\$	4 mil	Low-Tack Removable	5 mil (Clear Film)	Up to 3 years	54" x 50 yd
Matta White	SPMSA5450	\$	4 :1	Laura Tarak Danasa sahila	00# Louglat Dance	Un to 2 years	54" x 50 yd
Matte White	SPMSA6050		4 mil	Low-Tack Removable	90# Layflat Paper	Up to 3 years	60" x 50 yd

Air-Egress Sign-Ad

No	Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
NEW	Clear Air-Egress	SPECADP5450N	\$	4 mil	Low-Tack Removable	Air-Egress Clear Printed Film	Up to 3 years	54" x 50 yd
	Matte White Air-Egress	SPESA5450	\$	4 mil	Low-Tack Removable	90# Layflat Air-Egress	Up to 3 years	54" x 50 yd

Sign-Ad Opaque

Air	Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
NEW	Opaque Gloss White	SPMSABF5450	\$	6 mil	Moderate-Tack Removable	90# Layflat Paper	Up to 3 years	54" x 50 yd













Ztac™ is an ultra low-tack, repositionable polyester film designed for easy application and removal on very smooth indoor surfaces.

Repositionable – will hold its original shape without "dog earring"

Suitable for indoor use on very smooth surfaces like windows, glass and polished metal

Can be die cut, kiss cut, perforated, scored and folded

Recyclable as a #1 polyester, PVC-free, chemically inert and phthalate-free

Made in the U.S.A.

Print Compatibility: UV Wide Format

Applications: Window Graphics | Tileable Mural | Point-of-Purchase Signage | Reverse Sided Window Graphics | Trade Show & Event Signage | Holiday Décor & Decals | Hot Deli Glass Case Signage | Glass Freezer & Cooler Doors

Ztac | Ultra-Low Tack Polyester Film

Finish/Color	SKU #	Thickness	Adhesive	Liner	Size
White	71411	6 mil	Low-Tack	63# Paper	54" x 50 yd
Clear	71410	6 mil	Dot Pattern Adhesive		54" x 50 yd



© WIDE FORMAT CLING VINYL

Hi-Stat® is a very soft, flexible cling vinyl which adheres to most clean, highly polished smooth surfaces without adhesive.

Repositionable

Suitable for indoor and outdoor use (<3 months outdoors)


Effortless removal without leaving a trace of residue behind

No solvents needed for application or removal

Can be wet applied

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent







Applications: Window Advertising | Point-of-Purchase Window Decals | Price Stickers | Automotive Window Decals | LED Screen Protection

Hi-Stat | Cling Vinyl

Finish/Color	SKU #	BUCKS	Thickness	Liner	Size
	SPMHSC5450	\$			54" x 50 yd
Clear	SPMHSC54100		0 mil	10 pt Board	54" x100 yd
Clear	SPMHSC6050		8 mil		60" x 50 yd
	SPMHSC60100				60" x 100 yd
	SPMHSW5450	\$			54" x 50 yd
White	SPMHSW54100		8 mil	10 pt Poord	54" x 100 yd
write	SPMHSW6050		011111	10 pt Board	60" x 50 yd
	SPMHSW60100				60" x 100 yd

Hi-Stat Opti-Cling

Finish/Color	SKU #	BUCKS	Thickness	Liner	Size
Optically Clear	SPMHSC5C5450	\$	0 mil	Matta Claar Film	54" x 50 yd
Орисану стеат	SPMHSC5C54100		8 mil	Matte Clear Film	54" x 100 yd







OPAQUE WINDOW FILMS

Nekoosa's opaque window films can be laminated to clear Hi-Stat® or Sign-Ad® products to create double sided "push-pull" signage.

SIGN-AD® OPAQUE is a bright white, opaque 6 mil vinyl with a moderate-tack removable white adhesive.

Bright white, 100% opaque

Moderate-tack removable white adhesive

Easy to remove without leaving adhesive residue behind

No solvents needed for application or removal

Suitable for indoor and outdoor use (<1 year outdoors)

Made in the U.S.A.

Print Compatibility: HP Indigo, Conventional and UV Offset, Latex, Eco-Solvent, Solvent, UV Wide Format and Screen

CATAPAQUE™ is a bright white, opaque 8 mil polypropylene film with excellent opacity.

Bright white, 100% opaque

Adhesive free

Suitable for indoor and outdoor use (<1 year outdoors)

Superior lay-flat characteristics

Dimensionally stable for precise color registration

Easy to sew, grommet and heat seal

Made in the U.S.A.

Print Compatibility: UV Wide Format

BARRIER FILM is a bright white, 2.3 mil opaque polypropylene film with a permanent adhesive.

Bright white, 100% opaque

Permanent adhesive

Made in the U.S.A.

Print Compatibility: UV Wide Format

Applications: Push-Pull Graphics | Window Decals | Posters | Mouse Pads | Decals | Banners | Pennant Strings | Point-of-Purchase Displays | Advertising Graphics

Opaque Window Film

Sign-Ad Opaque | 100% Opaque Low-Tack Vinyl

NEW	Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
NEW	Opaque White	SPMSABF5450	\$	6 mil	Moderate-Tack Removable	90# Layflat Paper	Up to 3 years	54" x 50 yd

Catapaque | Two-Sided Opaque Polypropylene Film

Finish/Color	SKU#	BUCKS	Film Thickness	Durability	Size
Bright White	SPMCP5450N		8 mil	1 year	54" x 50 yd

Barrier Film | Opaque Polypropylene

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Class White	SPMBF5450N	\$	2.3 mil	White Dermanant	E2#	1,4005	54" x 50 yd
Gloss White	SPMBF54100N		2.3 11111	White Permanent	53#	1 year	54" x 100 yd







One-Way Vision | wide format perforated vinyl

One-Way Vision® film is ideal for fleet graphics, glass windows and many other applications that require graphics on one side and a clear, unobstructed view through the other.

Among the thickest perforated film used in the industry

Available in two different hole sizes (1.5 and 1.6 mm)

Suitable for indoor and outdoor use (<3 years outdoors)

Removable adhesive – will not leave a trace of residue behind

No solvents are needed for application or removal

Apply to dry, clean glass surfaces

Resists mild acids, alkalis and salts

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent



Applications: Fleet Graphics | Fast Food Window Advertising | Point-of-Purchase Signage | Fleet Graphics | Retail Window Signage | Bus Shelters & Transit Stations | Large Scale Outdoor Signage | Temporary Promotional Signage

One-Way Vision

Exterior Classic View Perforated


Perforation	SKU#	Thickness	Adhesive	Liner	Durability	Size
50/50 1.5 mil diameter	SPMPWEABW54100N*	8 mil	.001 Removable	Clear PET Film	1 year	54" x 100 ft

Economy Grade Perforated


Perforation	SKU#	Thickness	Adhesive	Liner	Durability	Size
40/60	SPMEPWE54100N*	6 mil	.5 Removable	Clear Film	1 year	54" x 100 ft
1.6 mil diameter	SPMEPWE60100N*					60" x 100 ft
40/60	SPMEPWS54100	C !!	6 mil .5 Removable	Clear Film	1 4005	54" x 100 ft
1.6 mil diameter	SPMEPWS60100	O MIII		Solid Paper	1 year	60" x 100 ft

*Not for use with latex inks.









WIDE FORMAT REMOVABLE WALL VINYL

Nekoosa's Wall Graphics® product portfolio is a comprehensive offering of repositionable, removable vinyl films for a wide range of indoor and outdoor wall applications.

High opacity films with an excellent white point

Stable 90# layflat polycoated paper liner for ease of printing and installation

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent

Microsphere Removable Adhesive

Matte white, matte clear or gloss white finishes

4, 6 and 8 mil facestock rated for <3 years of outdoor use

Augusta Wall Graphics® 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner also available

Suitable for short term indoor and outdoor applications (<1 year clean removability from application surfaces)

Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass

High-Peel Removable Adhesive

High-peel adhesive properties allow for a broader range of application surfaces painted plywood, textured walls and low-tono VOC paints

6 mil semi-rigid matte white facestock rated for <3 years of outdoor use

Options available with a 90# layflat or 90# air-egress layflat polycoated paper liner

Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces)

Recommended application surfaces: painted plywood, textured walls, sheetrock, concrete and cinder block **Applications:** Wall Decals | Wall Décor | Point-of-Purchase Wall Signage | Renovation Barricades | Wayward Signage | Posters | Textured Wall Graphics

Wall Graphics | Removable Wall Vinyl

[Finish/Color	SKU#	BUCKS	Thickness	Adhesive	Liner	Durability	Size
	Matte White	SPMWGW5450		4 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
	Matte White	SPMWGW6050		4 mil	Microsphere Removable	90# Layflat	Up to 3 years	60" x 50 yd
NEW	Matte Clear	SPMWGC5450		4 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
ZW	Gloss White	SPMWG6G5450		6 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
	Matte White	SPMWG65450	\$	6 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
NEW	Matte White	SPMWG66050		6 mil	Microsphere Removable	90# Layflat	Up to 3 years	60" x 50 yd
NEW	Matte White	SPM600FW/R5450		6 mil	High-Peel Removable	90# Layflat	Up to 3 years	54" x 50 yd
	Matte White	SPMWG85450		8 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd

Air-Egress Wall Graphics

NEW	Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
NEW	Matte White	SPE600FW/R5450		6 mil	High-Peel Removable	90# Layflat Air-Egress	Up to 3 years	54" x 50 yd

Augusta | Embossed Wall Vinyl

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Augusta Embossed Matte White	SPMAUG5450	\$	6 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd











WALL GRAPHICS



 $ClingZ^{\odot}$ is an adhesive free, electrically charged graphic film that adheres to any dry interior surface.

Effortless to apply, remove and reposition to any dry interior surface

Adhesive free – no glue, tacks or pins required

Recyclable as a #5 plastic, PVC-free, chemically inert and phthalate-free

Can be die cut, kiss cut and plotter cut

Ideal for temporary indoor marketing applications (<3 months indoors)

Made in the U.S.A.

Print Compatibility: UV Wide Format




Applications: Screen Safe Labels | Point-of-Purchase Signage | Large Format Graphics | Tileable Murals | Reverse Sided Graphics | Trade Show & Event Signage | Window Graphics | Holiday Décor & Decals | Dry Erasable Posters

ClingZ | Electrically Charged Polypropylene Film

Finish/Color	SKU #	Thickness	Liner	Size
White	White 71501		42" x 50 yd	
Wille	71510	6 mil	DET	54" x 50 yd
Clear	71502	71502 6 mil	PET	42" x 50 yd
Clear	71511			54" x 50 yd









Walk-On Gophics® | wide format slip resistant vinyl film

The Walk-On Graphics® two component system includes a printable vinyl base film and a UL 410 slip resistant overlaminate to create durable floor signage applications.

Recommended for use on smooth, clean, flat surfaces like tile, sealed wood, ceramic tile vinyl and sealed concrete

4 mil printable vinyl base film available in white or clear finishes with removable adhesive

4 mil clear double polished and 6 mil clear embossed UL 410 certified overlaminate option

Suitable for indoor short term floor graphics (<6 months)

Graphics withstand normal floor maintenance and cleaning

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent

Applications: Wayward Floor Graphics | Floor Advertising Graphics | Point-of-Purchase Floor Signage | Counter Mats

Walk-On Graphics | Slip Resistant Vinyl Film – SOLD IN KITS

SKU #	Color	Application	Kit Component	Film Thickness	Adhesive	Liner	Durability	Size
SPMWOGFW5450N-Wht	White	Floor	Base Film	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
SPMWOGFW3430N-WIIL	Clear Embossed	FIOOI	Overlaminate	6 mil	Permanent	Clear Film	6 months	54" x 50 yd
SPMWOGDP5450N-Wht	White	Floor	Base Film	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
	Clear Double Polished	FIOOI	Overlaminate	4 mil	Permanent	Clear Film	6 months	54" x 50 yd
SPMWOGFC5450N-CIr	Clear	Floor	Base Film	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
SPMWOGFC3430N-CII	Clear Embossed	FIOOI	Overlaminate	6 mil	Permanent	Clear Film	6 months	54" x 50 yd
SPMWOGDPC5450N-CIr	Clear	Floor	Base Film	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
SPMWOGDPC5450N-CII	Clear Double Polished	FIOOI	Overlaminate	4 mil	Permanent	Clear Film	6 months	54" x 50 yd
SPMCGFW5450N-Wht	White	Carpet	Base Film	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
SPMCGPW3430N-WIIL	Clear Embossed	Carpet	Overlaminate	6 mil	Permanent	Clear Film	6 months	54" x 50 yd
SPMCGFWDP5450N-Wht	White	Carpet	Base Film	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
SEWICGEWDP3430N-WIIL	Clear Double Polished	Carpet	Overlaminate	4 mil	Permanent	Clear Film	6 months	54" x 50 yd

Walk-On Graphics are sold in kits.

Each kit consists of **one roll** of either **white or clear** base film and **one roll** of overlaminate.

Overlaminate is picked based on part number chosen.



TRANSLUCENTS & REFLECTIVES









ECUE UNIT



Tonslucent Calendered Vinul Mide Format Adhesive Backed Translucent film

The ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Maximum color density with advanced ink adhesion technology

For indoor and outdoor use

Removable adhesive

Ideally suited for mild solvent and solvent inks

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent

Applications: Illuminated Signage | Fleet Graphics | Taxi-tops | Gas Station Canopies | Awnings | Blinds | Light Boxes | Shop Fascias | Window Graphics

Translucent Calendered Vinyl | Adhesive Backed Translucent

Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
White	SPMTUR5450N	4 mil	Domovable	90# Lavflat	5 years (outdoor)	54" x 50 yd
Semi-Gloss	SPMTUR6050N	4 mil	Removable	90# Layflat	5 years (outdoor)	60" x 50 yd





Reflective Vinu | WIDE FORMAT REFLECTIVE VINYL

Reflective Vinyl is a flexible, enclosed lens glass-bead retroreflective sheeting that reflects light. Ideal for safety and commercial signage applications.

For indoor and outdoor use (<7 years) — highly resistant to extreme hot, cold, dry and humid weather conditions

Permanent bonding after 48 hours, removable adhesive with heat (<3 years)

Can be applied to flat, corrugated and riveted surfaces

Available in white

Pressure-activated adhesive for easy installation

Print Compatibility: Digital printing with Eco-Solvent, Solvent and most Screen printing inks

Applications: Vehicle & Fleet Markings | Traffic & Commercial signage | Traffic Control Devices | Labels | Safety Decals

Reflective Vinyl

Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
White	White SPMRF4825 SPMRF4850	7 mil	Pemovable	78#	7 years	48" x 25 yd
vviiite		/ mil	Removable	70#	7 years	48" x 50 yd

5 roll minimum on all 10 yd reflective colors.



MOUNTING FILM

Permanent and Removable Polyester













MOUNTING FILMS | WIDE FORMAT PERMANENT AND REMOVABLE POLYESTER

Easily convert non-adhesive backed films to pressure sensitive materials with either a permanent or removable mounting film.

Offered in a variety of gauges and adhesive combinations

Water-resistant for excellent indoor durability

Printed film liners and self-wound liners available

Available with a clear film air-egress printed release liner option

Made in the U.S.A.

Applications: Vehicle & Fleet Markings | Traffic & Commercial signage | Traffic Control Devices | Labels | Safety Decals

Mounting Film | Permanent and Removable Polyester

Permanent/Permanent

Colon	Color SKU #		Sid	le 1	Sid	e 2	Durability	Size
Coloi	310#	Thickness	Adhesive	Liner	Adhesive	Liner	Durability	3126
	CMTT100C3850							38" x 50 yd
Clear	CMTT100C5150	1 mil	Permanent	90#	Permanent	78#	3 years	51" x 50 yd
	CMTT100C5450							54" x 50 yd
	CMTT200WSL3850		Permanent	40# C2S			3 years	38" x 50 yd
White	CMTT200WSL5150	2 mil			Permanen	N/A		51" x 50 yd
	CMTT200WSL5450							54" x 50 yd

Permanent/Removable

Finish	SKU#	Thickness	Sid	e 1	Si	ide 2	Durability	Size
FIIIISII	3K0 #	HIICKHESS	Adhesive	Liner	Adhesive	Liner	Durability	Size
	CMTT100PR3850							38" x 50 yd
Optically Clear	CMTT100PR5150	1 mil	Permanen	Clear Film	Removable	Clear Printed Film	3 years	51" x 50 yd
	CMTT100PR5450							54" x 50 yd
	CMTT100SLPR3850						3 years	38" x 50 yd
Clear	CMTT100SLPR5150	1 mil	Permanent	N/A	Removable	40# C2S		51" x 50 yd
	CMTT100SLPR5450							54" x 50 yd
	CMTT100AEPR3850					Cl		38" x 50 yd
Clear	CMTT100AEPR5150	1 mil	Permanent	Clear Film	Removable	Clear Air-Egress Film	3 years	51" x 50 yd
	CMTT100AEPR5450							54" x 50 yd









OVERTICAL SIZE OF VINYL

Overlaminates enhance a graphic's overall depth while protecting printed materials from UV radiation, environmental elements and general abuse.

Adheres to flat and simple curves only

Pressure activated, high-performance permanent adhesive

Made in the U.S.A.

Calendered – Gloss, Luster, Matte, Optically Clear

Suitable for indoor and outdoor use (<5 years outdoors)

Apply to flat or simple curves like bus/automotive markings, buildings and signage

Provides excellent UV protection for outdoor graphics

Cast – Gloss, Luster, Matte, Velvet, Optically Clear

Suitable for indoor and outdoor use (<7 years outdoors)

Provides excellent UV protection for outdoor graphics

Polyester – Optically Clear

Suitable for indoor use (<4 years)

Provides a protective layer on printed substrates that are applied to indoor surfaces

Dry erasable option available



Calendered Overlaminate Film

Calendered Flexible Vinyl

Finish/Color	SKU#	BUCKS	Thickness	Adhesive	Liner	Durability	Size
Luster Clear	LM3LL5450	\$	3 mil	Permanent	F2# Danas	5 years	54" x 50 yd
Lustei Cieai	LM3LL6050	L6050	53# Paper	3 years	60" x 50 yd		
Matta Claar	LM3MCL5450	\$	2 mil	Permanent	53# Paper	5 years	54" x 50 yd
Matte Clear	LM3MCL6050		3 mil	remanent			60" x 50 yd
Class Class	LM3CL5450	\$	2!!	Permanent	53# Paper	5 years	54" x 50 yd
Gloss Clear	LM3CL6050		3 mil				60" x 50 yd
Gloss Optically Clear with UV Protection	LM4CL5450		4 mil	Permanent	Clear Film	3 years	54" x 50 yd

Rigid Vinyl

_	•							
	Finish/Color	SKU#	BUCKS	Thickness	Adhesive	Liner	Durability	Size
	Clear Embossed Scratch Resistant	LM6CE5450		6 mil	Permanent	Clear Film	6 months	54" x 50 yd

Eclypse™

Finish/Color	SKU #	BUCKS	Thickness	Adhesive	Liner	Durability	Size
	5053304						38" x 50 yd
Luster Clear	5053356		3 mil	Permanent	78# Paper	F	51" x 50 yd
Luster Clear	5053360	Non-Yellowing 76# raper	5 years	54" x 50 yd			
	5053396				61" x 50 yd		
	5053404		3 mil		78# Paper	5 years	38" x 50 yd
Matte Clear	5053456			Permanent Non-Yellowing			51" x 50 yd
Matte Clear	5053460						54" x 50 yd
	5053496						61" x 50 yd
	5053104						38" x 50 yd
Closs Clear	5053156		3 mil	Permanent	78# Paper	5 years	51" x 50 yd
Gloss Clear	5053172		311111	Non-Yellowing	76# Papei		54" x 50 yd
	5053196						61" x 50 yd



LM4CL and LM6CE only

Overlaminates continued on pg. 56 •



Applications: Point-of-Purchase Displays | Outdoor Signage | Windows and Walls | Tradeshows | Illuminated Signs

Cast Overlaminate Film

Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
Gloss Optically Clear	Gloss Optically Clear LM2GL5450	2 mil	Permanent Solvent	PET	7 years	54" x 50 yd
with UV Protection	LM2GL6050	2 11111	Fermanent Solvent	FLI		60" x 50 yd
Clear Luster	LM2LL5450	2 mil	Permanent Solvent	50# Glassine	Zvooro	54" x 50 yd
with UV Protection	LM2LL6050	2 mil	Permanent Solvent	50# Glassifie	7 years	60" x 50 yd
Clear Matte with UV Protection	LM2MC5450	2 mil	Permanent Solvent	50# Glassine	7 years	54" x 50 yd

Polycarbonate Overlaminate Film

Eclypse™

Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
	5044290LM	3 mil	Permanent	Permanent PET 5 years	Evene	38" x 50 yd
	5044550LM	311111	Non-Yellowing		51" x 50 yd	
Valuet Matte 5044292LN	5044292LM	5 mil	Permanent	PET 5 years	5 years	38" x 50 yd
Velvet Matte	5044552LM	311111	Non-Yellowing		51" x 50 yd	
	5044293LM	10 !!	Permanent	PET	F	38" x 50 yd
	5044553LM	10 mil	Non-Yellowing	PEI	5 years	51" x 50 yd

Polyester Overlaminate Film

Polyester

Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
Optically Clear	LM2CL5450	2 mil	Permanent	Clear Film	4 years (Indoor)	54" x 50 yd

Dry Erase Polyester

, ,						
Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
Optically Clear	LM1DE5450	1 mil	Permanent	Clear Film	4 years (Indoor)	54" x 50 yd
	LM1DE6050					60" x 50 yd



