

COLLECT It Always PAYS to Run Nekoosa



Look for this sticker on specially marked cartons of Nekoosa print media.

FIND NEKOOSA BUCKS* IN THESE CARTONS:

TRIFECTA® Multipurpose Removable Pressure Sensitive Textured Vinyl

		,			
Description	Adhesive	Liner	Thickness	Roll Size	SKU #
Textured Matte White	Universal Removable	90# Layflat	6 mil	54" x 100 ft	SPMTRI54100

WALL GRAPHICS® Wall Decal Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Matte White	Microsphere Removable	90# Paper	6 mil	54" x 50 yd	SPMWG65450
Augusta Embossed Matte White	Microsphere Removable	90# Paper	6 mil	54" x 50 yd	SPMAUG5450

HI-STAT® Cling Window Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Clear	None	10 pt Board	8 mil	54" x 50 yd	SPMHSC5450
White	None	10 pt Board	8 mil	54" x 50 yd	SPMHSW5450
Optically Clear	None	Film	8 mil	54" x 50 yd	SPMHSC5C5450

SIGN-AD® Low Tack Window Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
White	Low-Tack Removable	90# Paper	4 mil	54" x 50 yd	SPMSA5450
White Opaque	Moderate-Tack Removable	90# Paper	6 mil	54" x 50 yd	SPMSABF5450
White Air-Egress	Low-Tack Removable	90# Paper	4 mil	54" x 50 yd	SPESA5450
Clear	Low-Tack Removable	90# Paper	4 mil	54" x 50 yd	SPMCAD5450
Optically Clear	Low-Tack Removable	Film	4 mil	54" x 50 yd	SPMCADP5450
Clear Air-Egress	Low-Tack Removable	Film	4 mil	54" x 50 yd	SPECADP5450

PREMIUM VINYL General Use Vinyl

	Description	Adhesive	Liner	Thickness	Roll Size	SKU#
	Gloss White	Permanent	90# Paper	3 mil	54" x 50 yd	SPM300GWF5450
	Gloss White	Removable Gray	90# Paper	3 mil	54" x 50 yd	SPM300GWR/GR5450
4	Gloss White	Permanent Gray	90# Paper	3 mil	54" x 50 yd	SPM300GWF/GR5450
	Gloss White	High-Bond Permanent	90# Paper	3 mil	54" x 50 yd	SPM300GWF/HT5450
	Matte White	Permanent	90# Paper	4 mil	54" x 50 yd	SPM400FW/P5450
	Matte White	Removable Gray	90# Paper	4 mil	54" x 50 yd	SPM400FWR/GR5450
	Matte White	Permanent Gray	90# Paper	4 mil	54" x 50 yd	SPM400FWP/GR5450
	Matte White	High-Bond Permanent	90# Paper	4 mil	54" x 50 yd	SPM400FWP/HT5450
	Matte White	Removable	90# Paper	4 mil	54" x 50 yd	SPM400FW/R5450
	Clear	Permanent	90# Paper	4 mil	54" x 50 yd	SPM400C5450
	Matte White	Permanent	90# Paper	6 mil	54" x 50 yd	SPM6005450N

CALENDERED VINYL OVERLAMINATE FILM – Improved Performance

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Luster Clear	Permanent	78# Paper	3 mil	54" x 50 yd	LM3LL5450
Matte Clear	Permanent	78# Paper	3 mil	54" x 50 yd	LM3MCL5450
Gloss Clear	Permanent	78# Paper	3 mil	54" x 50 yd	LM3CL5450
		•		-	

BARRIER FILM

Description	Adhesive	Liner	Thickness	Roll Size	SKU#
Gloss White	Permanent	53# Paper	2.3 mil	54" x 50 yd	SPMBF5450N

NEKOOSA BUCKS

AND EARN MONEY



Enjoy a little extra on us by redeeming Nekoosa Bucks for cash. Redeeming is easy, just visit our website:

- 1. Go to NEKOOSABUCKS.COM, click on the gold Nekoosa Bucks icon on our homepage.
- 2. Log in to your existing account, or create a new account if you are redeeming a Nekoosa Buck for the first time.
- 3. Enter the code found on the front of the Nekoosa Bucks flyer, which are found in each qualifying carton.

It's that easy! Once you reach \$25 in redemptions, we will send you a \$25 MasterCard rewards card. You can also continue to grow your account and request gift cards in larger denominations. Your redemptions will add up. The more Nekoosa print media you run, the more you earn!

There is no limit to the number of MasterCard® reward cards you can request. Only qualified purchasers of Nekoosa print media may receive MasterCard® reward cards. Please allow four to six weeks for delivery. Nekoosa Bucks have no cash value and cannot be replaced if lost or stolen. Nekoosa reserves the right to modify or withdraw this promotion at any time. Collect

WIDE FORMAT PRODUCTS

	INK COMPATIBILITY Latex UV Inkjet Eco-Solvent The Solvent	LICENSON THE LICEN	24" Roll	36" Roll	38" Roll	42" Roll	48" Roll	51' Roll	54" Roll	60" Roll	61"Roll	62" Roll	87" Roll	APPLICATIONS Simple Curves Decals Decals Window Floor Wall Banner Indoor Outdoor Outdoor Clear White Clear Clear Clear White Clear Clear Clear Chartured/Embossed High-Tack Adhesive Low-Tack Adhesive Low-Tack Adhesive Feturanent Removable Removable Removable
Multipurpose Textured	Vinyl													
Trifecta	• • • •	6 mil							100 ft					
Point-of-Purchase Disp														
Premium Vinyl	• • • •	3,4, 6 & 8 mil							50 yd	50 yd				
Classic Vinyl	• • • •	3 & 4 mil							50 yd	50 yd				
Trans-Ad	• • • •	3 & 4 mil	10050				10050		50 yd	50 yd		50 & 100 yd		
ChalkTalk	• •	7 mil	10 & 50 yd	100.0			10 & 50 yd		·					•
SYNAPS OM	• •	5, 8, 10 & 14 mil		100 ft					50 yd					
Window Graphics														
Sign-Ad	• • • •	4 & 6 mil							50 yd	50 yd				
ZTac	•	3 mil							50 yd					
Hi-Stat	• • • •	8 mil							50 yd	50 yd				
Opti-Cling	• • • •	8 mil							50 yd					
Barrier Film	•	2.3 mil							50 & 100 yd					
Wall Graphics														
Wall Graphics	• • • •	4, 6 & 8 mil							50 yd	50 yd				
Augusta Wall Graphics	• • • •	6 mil							50 yd					
ClingZ	•	2 mil				50 yd			50 yd					
Floor Graphics														
Walk-On Graphics		4 mil							50 yd					
Overlaminates		4 & 6 mil							50 yd					
Translucents & Reflect	ives													
Translucents		4 mil							50 yd	50 yd				
Reflectives	• • •	7 mil	50 yd				50 yd							
Mounting Films														
Mounting Films		1 & 2 mil			50 yd			50 yd	50 yd					
Overlaminates														
Polyester*		1 & 2 mil							50 yd	50 yd				
Calendered Vinyl		3.2, 4 & 6 mil							50 yd	50 yd				
Polycarbonate		3, 5 & 10 mil			50 yd			50 yd						

*1 mil has dry erase capabilities

 $Additional\ information\ can \ be\ found\ on\ the\ NEKOOSA.COM\ website\ or\ by\ contacting\ a\ Nekoosa\ customer\ service\ representative.$











One product, endless applications. Create floor, wall and window graphics with one universal media ... Trifecta™.

6 mil semi-rigid matte white textured facestock rated for <5 years of outdoor use

High opacity film with an excellent white point

Universal removable adhesive that will cleanly remove from indoor and outdoor application surfaces for <6 months

Stable 90# layflat polycoated paper liner for ease of printing and installation

Made in the U.S.A.

Print Compatibility: Eco-Solvent, True Solvent, Latex, UV Wide Format, Screen, UV Offset

When to use Trifecta

One-Step Floor Graphics – Create UL 410 slip resistant floor graphics in one easy step ... no overlaminate required. Easy to install and remove. Trifecta™ is suitable for indoor short term floor graphics (<6 months). *Not intended for outdoor floor graphic applications.

Wall Graphics – Hassle free textured wall decals - peel, stick, done. No need for tapes, tacks or nails and will remove cleanly from painted dry wall. Print right to the edge!

Window Graphics – Enhance the look of standard window graphics with a dimensional, textured finish. Perfect for short term decorative window decals smaller than 2' x 2'.

Applications: One-Step Floor Graphics | Wall Graphics | Window Signage | Social Distancing Floor Graphics | Counter Mats | Wayward Signage | One-Way Window Graphics | Floor Advertisement | Point-of-Purchase Signage

Trifecta | Multipurpose Removable Pressure Sensitive Textured Vinyl

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Textured Matte White	SPMTRI54100	\$	6 mil	Universal Removable	90# Layflat	Up to 5 years	54" x 100 ft









POINT-OF-PURCHASE DISPLAYS, EXHIBITS & DECALS













Premium Vinus | WIDE FORMAT HIGH PERFORMANCE CALENDERED VINYLS

Turn to Nekoosa's Premium Vinyls when you need to produce specific signage applications that require superior features including robust adhesive systems, liners and finishes.

Suitable for indoor and outdoor applications (<3 to 5 years outdoors)

Grades with removable adhesives will remove cleanly from surfaces within 1 year

High opacity films with an excellent white point

Matte white, gloss white or clear finish

Clear or gray block-out; permanent, removable, high-bond permanent pressure sensitive adhesive

Air-egress options available

Lay-flat 90# release liner, superior for printing with latex and UV wide format printers

Versatile product offering compatible for print and cut machines

3, 4 and 6 mil thickness options available for easy installation onto flat or simple curves without rivets

Made in the U.S.A.

Printer Compatibility: Latex, UV Inkjet, Eco-Solvent, True Solvent

Applications: Banner Graphics | Cut Lettering | Decals | Point-of-Purchase Signage | Bumper Stickers | Fleet Markings | Name Plates | In-Store Promotions

Premium Calendered Vinyls | High Performance Calendered Vinyls

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPM300GWF5450	\$	3 mil	Dormanant	00# Lovelot	Evene	54" x 50 yd
GIOSS WHILE	SPM300GWF6050		311111	Permanent	90# Layflat	5 years	60" x 50 yd
Gloss White	SPM300GWR/GR5450	\$	3 mil	Cray Domovable	00# Lovelot	Evene	54" x 50 yd
GIOSS WHILE	SPM300GWR/GR6050		311111	Gray Removable	90# Layflat	Durability 5 years	60" x 50 yd
Gloss White	SPM300GWF/GR5450	\$	3 mil	Gray Permanent	90# Layflat	5 voors	54" x 50 yd
GIOSS WHITE	SPM300GWF/GR6050		311111	Gray Permanent	90# Layllat	3 years	60" x 50 yd
Gloss White	SPM300GWF/HT5450	\$	3 mil	High-Bond Permanent	90# Layflat	5 years	54" x 50 yd
Gloss White	SPM600G5450		6 mil	High-Bond Permanent	90# Layflat	3 years	54" x 50 yd
Matte White	SPM400FW/P5450	\$	4 mil	Permanent	90# Layflat	5 voors	54" x 50 yd
Matte Wille	SPM400FW/P6050		411111	Permanent	90# Layllat	5 years	60" x 50 yd
Matte White	SPM400FWR/GR5450	\$	4 mil	Cray Domayable	00# Lovelot	Evers	54" x 50 yd
Matte Wille	SPM400FWR/GR6050		4 11111	Gray Removable	90# Layflat	5 years	60" x 50 yd
Matte White	SPM400FWP/GR5450	\$	4 mil	Gray Permanent	00#1 avflat	5 voors	54" x 50 yd
Matte Wille	SPM400FWP/GR6050		411111	Gray Permanent	90# Layflat	3 years	60" x 50 yd
Matte White	SPM400FWP/HT5450	\$	4 mil	High-Bond Permanent	90# Layflat	5 years	54" x 50 yd
Matte White	SPM400FW/R5450	\$	4 mil	Removable	90# Layflat	5 voors	54" x 50 yd
Matte Wille	SPM400FW/R6050		411111	Removable	90# Layllat	3 years	60" x 50 yd
Matte White	SPM6005450N	\$	6 mil	High-Bond Permanent	90# Layflat	5 years	54" x 50 yd
Clear	SPM400C5450	\$	4 mil	Permanent	00#1 avflat	5 years	54" x 50 yd
Cleai	SPM400C6050		411111	reillidileilt	90# Layflat	5 years	60" x 50 yd

Air-Egress Premium Calendered Vinyls

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPE300GWR/GR5450		3 mil	Gray Removable	90# Layflat Air-Egress	5 years	54" x 50 yd
GIOSS WITTLE	SPE300GWR/GR6050		311111	Gray Removable	90# Layllat All-Egless	3 years	60" x 50 yd
Class White	SPE300GWF/GR5450		3 mil	Gray Permanent	90# Layflat Air-Egress	5 years	54" x 50 yd
Gloss White	SPE300GWF/GR6050		3 11111	Gray Fermanent	90 " Layllat All-Egless	J years	60" x 50 yd
Matte White	SPE400FWR/GR5450		4 mil	Gray Removable	90# Layflat Air-Egress	-	54" x 50 yd
Matte Wille	SPE400FWR/GR6050		411111	Gray Removable	90# Layllat All-Egless		60" x 50 yd
Matte White	SPE400FWP/GR5450		4 mil	Cray Pormanont	90# Layflat Air-Egress	5 years	54" x 50 yd
watte willte	SPE400FWP/GR6050		411111	Gray Permanent	90# Laylidt All-Egless	5 years	60" x 50 yd







SSIC VINUS | WIDE FORMAT GENERAL USE CALENDERED VINYLS

Nekoosa's Classic Vinyls are intended for interior and exterior point-of-purchase graphic applications.

Suitable for indoor and outdoor applications (<3 years outdoors)

Grades with removable adhesive will remove cleanly from surfaces within 1 year

Matte or gloss bright white finishes

Clear or gray block-out, permanent or removable pressure sensitive adhesive

Air-egress options available

Easy installation onto flat and simple curves without rivets

Made in the U.S.A.

Print Compatibility: Latex, UV Inkjet, Eco-Solvent, True Solvent



Applications: Banner Graphics | Cut Lettering | Decals | Point-of-Purchase Signage | Bumper Stickers | Fleet Markings | Name Plates | In-Store Promotions


Classic Vinyls | General Use Calendered Vinyls

Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPM3415450N	3 mil	Permanent	78#	3 years	54" x 50 yd
Gloss White	SPM341G5450N	3 mil	Gray Permanent	78#	3 years	54" x 50 yd
Gloss White	SPM390G5450	3 mil	Gray Permanent	90# Layflat	3 years	54" x 50 yd
Gloss White	SPM390GWR/GR5450	3 mil	Gray Removable	90# Layflat	3 years	54" x 50 yd
Matte White	SPM4415450N	4 mil	Permanent	78#	3 years	54" x 50 yd
Matte White	SPM441G5450N	4 mil	Gray Permanent	78#	3 years	54" x 50 yd
Matte White	SPM490FWP/GR5450	4 mil	Gray Permanent	90# Layflat	3 years	54" x 50 yd
Matte White	SPM490FWR/GR5450	4 mil	Gray Removable	90# Layflat	3 years	54" x 50 yd

Air-Egress Classic Vinyls

Finish/Color	SKU #	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPE390GWF/GR5450	3 mil	Gray Permanent	90# Layflat Air-Egress	3 years	54" x 50 yd
Gloss White	SPE390GWR/GR5450	3 mil	Gray Removable	90# Layflat Air-Egress	3 years	54" x 50 yd
Matte White	SPE490FWP/GR5450	4 mil	Gray Permanent	90# Layflat Air-Egress	3 years	54" x 50 yd
Matte White	SPE490FWR/GR5450	4 mil	Gray Removable	90# Layflat Air-Egress	3 years	54" x 50 yd





WIDE FORMAT TRANSIT GRAPHIC VINYL

Trans-Ad® is a matte white opaque premium vinyl for high-quality transportation and fleet graphic applications on smooth, flat surfaces such as bus signs, automobiles, rail platform posters and transportation signs.

OUTFRONT Media approved

Suitable for indoor and outdoor use (<2 years outdoors)

Bright white point and excellent opacity

Clear, removable adhesive – air egress option available

Easy installation onto flat and simple curves without rivets

Cover previous graphics with ease – up to three layers can be applied

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent

Applications: Bus Kings, Queens & Tails | Auto & Transportation Signage | Fleet Graphics Without Rivets or Corrugated Surfaces | Decals | Simple Curves

Trans-Ad | Opaque Premium Calendered Transit Vinyl

Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Durability	Size
Matte White	SPETAMW5450N	4 mil	Removable	00# Air Egross	1 year	54" x 50 yd
Matte white	SPETAMW6050N	4 mil	Removable	90# Air-Egress	1 year	60" x 50 yd
Matta White	SPMTAMW5450N	4!	Domeovable	00#	1	54" x 50 yd
Matte White	SPMTAMW6050N	4 mil	Removable	90#	1 year	60" x 50 yd

*Only Trans-Ad is OUTFRONT Media approved and UL Certified

Calendered Vinyl | Vehicle Wrap Transit Vinyl

Finish/Color	SKU#	Film Thickness	Adhesive	Liner	Durability	Size
Class White	SPEVW3R5450	2 mil	Gray Removable	90# Air-Egress	5 year	54" x 60 yd
Gloss White	SPEVW3R6050	3 mil			5 year	60" x 50 yd









WIDE FORMAT CHALKBOARD FILM

Printable, chalkboard film with removable adhesive for all your creative uses.

Removable adhesive

6 mil. textured, slate gray surface

Easy application to flat, smooth, clean surfaces like painted drywall, kitchen cabinets and refrigerators

Write with chalk or liquid chalk ink pens for best results

Wipes clean with a damp cloth

Eco-friendly, child safe, CPSIA compliant, lead-free, plasticizer-free and phthalate-free

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format



Applications: Restaurant Menu Boards | To-Do Lists | Promotional Displays

ChalkTalk | Chalkboard Film

Finish/Color	SKU #	Film Thickness	Adhesive	Liner	Size
	1320106				24" x 10 yd
Tayley mad Clata Cray	1320136	6 mil	Removable	00# Dalva anto d Kroft	24" x 50 yd
Textured Slate Gray	1320206		Removable	88# Polycoated Kraft	48" x 10 yd
	1320236				48" x 50 yd





SYNAPS OM | WIDE FORMAT POLYESTER FILM

SYNAPS OM is a latex and UV printable polyester film that will not bow, fade, curl or warp.

No lamination required

Lays flat even when rolled – roll up banners will not wrinkle or fray on the edges

Waterproof and tear proof – suitable for indoor and outdoor applications

Polyester film with a glare free double sided matte white finish

High white point for superior image quality

Printable on both sides

Print Compatibility: Latex, UV Wide Format

Applications: Restaurant Menu Boards | To-Do Lists | Promotional Displays


SYNAPS OM | Polyester Film

Finish/Color	SKU#	Thickness	Opacity	Brightness	Size
	66101	5 mil	92%	100	36" x 100 ft
	66102	5 mil	92%	100	54" x 100 ft
	66103	8 mil	96%	100	36" x 100 ft
Matte White	66104	8 mil	96%	100	54" x 100 ft
Matte Wille	66105	10 mil	96%	98	36" x 100 ft
	66106	10 mil	96%	98	54" x 100 ft
	66110	14 mil	97%	93	36" x 100 ft
	66111	14 mil	97%	93	54" x 100 ft






WINDOW GRAPHICS













Sign-Ad $^{\circ}$ is a flexible calendered vinyl coated with a low/moderate-tack adhesive for easy-to-apply window graphics.

Removable adhesive

Easy to remove without leaving adhesive residue behind

No solvents needed for application or removal

For indoor and outdoor window graphic applications for up to 3 years (outdoors)

Made in the U.S.A.

Print Compatibility: HP Indigo, Conventional and UV Offset, Latex, Eco-Solvent, Solvent, UV Wide Format, Screen



Applications: Window Advertising | Point-of-Purchase Window Decals | Price Stickers | Counter Mats

Sign-Ad | Calendered Vinyl *Clear finishes formerly referred to as CLEAR-AD®.

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Class Class	SPMCAD5450	\$	4 mil	Low-Tack Removable	90# Layflat Paper	Up to 2 years	54" x 50 yd
Gloss Clear	SPMCAD6050		4 mil	LOW-Tack Removable	90# Layllat Papel	Up to 3 years	60" x 50 yd
Gloss Optically Clear	SPMCADP5450	\$	4 mil	Low-Tack Removable	5 mil (Clear Film)	Up to 3 years	54" x 50 yd
Matta White	SPMSA5450	\$	4!!	Laur Taali Damaarahla	00# Louglat Dance	Unite 2 venue	54" x 50 yd
Matte White	SPMSA6050		4 mil	Low-Tack Removable	90# Layflat Paper	Up to 3 years	60" x 50 yd

Air-Egress Sign-Ad

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Clear Air-Egress	SPECADP5450N	\$	4 mil	Low-Tack Removable	Air-Egress Clear Printed Film	Up to 3 years	54" x 50 yd
Matte White Air-Egress	SPESA5450	\$	4 mil	Low-Tack Removable	90# Layflat Air-Egress	Up to 3 years	54" x 50 yd

Sign-Ad Opaque

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size	
Opaque Gloss White	SPMSABF5450	\$	6 mil	Moderate-Tack Removable	90# Layflat Paper	Up to 3 years	54" x 50 yd	













Ztac™ is an ultra low-tack, repositionable polyester film designed for easy application and removal on very smooth indoor surfaces.

Repositionable – will hold its original shape without "dog earring"

Suitable for indoor use on very smooth surfaces like windows, glass and polished metal

Can be die cut, kiss cut, perforated, scored and folded

Recyclable as a #1 polyester, PVC-free, chemically inert and phthalate-free

Made in the U.S.A.

Print Compatibility: UV Wide Format

Applications: Window Graphics | Tileable Mural | Point-of-Purchase Signage | Reverse Sided Window Graphics | Trade Show & Event Signage | Holiday Décor & Decals | Hot Deli Glass Case Signage | Glass Freezer & Cooler Doors

Ztac | Ultra-Low Tack Polyester Film

Finish/Color	SKU#	Thickness	Adhesive	Liner	Size
White	71411	6 mil	Low-Tack	62# Daner	54" x 50 yd
Clear	71410	6 mil	Dot Pattern Adhesive	63# Paper	54" x 50 yd





© WIDE FORMAT CLING VINYL

Hi-Stat® is a very soft, flexible cling vinyl which adheres to most clean, highly polished smooth surfaces without adhesive.

Repositionable

Suitable for indoor and outdoor use (<3 months outdoors)


Effortless removal without leaving a trace of residue behind

No solvents needed for application or removal

Can be wet applied

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent







Applications: Window Advertising | Point-of-Purchase Window Decals | Price Stickers | Automotive Window Decals | LED Screen Protection

Hi-Stat | Cling Vinyl

Finish/Color	SKU #	BUCKS	Thickness	Liner	Size
Clear	SPMHSC5450	\$		10 pt Board	54" x 50 yd
	SPMHSC54100		9 mil		54" x100 yd
	SPMHSC6050		8 mil		60" x 50 yd
	SPMHSC60100				60" x 100 yd
	SPMHSW5450	\$			54" x 50 yd
\M/bi+o	SPMHSW54100		0 mil	10 pt Poord	54" x 100 yd
White	SPMHSW6050		8 mil	10 pt Board	60" x 50 yd
	SPMHSW60100				60" x 100 yd

Hi-Stat Opti-Cling

Finish/Color	SKU #	BUCKS	Thickness	Liner	Size
Optically Clear	SPMHSC5C5450	\$	0 mil	Matta Claar Film	54" x 50 yd
	SPMHSC5C54100		8 mil	Matte Clear Film	54" x 100 yd







OPAQUE WINDOW FILMS

Nekoosa's opaque window films can be laminated to clear Hi-Stat® or Sign-Ad® products to create double sided "push-pull" signage.

SIGN-AD® OPAQUE is a bright white, opaque 6 mil vinyl with a moderate-tack removable white adhesive.

Bright white, 100% opaque

Moderate-tack removable white adhesive

Easy to remove without leaving adhesive residue behind

No solvents needed for application or removal

Suitable for indoor and outdoor use (<1 year outdoors)

Made in the U.S.A.

Print Compatibility: HP Indigo, Conventional and UV Offset, Latex, Eco-Solvent, Solvent, UV Wide Format and Screen

BARRIER FILM is a bright white, 2.3 mil opaque polypropylene film with a permanent adhesive.

Bright white, 100% opaque

Permanent adhesive

Made in the U.S.A.

Print Compatibility: UV Wide Format

Applications: Push-Pull Graphics | Window Decals | Posters | Decals | P.O.P. Displays | Advertising Graphics

Opaque Window Film

Sign-Ad Opaque | 100% Opaque Low-Tack Vinyl


Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Opaque White	SPMSABF5450	\$	6 mil	Moderate-Tack Removable	90# Layflat Paper	Up to 3 years	54" x 50 yd

Barrier Film | Opaque Polypropylene

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPMBF5450N	\$	2.3 mil	White Permanent	53#	1 year	54" x 50 yd
GIOSS WHITE	SPMBF54100N						54" x 100 yd











WIDE FORMAT REMOVABLE WALL VINYL

Nekoosa's Wall Graphics® product portfolio is a comprehensive offering of repositionable, removable vinyl films for a wide range of indoor and outdoor wall applications.

High opacity films with an excellent white point

Stable 90# layflat polycoated paper liner for ease of printing and installation

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent

Microsphere Removable Adhesive

Matte white, matte clear or gloss white finishes

4, 6 and 8 mil facestock rated for <3 years of outdoor use

Augusta Wall Graphics® 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner also available

Suitable for short term indoor and outdoor applications (<1 year clean removability from application surfaces)

Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass

High-Peel Removable Adhesive

High-peel adhesive properties allow for a broader range of application surfaces painted plywood, textured walls and low-tono VOC paints

6 mil semi-rigid matte white facestock rated for <3 years of outdoor use

Options available with a 90# layflat or 90# air-egress layflat polycoated paper liner

Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces)

Recommended application surfaces: painted plywood, textured walls, sheetrock, concrete and cinder block

Applications: Wall Decals | Wall Décor | Point-of-Purchase Wall Signage | Renovation Barricades | Wayward Signage | Posters | Textured Wall Graphics

Wall Graphics | Removable Wall Vinyl

Finish/Color	SKU#	BUCKS	Thickness	Adhesive	Liner	Durability	Size
Matte White	SPMWGW5450		4 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
Matte White	SPMWGW6050		4 mil	Microsphere Removable	90# Layflat	Up to 3 years	60" x 50 yd
Matte Clear	SPMWGC5450		4 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
Gloss White	SPMWG6G5450		6 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
Matte White	SPMWG65450	\$	6 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd
Matte White	SPMWG66050		6 mil	Microsphere Removable	90# Layflat	Up to 3 years	60" x 50 yd
Matte White	SPM600FW/R5450		6 mil	High-Peel Removable	90# Layflat	Up to 3 years	54" x 50 yd
Matte White	SPMWG85450		8 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd

Air-Egress Wall Graphics

Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Matte White	SPE600FW/R5450		6 mil	High-Peel Removable	90# Layflat Air-Egress	Up to 3 years	54" x 50 yd

Augusta | Embossed Wall Vinyl

•								
Finish/Color	SKU#	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size	
Augusta Embossed Matte White	SPMAUG5450	\$	6 mil	Microsphere Removable	90# Layflat	Up to 3 years	54" x 50 yd	











WALL GRAPHICS



 $ClingZ^{\odot}$ is an adhesive free, electrically charged graphic film that adheres to any dry interior surface.

Effortless to apply, remove and reposition to any dry interior surface

Adhesive free – no glue, tacks or pins required

Recyclable as a #5 plastic, PVC-free, chemically inert and phthalate-free

Can be die cut, kiss cut and plotter cut

Ideal for temporary indoor marketing applications (<3 months indoors)

Made in the U.S.A.

Print Compatibility: UV Wide Format




Applications: Screen Safe Labels | Point-of-Purchase Signage | Large Format Graphics | Tileable Murals | Reverse Sided Graphics | Trade Show & Event Signage | Window Graphics | Holiday Décor & Decals | Dry Erasable Posters

ClingZ | Electrically Charged Polypropylene Film

Finish/Color	SKU #	Thickness	Liner	Size
White Clear	71501		PET	42" x 50 yd
	71510	6 mil		54" x 50 yd
	71502		PEI	42" x 50 yd
	71511			54" x 50 yd









Walk-On Gophics® | wide format slip resistant vinyl film

The Walk-On Graphics® two component system includes a printable vinyl base film and a UL 410 slip resistant overlaminate to create durable floor signage applications.

Recommended for use on smooth, clean, flat surfaces like tile, sealed wood, ceramic tile vinyl and sealed concrete

4 mil printable vinyl base film available in white or clear finishes with removable adhesive

4 mil clear double polished and 6 mil clear embossed UL 410 certified overlaminate option

Suitable for indoor short term floor graphics (<6 months)

Graphics withstand normal floor maintenance and cleaning

Made in the U.S.A.

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent



Applications: Wayward Floor Graphics | Floor Advertising Graphics | Point-of-Purchase Floor Signage | Counter Mats

Walk-On Graphics | Slip Resistant Vinyl Film

Base Film Color	SKU #	Application	Film Thickness	Adhesive	Liner	Durability	Size
White	SPMWOGB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
Clear	SPMWOGCB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
White	SPMCGWB5450N	Carpet	4 mil	Removable	90# Layflat	6 months	54" x 50 yd

Recommended Overlaminate


Base Film Color	SKU#	Application	Adhesive	Liner	Durability	Size
Double Polished Clear	LMWOG4LL5450	4 mil	Permanent	Clear Film	6 months indoors	54" x 50 yd
Embossed Clear	LMWOG6C35450	6 mil	Permanent	Clear Film	6 months indoors	54" x 50 yd



*For a UL 410 slip resistant one step floor graphic solution, refer to Trifecta on page 7.



TRANSLUCENTS & REFLECTIVES











ESCUE UNIT



Tanslucent Calendered Vinus WIDE FORMAT ADHESIVE BACKED TRANSLUCENT FILM

The ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Maximum color density with advanced ink adhesion technology

For indoor and outdoor use

Removable adhesive

Ideally suited for mild solvent and solvent inks

Print Compatibility: Latex, UV Wide Format, Eco-Solvent, True Solvent

Applications: Illuminated Signage | Fleet Graphics | Taxi-tops | Gas Station Canopies | Awnings | Blinds | Light Boxes | Shop Fascias | Window Graphics

Translucent Calendered Vinyl | Adhesive Backed Translucent

Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
White	SPMTUR5450N	4 mil	Removable	90# Layflat	5 years (outdoor)	54" x 50 yd
Semi-Gloss	SPMTUR6050N	4 mil				60" x 50 yd





Reflective Vinu | WIDE FORMAT REFLECTIVE VINYL

Reflective Vinyl is a flexible, enclosed lens glass-bead retroreflective sheeting that reflects light. Ideal for safety and commercial signage applications.

For indoor and outdoor use (<7 years) — highly resistant to extreme hot, cold, dry and humid weather conditions

Permanent bonding after 48 hours, removable adhesive with heat (<3 years)

Can be applied to flat, corrugated and riveted surfaces

Available in white

Pressure-activated adhesive for easy installation

Print Compatibility: Digital printing with Eco-Solvent, Solvent and most Screen printing inks

Applications: Vehicle & Fleet Markings | Traffic & Commercial signage | Traffic Control Devices | Labels | Safety Decals

Reflective Vinyl

Finish/Color	SKU#	Thickness	Adhesive	Liner	Durability	Size
White	SPMRF4825	7 mil	Pomovablo	78#	7 years	48" x 25 yd
White	SPMRF4850	- / mil	Removable	70#	/ years	48" x 50 yd









MOUNTING FILMS | WIDE FORMAT PERMANENT AND REMOVABLE POLYESTER

Easily convert non-adhesive backed films to pressure sensitive materials with either a permanent or removable mounting film.

Offered in a variety of gauges and adhesive combinations

Water-resistant for excellent indoor durability

Printed film liners and self-wound liners available

Available with a clear film air-egress printed release liner option

Made in the U.S.A.

Applications: Vehicle & Fleet Markings | Traffic & Commercial signage | Traffic Control Devices | Labels | Safety Decals

Mounting Film | Permanent and Removable Polyester

Permanent/Permanent

Color	SKU#	Thickness	Side 1		Side 2		Durability	Size
Coloi	3KU #	HIICKHESS	Adhesive	Liner	Adhesive	Liner	Durability	Size
	CMTT100C3850			90#	Permanent	78#	3 years	38" x 50 yd
Clear	CMTT100C5150	1 mil	Permanent					51" x 50 yd
	CMTT100C5450							54" x 50 yd
	CMTT200WSL3850		Permanent	40# C2S			3 years	38" x 50 yd
White	CMTT200WSL5150	2 mil			Permanent	anent N/A		51" x 50 yd
	CMTT200WSL5450							54" x 50 yd

Permanent/Removable

Finish	SKU#	Thickness	Sid	le 1	Si	de 2	Durahility	Size
FIIIISII	3KU #	HIICKHESS	Adhesive	Liner	Adhesive	Liner	Durability	Size
	CMTT100PR3850							38" x 50 yd
Optically Clear	CMTT100PR5150	1 mil	Permanent	Clear Film	Removable	Clear Printed Film	3 years	51" x 50 yd
	CMTT100PR5450							54" x 50 yd
	CMTT100SLPR3850		Permanent	N/A	Removable	40# C2S	3 years	38" x 50 yd
Clear	CMTT100SLPR5150	1 mil						51" x 50 yd
	CMTT100SLPR5450							54" x 50 yd
	CMTT100AEPR3850					01	3 years	38" x 50 yd
Clear	CMTT100AEPR5150	1 mil	Permanent	Clear Film	Removable	Clear Air-Egress Film		51" x 50 yd
	CMTT100AEPR5450							54" x 50 yd









MOJAVE OVERLAMINATE | WIDE FORMAT OVERLAMINATING FILMS

Overlaminates that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture and abrasion.

Pressure activated high performance permanent adhesive

Excellent performance on flat or simple curves

Easy to finish – die cut or flatbed

Laminate to a similar substrate for best results

Calendered Vinyl – *Improved Performance*

3.2 mil gloss, matte and luster finishes rated for <4 years of outdoor use

Enhanced UV protection

78# paper liner for improved wet out

Versatile, great for everyday use – keep a roll on your floor!

Polycarbonate

3, 5 and 10 mil velvet matte finish rated for <2 years of outdoor use

Clear non-yellowing permanent solvent adhesive for brilliant clarity

Clear PET film liner keeps adhesive smooth – prevents orange peel

Eliminates the reflection of overhead lights for glare-free viewing

Commonly used for rolled trade show graphics and displays

Calendered Vinyl – *UL 410 Slip Resistance Certified Floor Graphic Overlaminate*

4 mil clear double polished and 6 mil semirigid clear embossed options available

Clear PET film liner keeps adhesive smooth – prevents orange peel

Graphic withstand normal floor maintenance and cleaning

Suitable for indoor short term floor graphics for <6 months

Polyester

Optically clear finish rated for <4 years of indoor use

Clear PET film liner keeps adhesive smooth – prevents orange peel

Dry erase option available







Applications: Printed Graphics | Point-of-Purchase Displays | Wall Graphics | Window Graphics | Floor Graphics | Trade Show Graphics | Transit | Displays | Dry Erase Graphics | Counter Mats | In-Store Signage

Overlaminate Films

Calendered Vinyl Overlaminate Film

Finish/Color	SKU#	BUCKS	UV Protection	Thickness	Adhesive	Liner	Durability	Size
Luster Clear	LM3LL5450	\$	•	3.2 mil	Permanent	78# Paper	Avooro	54" x 50 yd
	LM3LL6050		•	3.2 11111	remanent	70# Papei	4 years	60" x 50 yd
Matta Claar	LM3MCL5450	\$	•	3.2 mil	Permanent	78# Paper	4 years	54" x 50 yd
Matte Clear LM3MCL	LM3MCL6050		•	3.2 11111	Fermanent			60" x 50 yd
Gloss Clear	LM3CL5450	\$	•	3.2 mil	Downson	70# Danar	4	54" x 50 yd
GIOSS CIEdi	LM3CL6050		•	3.2 11111	Permanent	78# Paper	4 years	60" x 50 yd
Gloss Optically Clear	LM4CL5450*		•	4 mil	Permanent	PET	3 years	54" x 50 yd
Embossed Clear	LM6CE5450*			6 mil Semi-Rigid	Permanent	PET	Indoor Use Only	54" x 50 yd

^{*}LM4CL and LM6CE are UL410 certified and suitable for interior floor graphics. Visit page 41 for more information on floor graphics.

Polycarbonate Overlaminate Film

Finish/Color	SKU#	BUCKS	UV Protection	Thickness	Adhesive	Liner	Durability	Size
	5044290LM		•	3 mil	Non Vallouing Darmanant Calvent	PET	2 years	38" x 50 yd
	5044550LM		•	3 [1]	Non-Yellowing Permanent Solvent	rei	2 years	51" x 50 yd
Velvet Matte	5044292LM		•	5 mil	Non-Yellowing Permanent Solvent	PET	2 years	38" x 50 yd
velvet Matte	5044552LM		•	JIIII				51" x 50 yd
	5044293LM		•	10 mil	Non-Yellowing Permanent Acrylic	DET	2 years	38" x 50 yd
	5044553LM		•	10 11111		PET		51" x 50 yd

Polyester Overlaminate Film

Finish/Color	SKU#	BUCKS	UV Protection	Thickness	Adhesive	Liner	Durability	Size
Optically Clear	LM2CL5450			2 mil	Permanent	PET	4 years (Indoor)	54" x 50 yd
Optically Clear	LM1DE5450			1 mil	Dormanant	DET	Avears (Indeer)	54" x 50 yd
Dry Erase	LM1DE6050			1 mil	Permanent	PEI	4 years (Indoor)	60" x 50 yd







Covers printed on: SYNAPS 14 mil

09.07.21 | M1568