



Ztac™ is an ultra-low tack, repositionable, PVC-free film designed for easy application and removal on very smooth indoor surfaces.

#### Ztac

Effortless to apply, remove and reposition without leaving a trace of residue behind

Repositionable – will hold its original shape without 'dog earring'

For indoor use on very smooth surfaces

Recyclable as a #1 polyester, PVC-free, chemically inert and phthalate-free

Can be die cut, kiss cut, perforated, scored and folded

Available in white and clear

**Print Compatibility:** Conventional and UV Offset, HP Indigo and UV Wide Format

### **Applications**

In-Store Promotional Signage

Large Format Graphics

Tileable Murals

P.O.P. Signage

**Reverse Sided Graphics** 

Trade Show & Event Signage

**Dry Erasable Posters** 

Window Graphics

Screen Safe Labels

Holiday Décor & Decals

Guerrilla Marketing

Hot Deli Glass Case Signage

Glass Freezer & Cooler Doors

Certified for HP Indigo

### Easy to apply and remove from these surfaces:














# **STOCKED PRODUCTS** ▶

	Color	SKU#	Size	GSM	Roll Wgt	Qty/Unit
Offset (Conventional &	k UV)					
	White	71426	28" x 40"	310	501.1	450/carton
		71421	28" x 40"			1800/skid
	Clear	71425	28" x 40"	298	491.7	200/carton
		71420	28" x 40"			1800/skid
	Color	SKU#	Size	GSM	Roll Wgt	Qty/Unit
HP Indigo						
	White	71600	12" x 18"	310	96.4	450/carton
		71602	13" x 19"		109.3	1800/skid
	Clear	71601	12" x 18"	299	94.2	450/carton
		71603	13" x 19"		105.1	450/carton
	Color	SKU#	Size	GSM	Roll Wgt	Rolls
Wide Format (UV)						
	White	71411	54" x 150"	208	28.8	1
	Clear	71410	54" x 150"	201	27.8	1





## **TECHNICAL DATA** ▶

### Physical Properties

 Color
 White and Clear

 Film
 Polyester

 Film Thickness
 3 mil (76.2μ)

 Liner
 Paper

### Conditions for Use

Shelf Life 1 year Min. Application Temp. 32° F (0° C)

**Service Temp. Range** 0° F to 150° F (-17.8° C to 65.6° C)

Outdoor Durability None

Recyclable Category Plastic #1

#### **Additional Information:**

· Ztac is not recommended for computer or TV screens.



HP CERTIFIED:

**Ztac for HP Indigo Clear** 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900 **Ztac for HP Indigo White** 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900

The information provided herein is correct to the best of Nekoosa's knowledge. No liability for any errors, facts or opinions are accepted. Customers must satisfy themselves as to the suitability of this product for their application. No responsibility for any loss as a result of any person placing reliance on any material contained herein will be accepted.

