NEKOOSA WIDE FORMAT SPECIALTY PRINT MEDIA

PRESSURE SENSITIVE FILMS

WINDOW, WALL & FLOOR GRAPHICS

OVERLAMINATES

MOUNTING & BARRIER FILMS

COLLECT NEKOOSA BUCKS AND EARN MONEY



Collect Nekoosa Bucks in qualifying rolls of Nekoosa wide format media, then redeem them for cash. Redeeming is easy, just visit our website:

1. Go to nekoosa.com, click on the red Nekoosa Bucks link on the homepage.

2. Log in to your existing account, or create a new account if you are redeeming a Nekoosa Buck for the first time.

3. Enter the code found on the front of the Nekoosa Bucks flyer, which is found in each qualifying roll.

It's that easy! Once you reach \$25 in redemptions, you can select your first gift card reward. You can also continue to grow your account and request gift cards in larger denominations. Your redemptions will add up. The more Nekoosa wide format print media you run, the more you earn!

It Always PAYS to Run Nekoosa FIND NEKOOSA BUCKS* IN THESE ROLLS:

Look for this sticker on specially marked rolls of Nekoosa print media.

TRIFECTA® Multipurpose Removable Pressure Sensitive Textured Vinyl

-	Description	Adhesive	Liner	Thickness	Roll Size	SKU #
	Textured Matte White	Universal Removable	90# Layflat	6 mil	54" x 100 ft	SPMTRI54100

WALL GRAPHICS® Removable Wall Vinyl

	-				
Description	Adhesive	Liner	Thickness	Roll Size	SKU #
Matte White	Microsphere Removable	90# Layflat	6 mil	54" x 50 yd	SPMWG65450
Augusta Embossed Matte White	Microsphere Removable	90# Layflat	6 mil	54" x 50 yd	SPMAUG5450

CHALKTALK[®] Chalkboard Film

Description	Adhesive	Liner	Thickness	Roll Size	SKU #
Textured Matte Black	High-Peel Removable	90# Layflat	5 mil	24" x 75 ft	SPMCHK2475
Textured Matte Black	High-Peel Removable	90# Layflat	5 mil	54" x 75 ft	SPMCHK5475

HI-STAT® Static Cling Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU #	
Clear	None	90# PE-Coated Layflat	8 mil	54" x 50 yd	SPMHSC5450	
White	None	90# PE-Coated Layflat	8 mil	54" x 50 yd	SPMHSW5450	
Optically Clear (Opti-Cling®)	None	Matte Clear Film	8 mil	54" x 50 yd	SPMHSC5C5450	

SIGN-AD® Removable Window Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU #
White	Low-Tack Removable	90# Layflat	4 mil	54" x 50 yd	SPMSA5450
White Opaque	Moderate-Tack Removable	90# Layflat	6 mil	54" x 50 yd	SPMSABF5450
Clear	Low-Tack Removable	90# Layflat	4 mil	54" x 50 yd	SPMCAD5450
Optically Clear	Low-Tack Removable	Film	4 mil	54" x 50 yd	SPMCADP5450

PREMIUM VINYL High Performance Calendered Vinyl

Description	Adhesive	Liner	Thickness	Roll Size	SKU #
Gloss White	Permanent	90# Layflat	3 mil	54" x 50 yd	SPM300GWF5450
Gloss White	Removable Gray	90# Layflat	3 mil	54" x 50 yd	SPM300GWR/GR5450
Gloss White	Permanent Gray	90# Layflat	3 mil	54" x 50 yd	SPM300GWF/GR5450
Gloss White	High-Bond Permanent	90#Layflat	3 mil	54" x 50 yd	SPM300GWF/HT5450
Matte White	Permanent	90#Layflat	4 mil	54" x 50 yd	SPM400FW/P5450
Matte White	Removable Gray	90#Layflat	4 mil	54" x 50 yd	SPM400FWR/GR5450
Matte White	Permanent Gray	90#Layflat	4 mil	54" x 50 yd	SPM400FWP/GR5450
Matte White	High-Bond Permanent	90# Layflat	4 mil	54" x 50 yd	SPM400FWP/HT5450
Matte White	Removable	90#Layflat	4 mil	54" x 50 yd	SPM400FW/R5450
Clear	Permanent	90#Layflat	4 mil	54" x 50 yd	SPM400C5450
Matte White	Permanent	90#Layflat	6 mil	54" x 50 yd	SPM6005450N

CALENDERED VINYL OVERLAMINATE FILM – Improved Performance

Description	Adhesive	Liner	Thickness	Roll Size	SKU #
Luster Clear	Permanent	78# Paper	3 mil	54" x 50 yd	LM3LL5450
Matte Clear	Permanent	78# Paper	3 mil	54" x 50 yd	LM3MCL5450
Gloss Clear	Permanent	78# Paper	3 mil	54" x 50 yd	LM3CL5450

BARRIER FILM

Description	Adhesive	Liner	Thickness	Roll Size	SKU #
Gloss White	Permanent	53# Paper	2.3 mil	54" x 50 yd	SPMBF5450N

There is no limit to the number of reward cards you can request. Only qualifying purchases of Nekoosa products may receive gift cards. Nekoosa Bucks have no cash value and cannot be replaced if lost or stolen. Nekoosa reserves the right to modify or withdraw this promotion at any time. Collect Nekoosa Bucks ONLY in specially marked cartons and rolls of Nekoosa carbonless cut-sheet and wide format products. Nekoosa Bucks from previous years may not be redeemed. For program rules and regulations, visit www.nekoosabucks.com. Fast Pack five-ream cartons and cartons of retail packs are not included.

	INK COMPATIBILITY Latex UV Wide Format Eco-Solvent True Solvent Fri M HUCKNFSS		24" Roll	36" Roll	38" Roll	48" Roll	51' Roll	54" Roll	APPLICATIONS Simple Curvess Decals Decals Fleet w/o Rivets Window Floor Wall Banner Indoor Outdoor Cut
Multipurpose Removable Pressure Ser									
Trifecta®	• • • •	6 mil						100 ft	
Point-of-Purchase Displays & General S	Signage								
Premium Vinyl	• • • •	3,4, 6 & 8 mil						50 yd	• • • • • • • • • • • • • • • • • • •
Classic Vinyl	• • • •	3 & 4 mil						50 yd	
ChalkTalk®	• • • •	5 mil	75 ft					75 ft	
SYNAPS OM	• •	5, 8, 10 & 14 mil		100 ft				100 ft	
Window Graphics									
Sign-Ad®	• • • •	4 & 6 mil						50 yd	
Ztac™	•	3 mil						50 yd	
Hi-Stat®	• • • •	8 mil						50 yd	
Hi-Stat Opti-Cling®	• • • •	8 mil						50 yd	
Barrier Film	•	2.3 mil	_					50 yd	
Wall Graphics		_	_						
Wall Graphics®	• • • •	4, 6 & 8 mil						50 yd	
Augusta Wall Graphics®	• • • •	6 mil						50 yd	
ClingZ®	•	2 mil						75'	• • • • • • • • • • • • • • •
Floor Graphics									
Walk-On Graphics®	• • • •	4 mil						50 yd	
Overlaminates		4 & 6 mil						50 yd	
T									
Translucents & Reflectives Translucents	• • • •	4 mil						FOurd	
Reflectives	• • • •	4 mil 7 mil	50 yd			50 yd		50 yd	
Reflectives		7 1111	50 yu			50 yu			
Mounting Films	1000								
Mounting Films		1 & 2 mil			50 yd		50 yd	50 yd	
Overlaminates									
Polyester*		1 & 2 mil	_					50 yd	
Calendered Vinyl		3.2, 4 & 6 mil	_					50 yd	• • • • • • • • • • • • • • • • • • •
Polycarbonate		3, 5 & 10 mil			50 yd		50 yd		

*1 mil has dry erase capabilities

Additional information can be found on the NEKOOSA.COM website or by contacting a Nekoosa customer service representative.



MULTIPURPOSE TEXTURED VINYL

Trifecta®



C

EMA







MULTIPURPOSE TEXTURED VINYL



WIDE FORMAT MULTIPURPOSE REMOVABLE PRESSURE SENSITIVE TEXTURED VINYL

One product, endless applications. Create floor, wall and window graphics with one universal media ... Trifecta[®].

6 mil semi-rigid matte white textured facestock rated for <5 years of outdoor use

High opacity film with an excellent white point

Universal removable adhesive that will cleanly remove from indoor and outdoor application surfaces for <6 months

Stable 90# layflat polycoated paper liner for ease of printing and installation

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)

When to use Trifecta

<u>One-Step Floor Graphics</u> – Create UL 410 slip resistant floor graphics in one easy step... no overlaminate required. Easy to install and remove. Trifecta® is suitable for indoor short term floor graphics (<6 months).*Not intended for outdoor floor graphic applications. For best results, we recommend printing floor graphics with UV inks to avoid potential scuffing.

<u>Wall Graphics</u> – Hassle free textured wall graphics - peel, stick, done. No need for tapes, tacks or nails and will remove cleanly from painted dry wall. Print right to the edge!

<u>Window Graphics</u> – Enhance the look of standard window graphics with a dimensional, textured finish. Perfect for short term decorative window decals smaller than 2' x 2'.



Applications: One-Step Floor Graphics | Wall Graphics | Window Signage | Social Distancing Floor Graphics | Counter Mats | Wayward Signage | One-Way Window Graphics | Floor Advertisement | Point-of-Purchase Signage

Trifecta | Multipurpose Removable Pressure Sensitive Textured Vinyl


Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Textured Matte White	SPMTRI54100	\$	6 mil	Universal Removable	90# Layflat	Up to 5 Years	54" x 100 ft








POINT-OF-PURCHASE DISPLAYS & GENERAL SIGNAGE







POINT-OF-PURCHASE DISPLAYS & GENERAL SIGNAGE

PREMIUM VINYL WIDE F

WIDE FORMAT HIGH PERFORMANCE CALENDERED VINYLS

Turn to Nekoosa's Premium Vinyls when you need to produce specific signage applications that require superior features including robust adhesive systems, liners and finishes.

Suitable for indoor and outdoor applications (<3 to 5 years outdoors)

Grades with removable adhesives will remove cleanly from surfaces within 1 year

High opacity films with an excellent white point

Matte white, gloss white or clear finish

Clear or gray block-out; permanent, removable, high-bond permanent pressure sensitive adhesive

Air-egress options available

Layflat 90# release liner, superior for printing with latex and UV wide format printers

Versatile product offering compatible for print and cut machines

3, 4 and 6 mil thickness options available for easy installation onto flat or simple curves without rivets

Made in the U.S.A.

Printer Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)



Applications: Banner Graphics | Cut Lettering | Decals | Point-of-Purchase Signage | Bumper Stickers | Fleet Markings | Name Plates | In-Store Promotions

Premium Vinyls | High Performance Calendered Vinyls

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPM300GWF2050		3 mil	Permanent	90# Layflat	5 Years	20" x 50 ft
Gloss White	SPM300GWF5450	\$	3 mil	Permanent	90# Layflat	5 Years	54" x 50 yd
Gloss White	SPM300GWR/GR5450	\$	3 mil	Gray Removable	90# Layflat	5 Years	54" x 50 yd
Gloss White	SPM300GWF/GR5450	\$	3 mil	Gray Permanent	90# Layflat	5 Years	54" x 50 yd
Gloss White	SPM300GWF/HT5450	\$	3 mil	High-Bond Permanent	90# Layflat	5 Years	54" x 50 yd
Gloss White	SPM600G5450		6 mil	High-Bond Permanent	90# Layflat	3 Years	54" x 50 yd
Matte White	SPM400FW/P5450	\$	4 mil	Permanent	90# Layflat	5 Years	54" x 50 yd
Matte White	SPM400FWR/GR5450	\$	4 mil	Gray Removable	90# Layflat	5 Years	54" x 50 yd
Matte White	SPM400FWP/GR5450	\$	4 mil	Gray Permanent	90# Layflat	5 Years	54" x 50 yd
Matte White	SPM400FWP/HT5450	\$	4 mil	High-Bond Permanent	90# Layflat	5 Years	54" x 50 yd
Matte White	SPM400FW/R5450	\$	4 mil	Removable	90# Layflat	5 Years	54" x 50 yd
Matte White	SPM6005450N	\$	6 mil	High-Bond Permanent	90# Layflat	5 Years	54" x 50 yd
Clear	SPM400C5450	\$	4 mil	Permanent	90# Layflat	5 Years	54" x 50 yd

Air-Egress Premium Vinyls

Finish/Color	SKU # BUCKS		SKU # BUCKS Film Thickness Ad		Liner	Durability	Size
Gloss White	SPE300GWR/GR5450		3 mil	Gray Removable	90# Layflat Air-Egress	5 Years	54" x 50 yd
Gloss White	SPE300GWF/GR5450		3 mil	Gray Permanent	90# Layflat Air-Egress	5 Years	54" x 50 yd
Matte White	SPE400FWR/GR5450		4 mil	Gray Removable	90# Layflat Air-Egress	5 Years	54" x 50 yd
Matte White	SPE400FWP/GR5450		4 mil	Gray Permanent	90# Layflat Air-Egress	5 Years	54" x 50 yd

Transit Vinyl

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPEVW3R5450		3 mil	Gray Removable	90# Air-Egress	5 Years	54" x 50 yd

*If you are looking for a 60" x 50 yd roll but it is not listed in the chart above, we can make it as a special item. Orders are subject to minimums.







POINT-OF-PURCHASE DISPLAYS & GENERAL SIGNAGE

CLASSIC VINYL WIDE FORMAT GENERAL USE CALENDERED VINYLS

Nekoosa's Classic Vinyls are intended for interior and exterior point-of-purchase graphic applications.

Suitable for indoor and outdoor applications (<3 years outdoors)

Grades with removable adhesive will remove cleanly from surfaces within 1 year

Matte or gloss bright white finishes

Clear or gray block-out, permanent or removable pressure sensitive adhesive

Air-egress options available

Easy installation onto flat and simple curves without rivets

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)



Applications: Banner Graphics | Cut Lettering | Decals | Point-of-Purchase Signage | Bumper Stickers | Fleet Markings | Name Plates | In-Store Promotions

Classic Vinyls | General Use Calendered Vinyls

Finish/Color	SKU #	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPM390GWF5450	3 mil	Permanent	90# Layflat	3 Years	54" x 50 yd
Gloss White	SPM390G5450	3 mil	Gray Permanent	90# Layflat	3 Years	54" x 50 yd
Gloss White	SPM390GWR/GR5450	3 mil	Gray Removable	90# Layflat	3 Years	54" x 50 yd
Matte White	SPM490FWP5450	4 mil	Permanent	90# Layflat	3 Years	54" x 50 yd
Matte White	SPM490FWP/GR5450	4 mil	Gray Permanent	90# Layflat	3 Years	54" x 50 yd
Matte White	SPM490FWR5450	4 mil	Removable	90# Layflat	3 Years	54" x 50 yd
Matte White	SPM490FWR/GR5450	4 mil	Gray Removable	90# Layflat	3 Years	54" x 50 yd

Air-Egress Classic Vinyls

Finish/Color	SKU #	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPE390GWF/GR5450	3 mil	Gray Permanent	90# Layflat Air-Egress	3 Years	54" x 50 yd
Gloss White	SPE390GWR/GR5450	3 mil	Gray Removable	90# Layflat Air-Egress	3 Years	54" x 50 yd
Matte White	SPE490FWP/GR5450	4 mil	Gray Permanent	90# Layflat Air-Egress	3 Years	54" x 50 yd
Matte White	SPE490FWR/GR5450	4 mil	Gray Removable	90# Layflat Air-Egress	3 Years	54" x 50 yd

*If you are looking for a 60" x 50 yd roll but it is not listed in the chart above, we can make it as a special item. Orders are subject to minimums.





BREAK FAST

Ð

• Classic sandwich • Eggs, c • Granola, Baccon, juice

LUNCH

, Soup, Salads · Vegetarian or baked chick · Fish and chips, wine POINT-OF-PURCHASE DISPLAYS & GENERAL SIGNAGE

CHALKTALK[®] WIDE FORMAT CHALKBOARD FILM

Printable, chalkboard film with removable adhesive for all your creative uses.

5 mil textured matte black vinyl facestock, high-peel removable adhesive, 90# layflat polycoated paper liner

High-peel adhesive properties allow for a broader range of applications surfaces - painted plywood, textured walls and low-to-no VOC paints

Suitable for indoor and outdoor applications (<6 months clean removability from application surface)

Write with chalk or liquid chalk ink pens for best results

Wipes clean with a damp cloth

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)



Applications: Restaurant Menu Boards | Retail Promotional Displays | Point-of-Purchase Wall Signage | To-Do List | Textured Wall Graphics | Seasonal Promotional Signage | Trade Show & Event Signage

ChalkTalk | Chalkboard Film

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Size
Textured Matte Black	SPMCHK2475	\$	5 mil	High Peel Removable	90# Lavflat	24 " x 75 ft
	SPMCHK5475	\$		High Peel Removable	90# Layllat	54" x 75 ft







POINT-OF-PURCHASE DISPLAYS & GENERAL SIGNAGE

SYNAPS OM WIDE FORMAT POLYESTER FILM

SYNAPS OM is a latex and UV printable film that will not bow, fade, curl or warp.

No lamination required

Waterproof, tear-proof and weather resistant - suitable for indoor and outdoor applications

Roll-up banners will not wrinkle or fray on the edges

Lays flat even when rolled

High white point for superior image quality

High grade opaque polyester - PVC free

Glare free, double sided matte white finish

Printable on both sides

Print Compatibility: Wide Format (Latex and UV)



Applications: Retractable Banner Stand Graphics | Trade Show Display Panels | Modular Trade Show Display Panels | Dimensional Hanging Signage | Stanchion Frame Graphic Inserts | Aisle Invaders

SYNAPS OM | Polyester Film


Finish/Color	SKU #	Thickness	Opacity	Brightness	Size
	66102	5 mil	92%	100	54" x 100 ft
	66103	8 mil	96%	100	36" x 100 ft
Matte White	66104	8 mil	96%	100	54" x 100 ft
Malle Wille	66106	10 mil	96%	98	54" x 100 ft
	66110	14 mil	97%	93	36" x 100 ft
	66111	14 mil	97%	93	54" x 100 ft





WINDOW GRAPHICS







WINDOW GRAPHICS



Sign-Ad[®] is a flexible calendered vinyl coated with a low or moderate-tack adhesive for easy-to-apply window graphics.

Removable adhesive

Easy to remove without leaving adhesive residue behind

No solvents needed for application or removal

For indoor and outdoor window graphic applications for up to 3 years (outdoors)

1 year clean removability from application surface

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)





Applications: Window Graphics | Point-of-Purchase Window Advertisements | Double-Sided Window Displays | Opaque Window Graphics | Optically Clear Window Graphics

Sign-Ad | Removable Window Film *Clear finishes formerly referred to as CLEAR-AD®.

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss Clear	SPMCAD5450	\$	4 mil	Low-Tack Removable	90# Layflat Paper	Up to 3 Years	54" x 50 yd
Gloss Optically Clear	SPMCADP5450	\$	4 mil	Low-Tack Removable	5 mil (Clear Film)	Up to 3 Years	54" x 50 yd
Matte White	SPMSA5450	\$	4 mil	Law Task Damawahla	00# Lovelat Dapar		54" x 50 yd
	SPMSA6050		41111	Low-Tack Removable	90# Layflat Paper	Up to 3 Years	60" x 50 yd

Air-Egress Sign-Ad

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Clear Air-Egress	SPECADP5450N	\$	4 mil	Low-Tack Removable	Air-Egress Clear Printed Film	Up to 3 Years	54" x 50 yd

Sign-Ad Opaque

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Opaque Gloss White	SPMSABF5450	\$	6 mil	Moderate-Tack Removable	90# Layflat Paper	Up to 3 Years	54" x 50 yd

*If you are looking for a 60" x 50 yd roll of SPMCAD, we can make it as a special item. Orders are subject to minimums.









WINDOW GRAPHICS



Ztac[™] is an ultra low-tack and repositionable polyester film designed for easy application and removal on very smooth indoor surfaces.

Effortless to apply, remove and reposition without leaving a trace of adhesive residue behind

Repositionable - will hold its original shape after repositioning multiple times without 'dog earring'

For indoor use on very smooth surfaces

Chemically inert, PVC-free, phthalate-free and recyclable (#1 plastic)

Can be die-cut and kiss-cut

Ideal for temporary indoor marketing applications

Made in the U.S.A.

Print Compatibility: UV Wide Format



Applications: Window Graphics | Tileable Mural | Point-of-Purchase Signage | Reverse Sided Window Graphics | Trade Show & Event Signage | Holiday Décor & Decals | Hot Deli Glass Case Signage | Glass Freezer & Cooler Doors

Ztac | Ultra-Low Tack Polyester Film

Finish/Color	SKU #	Thickness	Adhesive	Liner	Size
Gloss White	71411	6 mil	Low-Tack	62# Dapar	54" x 50 yd
Gloss Clear	71410	6 mil	Dot Pattern Adhesive	63# Paper	54" x 50 yd





WINDOW GRAPHICS



Hi-Stat® static cling vinyl is a very flexible film which adheres to most clean, high polished surfaces without adhesive.

NEW – Wide format rolls now enhanced with a 90# polycoated layflat release liner for optimal performance on wide format printers.

Ideal for temporary promotional applications used indoors or outdoors (<3 months)

Easy to apply, remove and reposition for easy application to most clean, high polished surfaces – no surface damage

Can be die-cut, kiss-cut and plotter cut

Can be wet applied, but no solvents needed for application or removal

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex, UV)



Applications: Window Graphics | Point-of-Purchase Window Advertisements | Reversible Print Window Displays | Double Sided Window Graphics | Automotive Window Graphics | Price Stickers | LED Screen Protection

Hi-Stat | Static Cling Vinyl

Finish/Color	SKU #	BUCKS	Thickness	Liner	Size
Clear	SPMHSC5450	\$	8 mil	90# PE-Coated Layflat	54" x 50 yd
	SPMHSC6050		01111	90# PE-Coaled Layilat	60" x 50 yd
W/bita	SPMHSW5450	\$	0 11	90# PE-Coated Layflat	54" x 50 yd
White	SPMHSW6050		8 mil	90# PE-Coaled Layllat	60" x 50 yd

Hi-Stat Opti-Cling

Finish/Color	SKU #	BUCKS	Thickness	Liner	Size
Optically Clear	SPMHSC5C5450	\$	8 mil	Matte Clear Film	54" x 50 yd

*If you are looking for a 100 yd roll, we can make it as a special item. Orders are subject to minimums.





WINDOW GRAPHICS

PUT IT ON ICE OCOFFEF

OPAQUE WINDOW FILM WIDE FORMAT OPAQUE WINDOW FILMS

Nekoosa's opaque window films can be laminated to clear Hi-Stat® or Sign-Ad® products to create double sided "push-pull" signage.

SIGN-AD® OPAQUE is a bright white, opaque 6 mil vinyl with a moderate-tack removable white adhesive.
Bright white, 100% opaque
Moderate-tack removable white adhesive
Easy to remove without leaving adhesive residue behind
No solvents needed for application or removal
Suitable for indoor and outdoor use (<1 year outdoors)
Made in the U.S.A.
Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)

BARRIER FILM is a bright white, 2.3 mil opaque polypropylene film with a permanent adhesive.
Bright white, 100% opaque
Permanent adhesive
Made in the U.S.A.
Print Compatibility: UV Wide Format



Applications: Push-Pull Graphics | Window Graphics | Posters | Decals | P.O.P. Displays | Advertising Graphics

Opaque Window Film

Sign-Ad Opaque | 100% Opaque Moderate-Tack Vinyl

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Opaque White	SPMSABF5450	\$	6 mil	Moderate-Tack Removable	90# Layflat Paper	Up to 3 Years	54" x 50 yd

Barrier Film | Opaque Polypropylene

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Gloss White	SPMBF5450N	\$	2.3 mil	White Permanent	53#	1 Year	54" x 50 yd





WALL GRAPHICS

ClingZ®

Wall Graphics®





WALL GRAPHICS

WALL GRAPHICS WIDE FO

WIDE FORMAT REMOVABLE WALL VINYL

Nekoosa's Wall Graphics[®] product portfolio is a comprehensive offering of repositionable, removable vinyl films for a wide range of indoor and outdoor wall applications.

High opacity films with an excellent white point

Stable 90# layflat polycoated paper liner for ease of printing and installation

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)

Microsphere Removable Adhesive

Matte white or gloss white finishes

4, 6 and 8 mil facestock rated for <3 years of outdoor use

Augusta Wall Graphics® 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner also available

Suitable for short term indoor and outdoor applications (<1 year clean removability from application surfaces)

Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass

High-Peel Removable Adhesive

High-peel adhesive properties allow for a broader range of application surfaces – painted plywood, textured walls and low-tono VOC paints

6 mil semi-rigid matte white facestock rated for <3 years of outdoor use

Options available with a 90# layflat or 90# air-egress layflat polycoated paper liner

Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces)

Recommended application surfaces: painted plywood, textured walls, sheetrock, concrete and cinder block



Applications: Wall Graphics | Wall Décor | Point-of-Purchase Wall Signage | Renovation Barricades | Wayward Signage | Posters | Textured Wall Graphics

Wall Graphics | Removable Wall Vinyl

Finish/Color	SKU #	BUCKS	Thickness	Adhesive	Liner	Durability	Size
Matte White	SPMWGW5450		4 mil	Microsphere Removable	90# Layflat	Up to 3 Years	54" x 50 yd
Gloss White	SPMWG6G5450		6 mil	Microsphere Removable	90# Layflat	Up to 3 Years	54" x 50 yd
Matte White	SPMWG65450	\$	6 mil	Microsphere Removable	90# Layflat	Up to 3 Years	54" x 50 yd
Matte White	SPMWG66050N		6 mil	Microsphere Removable	90# Layflat	Up to 3 Years	60" x 50 yd
Matte White	SPM600FW/R5450		6 mil	High-Peel Removable	90# Layflat	Up to 3 Years	54" x 50 yd
Matte White	SPMWG85450		8 mil	Microsphere Removable	90# Layflat	Up to 3 Years	54" x 50 yd

Air-Egress Wall Graphics

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Matte White	SPE600FW/R5450		6 mil	High-Peel Removable	90# Layflat Air-Egress	Up to 3 Years	54" x 50 yd

Augusta | Embossed Wall Vinyl

Finish/Color	SKU #	BUCKS	Film Thickness	Adhesive	Liner	Durability	Size
Augusta Embossed Matte White	SPMAUG5450	\$	6 mil	Microsphere Removable	90# Layflat	Up to 3 Years	54" x 50 yd

*If you are looking for a 60"x50 yd roll but it is not listed in the chart above, we can make it as a special item. 60" rolls of SPMWG8, SPMWG6G and SPMAUG are not available in 60" rolls. Orders are subject to minimums.







WALL GRAPHICS



Sign Up: 10% off your purchase of coft

when you sub-cribe to regule

Gleatide START

WIDE FORMAT ELECTRICALLY CHARGED POLYPROPYLENE FILM

ClingZ[®] is an adhesive free, electrically charged graphic film that adheres to any dry interior surface.

Adhesive free - no glue, tacks or pins required

Effortless to apply, remove and reposition to any clean, dry interior surface - no surface damage

Chemically inert, PVC-free, phthalate-free and recyclable (#5 plastic)

Can be die-cut, kiss-cut and plotter cut

Ability to easily tile large graphics

Ideal for temporary indoor marketing applications (*<3-6 months indoors)

Made in the U.S.A.

Print Compatibility: UV Wide Format



Applications: Screen Safe Labels | Point-of-Purchase Signage | Large Format Graphics | Tileable Murals | Reverse Sided Graphics | Trade Show & Event Signage | Window Graphics | Holiday Décor & Decals | Dry Erasable Posters


ClingZ | Electrically Charged Polypropylene Film


Finish/Color	SKU #	Thickness	Liner	Size
Gloss White	71514	6 mil	DET	54" x 75 ft
Gloss Clear	71515	6 mil	FEI	54" x 75 ft



FLOOR GRAPHICS







FLOOR GRAPHICS

WALK-ON GRAPHICS[®] WIDE FORMAT SLIP RESISTANT FLOOR GRAPHIC SYSTEM

The Walk-On Graphics® two part system includes a printable vinyl base film and a UL 410 approved slip resistant overlaminate to create durable floor signage applications.

Recommended for use on smooth, clean, flat surfaces like tile, sealed wood, ceramic tile, vinyl and sealed concrete

4 mil printable vinyl base film available in white or clear finishes with removable adhesive

4 mil clear double polished and 6 mil clear embossed UL 410 certified overlaminate option

Suitable for indoor short term floor graphics (<6 months)

Graphics withstand normal floor maintenance and cleaning

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)



Applications: Wayward Floor Graphics | Floor Advertising Graphics | Point-of-Purchase Floor Signage | Social Distancing Floor Graphics | Directional Arrows | Counter Mats

Walk-On Graphics | Slip Resistant Vinyl Film

Base Film Color	SKU #	Application	Film Thickness	Adhesive	Liner	Durability	Size
White	SPMWOGWB5450N	Floor	4 mil	Removable	90# Layflat	6 Months	54" x 50 yd
Clear	SPMWOGCB5450N	Floor	4 mil	Removable	90# Layflat	6 Months	54" x 50 yd


Recommended Overlaminate

Base Film Color	SKU #	Application	Adhesive	Liner	Durability	Size
Double Polished Clear	LMWOG4LL5450	4 mil	Permanent	Clear Film	6 Months Indoors	54" x 50 yd
Embossed Clear	LMWOG6CE5450	6 mil	Permanent	Clear Film	6 Months Indoors	54" x 50 yd





TRANSLUCENTS & REFLECTIVES







TRANSLUCENTS & REFLECTIVES

TRANSLUCENT CALENDERED VINYL WIDE FORMAT ADHESIVE BACKED TRANSLUCENT FILM

The ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Maximum color density with advanced ink adhesion technology

For indoor and outdoor use

Removable adhesive

Ideally suited for mild solvent and solvent inks

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)



Applications: Illuminated Signage | Fleet Graphics | Taxi-Tops | Gas Station Canopies | Awnings | Blinds | Light Boxes | Shop Fascias | Window Graphics

Translucent Calendered Vinyl | Adhesive Backed Translucent

Finish/Color	SKU #	Thickness	Adhesive	Liner	Durability	Size
White Semi-Gloss	SPMTUR5450N	4 mil	Removable	90# Layflat	5 Years (Outdoor)	54" x 50 yd

*If you are looking for a 60" x 50 yd roll but it is not listed in the chart above, we can make it as a special item. Orders are subject to minimums.





TRANSLUCENTS & REFLECTIVES

REFLECTIVE VINYL WIDE FORMAT REFLECTIVE VINYL

Reflective Vinyl is a flexible, enclosed lens glass-bead retroreflective sheeting that reflects light. Ideal for safety and commercial signage applications.

For indoor and outdoor use (<7 years) – highly resistant to extreme hot, cold, dry and humid weather conditions

Permanent bonding after 48 hours, removable adhesive with heat (<3 years)

Can be applied to flat, corrugated and riveted surfaces

Available in white

Pressure-activated adhesive for easy installation

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV)



Applications: Vehicle & Fleet Markings | Traffic & Commercial Signage | Traffic Control Devices | Labels | Safety Decals


Reflective Vinyl

Finish/Color	SKU #	Thickness	Adhesive	Liner	Durability	Size
White	SPMRF4825 SPMRF4850	7 mil	Permanent*	78#	7 Years	48" x 25 yd 48" x 50 yd

*Removable up to 3 years with heat.













MOUNTING FILMS

MOUNTING FILMS WIDE FORMAT PERMANENT AND REMOVABLE POLYESTER

Easily convert non-adhesive backed films to pressure sensitive materials with either a permanent or removable mounting film.

Offered in a variety of gauges and adhesive combinations

Water-resistant for excellent indoor durability

Printed film liners and self-wound liners available

Available with a clear film air-egress printed release liner option

Made in the U.S.A.



Applications: Vehicle & Fleet Markings | Traffic & Commercial Signage | Traffic Control Devices | Labels | Safety Decals

Mounting Films | Permanent and Removable Polyester

Permanent/Permanent

Color SKU #		Thickness	Sid	e 1	Sid	e 2	Durahility	Sine
Color SKU #	Thickness	Adhesive	Liner	Adhesive	Liner	Durability	Size	
White	CMTT200WSL5150	2 mil	Dermanant	40# C2S	Dermanant	NI /A	3 Years	51" x 50 yd
White	CMTT200WSL5450	Z 1111	Permanent	40# 025	Permanent	N/A	3 fears	54" x 50 yd

Permanent/Removable

Finish	SKU #	Thickness	Sid	ie 1	Si	de 2	Durability	Size
FIIIISII	3K0 #	THICKIESS	Adhesive	Liner	Adhesive	Liner	Durability	Size
	CMTT100PR3850			Clear Film	Removable		3 Years	38" x 50 yd
Optically Clear	CMTT100PR5150	1 mil	Permanent			Clear Printed Film		51" x 50 yd
	CMTT100PR5450							54" x 50 yd
	CMTT100SLPR3850			N/A	Removable	40# C2S	3 Years	38" x 50 yd
Clear	CMTT100SLPR5150	1 mil	Permanent					51" x 50 yd
	CMTT100SLPR5450							54" x 50 yd
	CMTT100AEPR3850					Clear Air Egrado	3 Years	38" x 50 yd
Clear	CMTT100AEPR5150	1 mil	Permanent	Clear Film	Removable	Clear Air-Egress Printed Film		51" x 50 yd
	CMTT100AEPR5450							54" x 50 yd



OVERLAMINATES



deas





OVERLAMINATES



WIDE FORMAT OVERLAMINATING FILMS

Overlaminates that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture and abrasion.

Pressure activated high performance permanent adhesive

Excellent performance on flat or simple curves

Easy to finish - die cut or flatbed

Laminate to a similar substrate for best results

Calendered Vinyl – Improved Performance

3.2 mil gloss, matte and luster finishes rated for <4 years of outdoor use

Enhanced UV protection

78# paper liner for improved wet out

Versatile, great for everyday use – keep a roll on your floor!

Polycarbonate

3, 5 and 10 mil velvet matte finish rated for <2 years of outdoor use

Clear non-yellowing permanent solvent adhesive for brilliant clarity

Clear PET film liner keeps adhesive smooth – prevents orange peel

Eliminates the reflection of overhead lights for glare-free viewing

Commonly used for rolled trade show graphics and displays

Calendered Vinyl – UL 410 Slip Resistance Certified Floor Graphic Overlaminate

4 mil clear double polished and 6 mil semirigid clear embossed options available

Clear PET film liner keeps adhesive smooth – prevents orange peel

Graphic withstand normal floor maintenance and cleaning

Suitable for indoor short term floor graphics for <6 months

Polyester

Optically clear finish rated for <4 years of indoor use

Clear PET film liner keeps adhesive smooth – prevents orange peel

Dry erase option available



Applications: Printed Graphics | Point-of-Purchase Displays | Wall Graphics | Window Graphics | Floor Graphics | Trade Show Graphics | Transit | Displays | Dry Erase Graphics | Counter Mats | In-Store Signage

Overlaminate Films

Calendered Vinyl Overlaminate Film

Finish/Color	SKU #	BUCKS	UV Protection	Thickness	Adhesive	Liner	Durability	Size		
Luster Clear	LM3LL5450	\$	•	3.2 mil	Permanent	78# Paper	4 Years	54" x 50 yd		
Matte Clear	LM3MCL5450	\$	•	3.2 mil	Permanent	78# Paper	4 Years	54" x 50 yd		
Gloss Clear	LM3CL5450	\$	•	3.2 mil	Permanent	78# Paper	4 Years	54" x 50 yd		
Gloss Optically Clear	LM4CL5450*		•	4 mil	Permanent	PET	6 Months (Indoor)	54" x 50 yd		
Embossed Clear	LM6CE5450*			6 mil Semi-Rigid	Permanent	PET	6 Months (Indoor)	54" x 50 yd		
	*LM4CL and LM6CE are UL410 certified and suitable for interior floor graphics. Visit page 37 for more information on floor graphics.									

**If you are looking for 60" x 50 yd SKUs of LM3LL, LM3MCL or LM3CL, we can make it as a special item. Orders are subject to minimums.

Polycarbonate Overlaminate Film

Finish/Color	SKU #	BUCKS	UV Protection	Thickness	Adhesive	Liner	Durability	Size
	5044290LM		•	3 mil	Non-Yellowing Permanent Solvent	PET	2 Years	38" x 50 yd
	5044550LM		•	3 1111				51" x 50 yd
Velvet Matte	5044292LM		•	5 mil	Non-Yellowing Permanent Solvent	PET	2 Years	38" x 50 yd
vervet matte	5044552LM		•	51111		PEI		51" x 50 yd
	5044293LM		•	10 mil	Non-Yellowing Permanent Solvent	PET	2 Years	38" x 50 yd
	5044553LM		•			FÉI		51" x 50 yd

Polyester Overlaminate Film

Finish/Color	SKU #	BUCKS	UV Protection	Thickness	Adhesive	Liner	Durability	Size
Optically Clear	LM2CL5450			2 mil	Permanent	PET	4 Years (Indoor)	54" x 50 yd
Optically Clear Dry Erase	LM1DE5450			1 mil	Permanent	PET	4 Years (Indoor)	54" x 50 yd





