

& SPECIALTY

PRINT MEDIA

WATERPROOF SYNTHETIC PAPER

PRESSURE SENSITIVE FILMS

WINDOW, WALL & FLOOR GRAPHICS

CUT FILMS

GLASS FINISHES

OVERLAMINATES

MOUNTING & BARRIER FILMS

DYE SUBLIMATION TRANSFER PAPER








Print media for wide and grand format, offset, screen, HP Indigo, digital dry toner/laser and dye sublimation printers



Specialty Print Media ... Where you need it, when you need it.

Looking for a reliable source for wide and grand format rolls and custom sheeted specialty print media? Turn to Nekoosa. With multiple converting centers and 200+ distribution partner locations throughout North America, we can get you the material you need, when you need it.



Why Nekoosa?



 $\label{eq:Quality-Nekoosa} \textbf{Quality} - \textbf{Nekoosa} \ \text{consistently} \ \text{sources the best materials our industry has to} \\ \text{offer. We hold ourselves to the highest standard of offering high quality products.}$



Service – Quick turnarounds? No problem. Nekoosa ships stocked products the next day and custom sheeted products within 3-5 business days.



Visibility – We make it easy for our distribution partners to access inventory levels through our new T.A.P. system so they can provide you with quick answers.

Las Vegas, NV

- ★ Converting Center
- Distribution Center

Wisconsin Rapids, WI

- ★ Converting Center
- Distribution Center

South Plainfield, NJ

Distribution Center

Nekoosa's Grap covers a large va film thickness, ap	INK COMPATIBILITY	UV Offset	Conventional Offset	HP Indigo	Latex	Fco-Solvent	True Solvent	Dry Toner	Inermal	Dye Sublimation	Gloss	Matte	Luster	White	Clear	Opaque	Textured/Embossed	Low-Tack Adhesive	Air-Egress	Removable	Microsphere Removable Repositionable	
Multipurpose Remov Trifecta®	vable Pressure Sensitive Textured Vinyl Multipurpose Removable Pressure Sensitive Textured Vinyl		•			• •	•	•					•		•			•			•	•
Synthetic Paper SYNAPS OM	Offset, HP Indigo & Wide Format Synthetic Polyester Paper		•	•	•	•							•		•							
SYNAPS XM	Digital Dry Toner/Laser Synthetic Polyester Paper		Ť	Ť	Ť	Ť	+		•	+			•		•		+	+	+			
Brita of Breeders B	S. J. S. C																					
Premium Vinyl	isplays, Banner Stands & General Signage High Performance Calendered Vinyl							•		•			•		•	•		٦,	•	•	•	•
Classic Vinyl	General Use Calendered Vinyl		-	•	•	•		-		•		•	-		•	•	•	+	•	-	• •	
ChalkTalk®	Chalkboard Film			+		•		•		+			•		\top	П	\top	•		\Box	•	
SYNAPS OM Rolls	Synthetic Polyester Film		İ			•	•						•		•							
											ш											
Window Graphics	Description Windows Files							•		•		•	•			•	•		•	•		
Sign-Ad® Hi-Stat®	Removable Window Film Static Cling Vinyl		-	•	•	•	-	-		•		•	•		•	•	•	-	+	•	•	•
Hi-Stat Opti-Cling®	Optically Clear Static Cling Vinyl		-	+	Ť	•	_	_	H	+		•	+		Ť	•	+	+	+	H	•	•
ClingZ®	Electrically Charged Polypropylene		•	•	•		-	+		+		•			•	•	+	+	+		+	•
Ztac™	Ultra Low-Tack Polyester		•	•	•	•				+		•			•	•	\top	\top	•	\Box	•	•
Barrier Film	Opaque Polypropylene	•	•	•		•	•					•			•		•	•		•	•	
0 . ="											_	_										
Cut Films CV300 Series™	Cut Lettering Sign Vinyl									•			•		•	•		٠,		• 4		
VinylEfx®	Cut Lettering Metallized Vinyl			+		•		•	-	•		•	_		•	•	•	+	+		_	H
PolyEfx™	Cut Lettering Sign Polyester			•		• •	-	_		•		•	•					•			•	
	,																					
Wall Graphics																						
Wall Graphics®	Removable Wall Vinyl	•	•	•	•	•	•	•		•		•	•		•		_	_	•	•	•	• •
Augusta Wall Graphics®	Embossed Wall Vinyl						•	•					•		•			•	•		•	• •
Wall Graphics												_										
Floor Graphics																						
Walk-On Graphics®	Slip Resistant Floor Graphic System	•	•	•		•	•	•		•			•		•	•					•	
Glass Finishes Nekoosa Glass																						
Finishes	Privacy and Decorative Window Films	•	•	•		•	•	•	•							•				'	•	
Bird Safety Film	Bird Deterent Safety Film															•				•	•	
O contractivation																						
Overlaminates Polyester*	Polyester Wide Format Overlaminating Films											٠.										
Polyester* Calendered Vinyl	Calendered Vinyl Wide Format Overlaminating Films		+	+		\vdash	+		H	+		•	•	•	+	•	+	•	+		_	H
Polycarbonate	Polycarbonate Wide Format Overlaminating Films		+	+		\vdash	+		H	+			•			Н	+	+	+	١,	•	
Polyolefin	Embossed PVC-Free Polyolefin Textured Overlaminate Film															•		•		•	•	
Translucents & Refle Translucent																						
Calendered Vinyl	Wide Format Adhesive Backed Translucent Film	•	•			•	•	•					•		•						•	
Reflective Vinyl	Wide Format Reflective Vinyl	•	•			•	•	•				•			•					-	•	
Mounting Films	D																					
Mounting Films	Permanent and Removable Polyester											-			•	•		•	'	•	•	•
Dye Sublimation																						
Transfer Paper	Stable, Layflat Paper for Hard and Soft Surfaces						T				٠											
	· · · · · · · · · · · · · · · · · · ·																					
Rigid Films																						
Polyester	Non-Adhesive Coated Films	•	•	•		\vdash	+	\vdash	\vdash	+		•	-	•	•	•	+	+	+	\vdash	+	\square
Catamatte Metalized Polyector	Non-Adhesive Coated Films		+	-	-	\vdash	+	+	\vdash	+			•	\vdash	+	\square	+	+	+	\vdash	+	H
Metalized Polyester Rigid Film/Polyester	Non-Adhesive Coated Films Non-Adhesive Coated Films		_	•	•	\vdash	+	+		•		•	+	\vdash	-	•	+	+	-	\vdash	+	H
rugiu i iiiii/ Foiyester	HOLL AUTIESIVE COREGE FIIITIS											_										لسلسن





CONVERTING FACILITIES

Wisconsin Rapids, WI Las Vegas, NV

STOCKING LOCATIONS

Las Vegas, NV Wisconsin Rapids, WI South Plainfield, NJ Nekoosa embodies a strong legacy of manufacturing and converting specialty paper. What originated in 1961 has evolved over its 60 years in the industry, building upon the foundation of Nekoosa Coated Products by acquiring brands like RTape, Catalina Graphic Films, Mojave Digital Media, ClingZ, NCR PAPER* and CET Films.

Today, you know Nekoosa as a premier manufacturer of specialty print media, sustaining a reputation as an innovator and market leader in producing high-quality products with globally recognized and trusted brands. With a history rooted in quality and innovation, one constant that has not changed is Nekoosa's desire to provide unsurpassed service and value to our employees, customers and shareholders — embracing our core values of being Growth Focused, Authentic and Winning Together.

Today, Nekoosa's expertise spans coating, converting and custom plastic extrusion capabilities, with a product offering that includes wide and grand format rolls, offset, screen, HP Indigo and dry toner sheets, specialty synthetics, application tapes and premasks, carbonless papers, dye sublimation transfer paper and extruded films.


This guide covers Nekoosa's specialty print media offerings. For more information, visit nekoosa.com or contact the Nekoosa Customer Service team at 877-258-6046.



Multipurpose Removable Pressure Sensitive Textured Vinyl Trifecta® 7-8
, 0
Synthetic Paper
SYNAPS XM11-12
SYNAPS OM13-14
Purchase Displays, Banner Stands & General Signage
Premium Vinyl
Classic Vinyl
ChalkTalk®21-22 SYNAPS OM Rolls23-24
311VAI 3 01VI 1\011523-24
Window Graphics
Sign-Ad®27-28
Hi-Stat [®] 29-30
ClingZ [®] 31-32
Ztac™33-34
Barrier Film
Opaque Window Films37-38
Cut Vinyl
CV300 Series™41-43
VinylEfx®44-46
PolyEfx [®] 47-48
Wall Graphics Wall Graphics 51-52
Floor Graphics
Walk-On Graphics®55-56
Glass Finishes Nekoosa Glass Finishes™59-60
Overlaminates
Overlaminate Films:
Calendered Vinyl, Polycarbonate,
Polyester, Polyolefin63-64
Translucents & Reflectives
Translucent Calendered Vinyl67-68
Reflective Vinyl69-70
,
Mounting Films 73-74
Dura Cublimation
Dye Sublimation Transfer Paper77-78
Rigid Films81
Adhesive Properties &
Applications82
Release Liners83
Index 84

MULTIPURPOSE REMOVABLE PRESSURE SENSITIVE TEXTURED VINYL

Trifecta®



One-Step Floor Graphics

Wall Graphics

Window Signage

Social Distancing Floor Graphics

Counter Mats

Posters

Wall Décor

Wayward Signage

Directional Arrows

One-Way Window Graphics

Floor Advertisement

Point-of-Purchase Signage





MULTIPURPOSE REMOVABLE PRESSURE

One product, endless applications. Create floor, wall and window graphics with one universal media ... Trifecta[®].

6 mil semi-rigid matte white textured facestock

High opacity film with an excellent white point

Universal removable adhesive that will cleanly remove from indoor and outdoor applications for <6 months

Stable 90# layflat polycoated paper liner for ease of printing and installation

ASTM E84 Class 1 or A rating

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), UV Offset and Screen

When to use Trifecta

<u>One-Step Floor Graphics</u> - Create UL 410 slip resistant floor graphics in one easy step... no overlaminate required. Easy to install and remove. Trifecta® is suitable for indoor short term floor graphics (<6 months). *Not intended for outdoor floor graphic applications. For best results, we recommend printing floor graphics with UV inks to avoid potential scuffing.

<u>Wall Graphics</u> - Hassle free textured wall decals - peel, stick, done. No need for tapes, tacks or nails and will remove cleanly from painted dry wall.

<u>Window Graphics</u> - Enhance the look of standard window graphics with a dimensional, textured finish. Perfect for short term decorative window decals smaller than 2' x 2'.









STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format							
	Textured Matte White	SPMTRI54100 •	54" x 100 ft	6 mil	Universal Removable	90# Layflat	1

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non Top Coate	d – UV Offset, Screen						
	Textured Matte White	TRIFECTA	54"	6 mil	Universal Removable	90# Layflat	.64#

Custom Size Offering: Custom converted sheet and roll options available to meet your specific requirements.



Easy to apply and remove from these surfaces:

WALL PAPER	WOOD PANELING	POLISHED STONE	GLASS	STAINLESS STEEL	PAINTED WALLS	SEALED WOOD
			1250			
VINYL	TILE	SEALED CONCRETE				
H						









SYNTHETIC PAPER

SYNAPS XM

SYNAPS OM

Menus

Manuals

Shelf Talkers & Wobblers

Aisle Invaders

Membership & I.D. Cards

Hole Punched Tags

Plant Stakes

Scored Table Tents

P.O.P. Retail Displays

Door Hangers

Recipe Cards

Wire-O Bound Booklets

Safety Tags & Signage

Luggage Tags

Flash Cards



◆ SYNAPS XM

DIGITAL DRY TONER/LASER SYNTHETIC POLYESTER PAPER

SYNAPS XM is the superior alternative to traditional lamination.

Minimal scrap, waste and time compared to traditional lamination

 $Waterproof, tear-proof and weather \ resistant-suitable \ for \ indoor \ and \ outdoor \ applications$

Double sided matte white finish, rigid and lays flat

Superior dimensional stability for precise registration

Antistatic top coating ensures strong toner adhesion and smooth feeding through the printer

Easily washable with a mild soap and soft cloth

Available in 5, 8, 10, 12 and 14 mil digital cut sized sheets

Print Compatibility: Digital Dry Toner/Laser

NOW ANTIMICROBIAL – SYNAPS XM is now armed with an antimicrobial coating that prevents up to 99.9% of bacteria, viruses, fungi and mold from growing on the sheet's surface over the lifetime of the printed application.



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free

SYNAPS XM | DIGITAL DRY TONER/LASER SYNTHETIC POLYESTER PAPER

STOCKED PRODUCTS ▶

Thickness	SKU#	Size	GSM	M Wgt	Sheets/Carton	Packages/Carton	Sheets/Package	Carton Weight
ital Dry Toner/La	ser							
	3 66025	8.5" x 11"		17.85	1200	-	-	21.42
	3 66031	8.5" x 11" Retail Pack		17.85	600	6	100	10.71
5 mil	3 66026	12" x 18"	135	41.46	1200	-	-	49.75
	3 66032	12" x 18" Retail Pack		41.46	600	6	100	24.88
	3 66050	13" x 19"		47.26	1200	-	-	56.70
	3 66027	8.5" x 11"		30.58	750	-	-	22.94
	3 66033	8.5" x 11" Retail Pack		30.58	600	6	100	18.35
8 mil	3 66028	12" x 18"	230	70.64	750	-	-	52.98
	3 66034	12" x 18" Retail Pack		70.64	600	6	100	42.38
	3 66051	13" x 19"		80.53	750	-	-	60.40
	3 66029	8.5" x 11"		39.89	600	-	-	23.93
	3 66035	8.5" x 11" Retail Pack		39.89	300	6	50	11.97
10 mil	3 66030	12" x 18"	300	92.14	600	-	-	55.28
	3 66036	12" x 18" Retail Pack		92.14	300	6	50	27.64
	3 66052	13" x 19"		105.04	600	-	-	63.00
	3 66066	12" x 18"		115.24	500	-	-	57.60
12 mil	3 66069	12" x 18" Retail Pack	375	115.24	300	6	50	34.60
	3 66067	13" x 19"		131.78	500	-	-	65.90
	3 66037	12" x 18"		138.21	450	-	-	62.19
14 mil	3 66038	12" x 18" Retail Pack	450	138.21	300	6	50	41.46
	3 66073	13" x 19"		158.09	450	-	-	71.12

	Thickness	ickness SKU # Size		GSM	M Wgt	Sheets/Carton	Carton Weight
8UP ID C	ards						
	8 mil	3 66074	8.5 x 11	230	30.58	500	16.0













Menus

Maps

Manuals & Catalogs

Shelf Talkers & Wobblers

Membership & I.D. Cards

Hole Punched Tags

Direct Mail

Plant Stakes

Scored Table Tents

Counter Mats

Door Hangers

Recipe Cards

Aisle Invaders

Retractable Banner **Stand Graphics**

Trade Show Display Panels

Modular Trade Show **Display Panels**

Rotating Banners

Hanging Signage

Point-of-Purchase **Displays**

Stanchion Frame **Graphic Inserts**

Window Graphics





SYNAPS OM OFFSET, HP INDIGO & WIDE FORMAT SYNTHETIC POLYESTER PAPER

Superior dry times using standard offset conventional inks make SYNAPS OM the optimal choice for short-run, on demand printing.

Waterproof, tear-proof and weather resistant - suitable for indoor and outdoor applications

Dries quickly without the need for special offset inks – just like uncoated paper

Superior dimensional stability for precise registration – less shrinkage and distortion on press

High grade opaque polyester film – PVC free, rigid and lays flat

Double sided matte white finish – Printable on both sides

Available in 5, 8,10 and 14 mil digital cut sizes, folio sheets and wide format rolls

Print Compatibility: Offset (Conventional and UV), HP Indigo, Latex and UV Wide Format Also Available in Wide Format Rolls



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.

SYNAPS OM OFFSET, HP INDIGO & WIDE FORMAT SYNTHETIC POLYESTER PAPER

STOCKED PRODUCTS ▶

Thickness	SKU#	Size	GSM	M Wgt	Sheets/Carton	Packages/Carton	Sheets/Package	Carton Wgt
set & HP Indigo								
	3 66002	12" x 18"		41.46	1250	-	-	51.83
5 mil*	3 66015	12" x 18" Retail Pack	135	41.46	1200	6	200	49.75
(91# Text)	3 66056	13" x 19"	133	47.46	1200	-	-	57.00
	3 66003	28" x 40"		215.00	300	-	-	64.50
	3 66006	12" x 18"		70.64	750	-	-	52.98
8 mil	3 66018	12" x 18" Retail Pack	230	70.64	800	4	200	56.51
(85# Cover)	3 66058	13" x 19"	230	80.78	750	-	-	60.60
	3 66007	28" x 40"		366.29	175	-	-	64.10
	3 66009	12" x 18"		92.14	600	-	-	55.28
40 "	3 66020	12" x 18" Retail Pack		92.14	600	6	100	55.28
10 mil (111# Cover)	3 66059	13" x 19"	300	105.35	600	-	-	63.20
(111" COVCI)	3 66072	20.81" x 29.5"		261.95	200	-	-	52.37
	3 66011	28" x 40"		477.77	125	-	-	59.72
	3 66012	12" x 18"		138.21	450	-	-	62.20
14 mil*	3 66024	12" x 18" Retail Pack	450	138.21	400	4	100	55.28
(166# Cover)	3 66060	13" x 19"	430	158.03	450	-	-	71.10
	3 66039	28" x 40"		716.64	100	-	-	71.66

	Thickness	SKU#	GSM	Size
Wide For	mat – Latex & U'			
	5 mil	3 66102	135	54" x 100 ft
	8 mil	3 66103 •	230	36" x 100 ft
	0 11111	3 66104	230	54" x 100 ft
	10 mil	3 66106	300	54" x 100 ft
		3 66110 •	450	36" x 100 ft
		3 66111 •	450	54" x 100 ft





NEKOOSA BUCKS

available in select rolls listed above.











POINT-OF-PURCHASE DISPLAYS, BANNER STANDS & GENERAL SIGNAGE

Premium Vinyl

Classic Vinyl

ChalkTalk®

SYNAPS OM Rolls



Banner Graphics

Cut Lettering

Decals

Point-of-Purchase Signage

Bumper Stickers

Fleet Markings

Name Plates

In-Store Promotions



◆ PREMIUM VINYL

HIGH PERFORMANCE

Turn to Nekoosa's Premium Vinyl when you need to produce specific signage applications that require superior features including robust adhesive systems, liners and finishes.

Suitable for indoor and outdoor applications (<3 to 5 years outdoors)

Grades with removable adhesives will remove cleanly from surfaces within 1 year

High opacity films with an excellent white point

Matte white, gloss white or clear finish

Clear or gray block-out permanent, removable, or high-bond permanent pressure sensitive adhesive

Air-egress options available

Lay-flat 90# release liner, superior for printing with latex and UV wide format printers

Versatile product offering compatible for print and cut machines

3, 4 and 6 mil thickness options available for easy installation onto flat or simple curves without rivets

Made in the U.S.A.

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional and UV) and Screen

PREMIUM VINYL | HIGH PERFORMANCE CALENDERED VINYL

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format							
	Gloss White	SPM300GWF2050	20" x 50 yd	3 mil	Permanent	90# Layflat	1
	Gioss Wille	SPM300GWF5450 •	54" x 50 yd	3 mil	Permanent	90# Layflat	1
	Gloss White	SPM300GWR/GR5450 •	54" x 50 yd	3 mil	Gray Removable	90# Layflat	1
	Gloss White	SPM300GWF/GR5450 •	54" x 50 yd	3 mil	Gray Permanent	90# Layflat	1
	Gloss White	SPM300GWF/HT5450 •	54" x 50 yd	3 mil	High-Bond Permanent	90# Layflat	1
	Gloss White	SPM600G5450	54" x 50 yd	6 mil	High-Bond Permanent	90# Layflat	1
	Matte White	SPM400FW/P5450 •	54" x 50 yd	4 mil	Permanent	90# Layflat	1
	Matte White	SPM400FWR/GR5450 •	54" x 50 yd	4 mil	Gray Removable	90# Layflat	1
	Matte White	SPM400FWP/GR5450 •	54" x 50 yd	4 mil	Gray Permanent	90# Layflat	1
	Matte White	SPM400FWP/HT5450 •	54" x 50 yd	4 mil	High-Bond Permanent	90# Layflat	1
	Matte White	SPM400FW/R5450 •	54" x 50 yd	4 mil	Removable	90# Layflat	1
	Matte White	SPM6005450N •	54" x 50 yd	6 mil	High-Bond Permanent	90# Layflat	1
	Clear	SPM400C5450 •	54" x 50 yd	4 mil	Permanent	90# Layflat	1

	Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format Air-Eg	ress						
	Gloss White	SPE300GWR/GR5450 •	54" x 50 yd	3 mil	Gray Removable	90# Layflat Air-Egress	1
	Gloss White	SPE300GWF/GR5450 •	54" x 50 yd	3 mil	Gray Permanent	90# Layflat Air-Egress	1
	Matte White	SPE400FWR/GR5450 •	54" x 50 yd	4 mil	Gray Removable	90# Layflat Air-Egress	1
	Matte White	SPE400FWP/GR5450 •	54" x 50 yd	4 mil	Gray Permanent	90# Layflat Air-Egress	1

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Roll Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non-Top Coated – l	JV Offset & Screer	1					
	Gloss White	PV300GWF	54"	3 mil	Permanent	90# Layflat	.44#
		PV400FW/P	54"	4 mil	Permanent	90# Layflat	.50#
		PV400FW/R	54"	4 mil	Removable	90# Layflat	.50#
	Matte White	CV400FW/HT	54"	4 mil	Removable	90# Layflat	.50#
		CV600FW	54"	6 mil	Permanent	90# Layflat	.62#
		CV800FW	54"	8 mil	Permanent	90# Layflat	.70#











Banner Graphics

Cut Lettering

Decals

Point-of-Purchase Signage

Bumper Stickers

Fleet Markings

Name Plates

In-Store Promotions



◆ CLASSIC VINYL

GENERAL USE

Nekoosa's Classic Vinyl product portfolio is intended for interior and exterior point-of-purchase graphic applications.

Suitable for indoor and outdoor applications (<3 years outdoors)

Grades with removable adhesive will remove cleanly from surfaces within 1 year

Matte or gloss bright white finishes

Clear or gray block-out, permanent or removable pressure sensitive adhesive

Air-egress options available

Layflat 90# release liner, superior for printing with latex and UV wide format printers

Easy installation onto flat and simple curves without rivets

 $\label{lem:compatibility:} \textbf{Print Compatibility:} \textbf{ Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional and UV), HP Indigo and Screen$



CLASSIC VINYL | GENERAL USE CALENDERED VINYL

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Lir	ner		Rolls/Carton
Wide Format									
		SPM390G5450	54" x 50 yd	3 mil	Gray Permanent	90# L	.ayflat		1
		SPM390GWF5450	54" x 50 yd	3 mil	Permanent	90# L	.ayflat		1
	Gloss White	SPM390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# L	.ayflat		1
		SPE390GWF/GR5450	54" x 50 yd	3 mil	Gray Permanent	90# Layfla	ayflat Air-Egres		1
		SPE390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layfla	90# Layflat Air-Egre		1
	Matte White	SPM490FWP5450	54" x 50 yd	4 mil	Permanent	90# L	.ayflat		1
	Matte Wille	SPM490FWR5450	54" x 50 yd	4 mil	Removable	90# L	.ayflat		1
		SPM490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# L	ayflat		1
	Matte White	SPM490FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# L	.ayflat		1
	Matte Wille	SPE490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layfla	Layflat Air-Egres		1
		SPE490FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# Layfla	t Air-Egr	ess	1
	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Liner	GSM	M Wgt	Sheets/Carton
HP Indigo									
	Matte White	SPM400FWPIN1218	12" x 18"	4 mil	Permanent	90# Layflat	300	100	400
	Matte Wille	SPM400FWPIN1319	13" x 19"	411111	Permanent	90# Layflat	300	110	400
	Gloss Clear	SPM400FCPIN1218	12" x 18"	4 mil	Permanent	90# Layflat	290	95	400
	Gioss Clear	SPM400FCPIN1319	13" x 19"	4 (1)11	Permanent	90# Layflat	290	100	400

Custom Size Offering: Custom sizes for the HP Indigo 10,000/12,000 available upon request.

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Size (width)	Film Thickness	Adhesive	Liner	GSM
HP Indigo							
	Matte White	SPM400FWPIN	54"	4 mil	Permanent	90# Layflat	300
	Gloss Clear	SPM400FCPIN	54"	4 mil	Permanent	90# Layflat	290

Custom Size Offering: Custom sizes for the HP Indigo 10,000/12,000 available upon request.

	Finish/Color	SKU#	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non-Top Coate	d – UV Offset & S	creen					
		CV400FWP/GR	54"/60"	4 mil	Gray Permanent	90# Layflat	.50#
	Matte White	CV400FW/P	54"/60"	4 mil	Permanent	90# Layflat	.50#
	Matte Wille	CV400FW/R	54"/60"	4 mil	Removable	90# Layflat	.50#
		CV400FWR/GR	54"/60"	4 mil	Gray Removable	90# Layflat	.50#
	Clear	CV400C/P	54"/60"	4 mil	Permanent	90# Layflat	.50#
	Clear	CV400C/R	54"/60"	4 mil	Removable	90# Layflat	.50#
	Matte Black	CV400FB	54"	4 mil	Permanent	90# Layflat	.50#

Custom Size Offering: Each product listed above can be custom converted into sheets or rolls to meet your specific requirements

	Finish/Color	SKU#	Size (width)	Film Thickness	Adhesive	Liner	GSM
Top Coated – C	onventional & U	/ Offset					
		CV400FWP/TC	54"/60"	4 mil	Permanent	90# Layflat	.50#
	Matte White	CV400FWP/TC/GR	54"/60"	4 mil	Gray Permanent	90# Layflat	.50#
	Matte Wille	CV400FWR/TC	54"/60"	4 mil	Removable	90# Layflat	.50#
		CV400FWR/TC/GR	54"/60"	4 mil	Gray Removable	90# Layflat	.50#
	Clear	CV400CP/TC	54"/60"	4 mil	Permanent	90# Layflat	.50#









Restaurant Menu Boards

Retail Promotional Displays

Point-of-Purchase Wall Signage

To-Do List

Textured Wall Graphics

Seasonal Promotional Signage

Trade Show & Event Signage

Large Format Graphics

Grocery Store Displays



CHALKTALK® CHALKBOARD

Printable, chalkboard film with removable adhesive for all your creative uses.

5 mil textured matte black vinyl facestock, high-peel removable adhesive, 90# layflat polycoated paper liner

High-peel adhesive properties allow for a broader range of applications surfaces like painted plywood, textured walls and low-to-no VOC paints

Suitable for indoor and outdoor applications (<6 months clean removability from application surface)

Write with chalk or liquid chalk ink pens for best results

Wipes clean with a damp cloth

ASTM E84 Class 1 or A rating

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV) and Screen



CHALKTALK® | CHALKBOARD FILM

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format							
	Textured Matte Black	SPMCHK2475	24" x 75 ft	5 mil	High Peel Removable	90# Layflat	1
	Textured Matte Black	SPMCHK5475	54" x 75 ft	5 mil	High Peel Removable	90# Layflat	1

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Liner	Wgt/MSI
Non Top Coat	ted – Screen						
•	Textured Matte Black	SPMCHK	54"	5 mil	High Peel Removable	90# Layflat	.62#

 $\textbf{Custom Size Offering:} \ \text{Custom converted sheet and roll options available to meet your specific requirements}.$



NEKOOSA BUCKS

available in select rolls listed above.

Easy to apply and remove from these surfaces:

WOOD PANELING	POLISHED STONE	STAINLESS STEEL	SMOOTH PAINTED WALLS	TEXTURED PAINTED WALLS	LOW VOC PAINT	CONCRETE
PAINTED PLYWOOD						
學是一個						

^{*}For best results, write on ChalkTalk with chalk ink pens.









Trade Show Graphics

Banner Stands

Rotating Banners

Wide Format Banners

Point-of-Purchase Signage

Indoor & Outdoor Prints

Hanging Graphics

Backlit Graphics



SYNAPS OM ROLLS

WIDE FORMAT POLYESTER FILM

SYNAPS OM is a latex and UV printable polyester film that will not bow, fade, curl or warp.

No lamination required

Waterproof and tear proof - suitable for indoor and outdoor applications

Polyester film with a glare free double sided matte white finish

High white point for superior image quality

Lays flat even when rolled - will not wrinkle or fray on the edges

Printable on both sides

Available in 5, 8, 10 and 14 mil 36"x100' and 54"x100' rolls

Certified for HP Latex wide format digital printers

Print Compatibility: Latex and UV Wide Format



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



SYNAPS OM ROLLS | WIDE FORMAT POLYESTER FILM

STOCKED PRODUCTS ▶

	Film Thickness	SKU#	Description	Size
Wide Format				
	5 mil	3 66102 •	5.0 mil matte white high grade polyester film	54" x 100'
	8 mil	3 66103 •	8.0 mil matte white high grade polyester film	36" x 100'
	0 11111	3 66104 •	8.0 mil matte white high grade polyester film	54" x 100'
	10 mil	3 66106 •	10.0 mil matte white high grade polyester film	54" x 100'
	14 mil	3 66110 •	14.0 mil matte white high grade polyester film	36" x 100'
	1411111	3 66111 •	14.0 mil matte white high grade polyester film	54" x 100'















WINDOW GRAPHICS

Sign-Ad®

Hi-Stat®

ClingZ®

Hi-Stat Opti-Cling®

Ztac™

Barrier Film

Opaque Window Film

Interior & Exterior Window Graphics

Point-of-Purchase Window Advertisements

One-Way Window Messaging


Double-Sided Window Signage

Opaque Window Graphics

Optically Clear Window Graphics

Price Stickers

Counter Mats





Advertise your newest product or upcoming event with window graphics printed on Nekoosa's Sign-Ad® removable window film.

Available in clear, optically clear, white, opaque

Removable low-tack or moderate-tack adhesive options for easy installation and removal without leaving a trace of residue behind

Superior printing, die-cutting and installation performance due to a robust 90# layflat paper liner

Air-egress option available

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional/Litho and UV) HP Indigo and Screen

NEW PVC-FREE Sign-Ad® Clear: 4 mil. gloss clear film designed with a removable window adhesive and 90# layflat release liner. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.

This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. We are happy to offer a PVC-free option in this product line.



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. We are happy to offer a PVC-free option in this product line.





SIGN-AD® REMOVABLE WINDOW FILM

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide F	ormat						
	Matte White	SPMSA5450	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
	Matte Wille	SPMSA6050	60" x 50 yd	411111	LOW-Tack Relitionable	90# Layllat	1
	Opaque Gloss White	SPMSABF5450	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1
	Gloss Clear	SPMCAD5450	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
	Gioss Clear	SPMCAD6050	60" x 50 yd	411111	LOW-Tack Relitionable	90# Layllat	1
	Clear Air-Egress	SPECADP5450N	54" x 50 yd	4 mil	Low-Tack Removable	Clear Printed Film with Air-Egress	1
	Gloss Optically Clear	SPMCADP5450	54" x 50 yd	4 mil	Low-Tack Removable	Clear Film	1

	Finish/Color	SKU#	Size	Thickness	Adhesive	Liner	GSM	M Wgt	Sheets/Carton	
HP Inc	digo									
	Matte White	SPMSAIN1218	12" x 18"	4 mil	Low-Tack Removable	00#1 ovelot	285	88	400	
	Matte Wille	SPMSAIN1319	13" x 19"	4 mil	LOW-TACK REITIOVADIE	90# Layflat	265	100	400	
	Gloss Clear	SPMCADIN1218	12" x 18"	4 mil	Low-Tack Removable	90# Lavflat	275	85	400	
	GIOSS CIEdi	SPMCADIN1319	13" x 19"	4 mil	LOW-Tack Relitionable	90# Layllat	2/3	97		

Finish/Color SKU #			Size	Thickness	Adhesive	Liner	Rolls/Carton				
PVC-F	PVC-Free Alternative: Polypropylene (PP)										
	Gloss Clear	SPMCAD5450PP	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1				

CUSTOM SIZE OFFERING ▶

	Finish/Color SKU #		Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
HP Indigo							
	Matte White	SPMSAIN	54"	4 mil	Low-Tack Removable	90# Layflat	.50#
	Gloss Clear	SPMCADIN	54"	4 mil	Low-Tack Removable	90# Layflat	.50#

	Color/Finish	SKU#	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI				
Top C	Top Coated – Conventional & UV Offset										
	Matte White	SIGN-AD WHITE/TC	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#				
	Gloss Clear	SIGN-AD CLEAR/TC	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#				
	Gloss Clear	SIGN-AD CLEAR/PP	54"	4 mil	Low-Tack Removable	90# Layflat	.37#				

Finish/Color	SKU #	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Non-Top Coated – Offset						
Matte White	SIGN-AD WHITE	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#
Opaque Gloss White	SIGN-AD GLOSS WHITE OPAQUE	54"	4 mil	Moderate-Tack Removable	90# Layflat	.50#
Gloss Clear	SIGN-AD CLEAR	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#
Clear Air-Egress	SIGN-AD CLEAR/AE	54"	4 mil	Low-Tack Removable	Clear Film	.50#
Gloss Optically Clear	SIGN-AD PLUS	54"	4 mil	Low-Tack Removable	Clear Film	.50#

Easy to apply and remove from these surfaces:

POLISHED STONE	STAINLESS	GLASS

HP Indigo: Custom sizes available for HP Indigo 10,000 and 12,000. Calendered Vinyl, 400 sheets per carton.

Top Coated and Non-Top Coated Offset: Can be custom converted into sheets or rolls to meet your requirements.





available in select rolls listed above.









Window Graphics

Point-of-Purchase Window Advertisements

Reversible Print Window Displays

Double Sided Window Graphics

Optically Clear Window Displays

Automotive Window Graphics

Window Decals

Seasonal Signage

Holiday Décor

Price Stickers

LED Screen Protection





Hi-Stat® static cling vinyl is a very flexible film which adheres to most clean, high polished surfaces without adhesive.

Ideal for temporary promotional applications used indoors or outdoors (<3 months)

Easy to apply, remove and reposition for application to most clean, high polished surfaces – no surface damage

Can be wet applied, but no solvents needed for application or removal

Can be die-cut, kiss-cut and plotter cut

Available in folio sheets, digital cut size sheets and wide format rolls in white, clear or optically clear finishes

Laminate Nekoosa's Hi-Stat® Clear with Sign-Ad® Gloss White Opaque to easily create removable 'push-pull' two way signage

NEW - Wide format rolls now enhanced with a 90# polycoated layflat release liner for optimal performance on wide format printers

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex, UV), Offset (Conventional Offset/Litho and UV), HP Indigo and Screen







HI-STAT® | STATIC CLING VINYL

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Roll Size	Film Thickness	Liner	Rolls/Carton
Wide Format						
	Gloss White	SPMHSW5450	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
	GIOSS WITTE	SPMHSW6050	60" x 50 yd	011111	90# PE-Coated Layflat	1
	Gloss Clear	SPMHSC5450	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
	Gioss Clear	SPMHSC6050	60" x 50 yd	011111	90# PE-Coated Layflat	1
	Optically Clear Opti-Cling® SPMHSC5C5450		54" x 50 yd	8 mil	Matte Clear Film	1

	Finish/Color	SKU#	Roll Size	Film Thickness	Liner	GSM	M Wgt	Sheets/Carton			
HP Indigo											
	Gloss White	SPMHSWIN1218	12" x 18"	8 mil	8 pt Board	405	123.3	300			
		SPMHSWIN1319	13" x 19"		8 pt Board	405	140	300			
	Gloss Clear	SPMHSCIN1218	12" x 18"	8 mil	8 pt Board	390	123.3	300			
	Gioss Ciedi	SPMHSCIN1319	13" x 19"		8 pt Board	390	140	300			
	Custom Size Offering: Custom sizes for the HP Indigo 10,000/12,000 available upon reques										

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Size (width)	Film Thickness	Liner	Wgt/MSI
Non-Top Coated -	- UV Offset, Screen					
	Gloss White	CV608W	54"	6 mil	8 pt Board	.55#
	Gloss Clear	CV608C	54"	6 mil	8 pt Board	.55#
	Gloss White	CV610W	54"	6 mil	10 pt Board	.60#
	Gloss Clear	CV610C	54"	6 mil	10 pt Board	.60#
	Gloss White	CV808W	50"/54"/60"	8 mil	8 pt Board	.62#
	Gloss Clear	CV808C	50"/54"/60"	8 mil	8 pt Board	.62#
	Gloss White	CV810W	40"/50"/54"/60"	8 mil	10 pt Board	.67#
	Gloss Clear	CV810C	40"/50"/54"/60"	8 mil	10 pt Board	.67#
	Gloss Clear Opti-Cling®	OPTI-CLING	54"	8 mil	Matte Clear Film	.85#

Custom Size Offering: Each product listed above can be custom converted into sheets or rolls to meet your specific requirements.

	Finish/Color	SKU#	Size (width)	Film Thickness	Liner	Wgt/MSI
Top Coated – Con	ventional Offset					
	Gloss White	CV660W/TC	54"	6 mil	60#	.48#
	Gloss Clear	CV660C/TC	54"	6 mil	60#	.48#
	Gloss White	CV608W/TC	54"	6 mil	8 pt Board	.55#
	Gloss Clear	CV608C/TC	54"	6 mil	8 pt Board	.60#
	Gloss White	CV610W/TC	54"	6 mil	10 pt Board	.60#
	Gloss Clear	CV610C/TC	54"	6 mil	10 pt Board	.62#
	Gloss White	CV808W/TC	50"/54"/60"	8 mil	8 pt Board	.62#
	Gloss Clear	CV808C/TC	50"/54"/60"	8 mil	8 pt Board	.67#
	Gloss White	CV810W/TC	40"/50"/54"/60"	8 mil	10 pt Board	.67#
	Gloss Clear	CV810C/TC	40"/50"/54"/60"	8 mil	10 pt Board	.67#



NEKOOSA BUCKS

available in select rolls listed above.

Custom Size Offering: Each product listed above can be custom converted into sheets or rolls to meet your specific requirements.









Screen Safe Labels

In-Store Promotional Signage

Large Format Graphics

Tileable Murals

P.O.P. Signage

Reverse Sided Graphics

Trade Show & Event Signage

Window Graphics

Holiday Décor & Decals

Guerrilla Marketing





ELECTRICALLY CHARGED POLYPROPYLENE

ClingZ[®] is an adhesive-free electrically charged film that adheres to any dry interior surface and is effortless to reposition.

Ideal for temporary indoor marketing applications

Effortless to apply, remove and reposition to any dry interior surface

Adhesive free – no glue, tape, tacks or pins required

Chemically inert, PVC-Free and phthalate-free

Can be die cut, kiss cut and plotter cut

Available in white and clear

Print Compatibility: Offset (Conventional and UV), HP Indigo and UV Wide Format*



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.





STOCKED PRODUCTS ▶

	Color	SKU#	Size	GSM	M Wgt	Qty/Unit
ClingZ Standard Off		Sito "	0120	GOIN	III VIGE	Qtyr onic
. G		3 71100	19" x 25"		162.2	2000/skid
		3 71101	23" x 35"		274.8	2000/skid
		≱ 71102	28" x 40"		382.4	2000/skid
	White	3 71105	19" x 25"	240	162.2	200/carton
		3 71106	23" x 35"		274.8	200/carton
		3 71107	28" x 40"		382.4	200/carton
		3 71110	19" x 25"		164.2	2000/skid
		3 71111	23" x 35"		278.3	2000/skid
		3 71112	28" x 40"	0.40	387.2	2000/skid
	Clear	3 71115	19" x 25"	243	164.2	200/carton
		3 71116	23" x 35"		278.3	200/carton
		3 71117	28" x 40"		387.2	200/carton
	Color	SKU#	Size	GSM	M Wgt	Qty/Unit
ClingZ Versaliner O	ffset*					
		3 71200	20" x 28"		193.6	2000/skid
	White	3 71201	28" x 40"	243	387.2	2000/skid
	wnite	3 71205	20" x 28"	243	193.6	250/carton
		3 71206	28" x 40"		387.2	250/carton
		3 71210	20" x 28"		196.0	2000/skid
	Clear	3 71211	28" x 40"	246	392.0	2000/skid
	Cicai	3 71215	20" x 28"	240	196.0	250/carton
		3 71216	28" x 40"		392.0	250/carton
	Color	SKU#	Size	GSM	M Wgt	Qty/Unit
lingZ HP Indigo						
		> 71300	12" x 18"		82.6	500/carton
	White	> 71301	13" x 19"	269	94.5	500/carton
	wille	> 71310	20.5" x 29.5"	209	231.4	1200/skid
		> 71312	20.5" x 29.5"		231.4	300/carton
		3 71305	12" x 18"		80.2	500/carton
	Clear	3 71306	13" x 19"	261	91.7	500/carton
	Cleal	> 71311	20.5" x 29.5"	201	224.5	1200/skid
		3 71313	20.5" x 29.5"		224.5	300/carton
	Color	SKU#	Size	GSM	Roll Wgt	Qty/Unit
ClingZ Wide Forma	_					
	White	≫ 71514 ●	54" x 75'	161	12	1/Roll
	Clear	3 71515 •	54" x 75'	155	12	1/Roll



 ${\bf *Select\ Cling Z\ Versaliner\ if\ extra\ finishing\ like\ die\ or\ kiss\ cutting\ is\ required.}$



HP CERTIFIED:

ClingZ for HP Indigo Clear 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900 $\textbf{ClingZ for HP Indigo White}\ 5000, 5500, 5600\ multi-shot, 7000, 7500, 7600, 7800\ and\ 7900$

Easy to apply and remove from these surfaces:





Window Graphics

Tileable Mural

P.O.P. Signage

Reverse Sided Window Graphics

Trade Show & Event Signage

Holiday Décor and Decals

Hot Deli Glass Case Signage

Glass Freezer & Cooler Doors





ULTRA LOW-TACK POLYESTER

Ztac[™] is an ultra-low tack, repositionable, PVC-free film designed for easy application and removal on very smooth indoor surfaces.

Effortless to apply, remove and reposition multiple times without leaving a trace of adhesive residue behind

Repositionable – will hold its original shape without "dog earring"

Suitable for indoor use on very smooth surfaces like windows, glass and polished metal

Can we die cut, kiss cut, perforated, scored and folded

Chemically inert, PVC-Free and phthalate-free

Print Compatibility: HP Indigo, Conventional, UV Offset and UV Wide Format



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.





STOCKED PRODUCTS ▶

	Color	SKU#	Size	Film Thickness	Adhesive	Liner	GSM	Rolls				
Wide Forma	Wide Format											
	White	3 71411 ●	54" x 50 yds	6 mil	Low Tack Dot Pattern Adhesive	Paper	208	1				
	Clear	≱ 71410 ●	54" x 50 yds	6 mil	Low Tack Dot Pattern Adhesive	Paper	201	1				

	Color	SKU#	Size	Film Thickness	Adhesive	Liner	GSM	Carton or Skid Wgt	Qty/Unit
Convention	al & UV Offs	et							
	White	3 71426	28" x 40"	6 mil	Low Tack	Paper	310	494	180/carton
		71421	28" x 40"		Dot Pattern Adhesive		310		1800/skid
	Clear	71425	28" x 40"	6	Low Tack	D	298	4740	180/carton
		3 71420	28" x 40"	6 mil	Dot Pattern Adhesive	Paper	290	474.9	1800/skid

	Color	SKU#	Size Film Thickness		Adhesive Liner		GSM	Carton or Skid Wgt	Qty/Unit
HP Indigo									
	White	≱ 71602	13" x 19"	6 mil	Low Tack Dot Pattern Adhesive	Paper	310	109.3	450/carton
	Clear	∌ 71603	13" x 19"	6 mil	Low Tack Dot Pattern Adhesive	Paper	299	105.1	450/carton





HP CERTIFIED:

Ztac for HP Indigo Clear 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900 **Ztac for HP Indigo White** 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900 Certified for HP Indigo

Easy to apply and remove from these surfaces:

POLISHED STONE	STAINLESS	GLASS
127 6		









Push-Pull Graphics

Window Decals

Posters

Mouse Pads

Decals



BARRIER FILM

PAQUE OLYPROPYLENE

Applied to Sign-Ad® Clear or Hi-Stat®, the complete opacity of this barrier film allows the printing of two-way decals for interior and exterior viewing.

Bright White, 100% opaque two-sided window graphics

Permanent adhesive

Laminate to a clear static cling or clear pressure sensitive film

Eliminates the need to print many layers of ink on one film

Print Compatibility: UV Wide Format



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



BARRIER FILM | OPAQUE POLYPROPYLENE

STOCKED PRODUCTS ▶

	Color	SKU#	Size	Film Thickness	Adhesive	Liner	Wgt/MSI	Rolls/Carton
Wide Format								
	Gloss White	SPMBF5450N •	54" x 50 yds	2.3 mil	White Permanent Acrylic	53#	.30#	1

CUSTOM SIZE OFFERING ▶

	Color	SKU#	Size	Film Thickness	Adhesive	Liner	Wgt/MSI	Rolls/Carton		
Top-Coated – Conventional, UV Offset & Screen										
	Gloss White	CP200WBF	54"	2.3 mil	White Permanent Acrylic	53#	.30#	1		















Push-Pull Graphics

Window Graphics

Posters

Decals

P.O.P. Displays

Advertising Graphics



OPAQUE WINDOW FILMS

Opaque window films can be laminated to clear Hi-Stat® or Sign-Ad® products to create double sided "push-pull" signage for window decals, window graphics and point-of-purchase displays.

BARRIER FILM

Bright white, 2.3 mil opaque polypropylene film with a permanent adhesive

Laminates to a clear static cling or clear pressure sensitive film

Print Compatibility: UV Wide Format

SIGN-AD® OPAQUE

Bright white, opaque 6 mil vinyl with a moderate-tack removable white adhesive

Laminate to a Sign-Ad® clear product to easily create two-way signage

Suitable for indoor and outdoor use (<1 year outdoors)

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional and UV) and Screen



OPAQUE WINDOW FILMS

OPAQUE BARRIER FILM

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Liner	Rolls/Carton			
Wide Format										
	Gloss White		54" x 50 yds	2.3 mil	White Permanent	53#	1			

CUSTOM SIZE OFFERINGS ▶

	Finish/Color	SKU#	Size (Width)	Film Thickness	Adhesive	Liner	Wgt/MSI		
Top-Coated – Conventional, UV Offset & Screen									
,	Gloss White	CP200WBF	54"	2.3 mil	White Permanent	53#	.30#		

Custom Size Offering: Barrier Film is only sold in rolls, and can be slit to meet your specific requirements.

OPAQUE SIGN-AD®

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format							
	Opaque Gloss White	SPMSABF5450	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non-Top Coate	d – UV Offset & Screen						
	Opaque Gloss White	SIGN-AD GLOSS WHITE OPAQUE	54"	6 mil	Moderate-Tack Removable	90# Layflat	.68#

Custom Size Offering: This product can be custom converted into sheets or rolls to meet your specific requirements.











CUT FILMS

CV300 Series™

VinylEfx®

PolyEfx®

Banner Graphics

Cut Lettering

Decals

Holiday Décor

Point-of-Purchase Signage

Bumper Stickers

Fleet Markings

Safety Signage

Commercial Signage

Identification Markings

Appliance Labels

Nameplates



NEKOOSA CV300 SERIES CUT LETTERING SIGN VINYL

Create endless signage applications with CV300 Series.

Excellent dimensional stability

Cuts and weeds easily

Available in a variety of colors and standard roll sizes

For ease of installation, apply cut letters with RTape® Conform® 4075RLA

Soft in nature, adaptable for conforming to curves or flat surfaces

3 mil gloss vinyl facestock rated for <6 years of outdoor durability

Moderate peel, moderate tack permanent adhesive

78# paper liner

Specifically formulated for banner graphics and lettering

Print Compatibility: Thermal



NEKOOSA CV300 SERIES CUT LETTERING SIGN VINYL



^{*} Other sizes may be available upon request.

NEKOOSA CV300 SERIES™ CUT LETTERING SIGN VINYL

STOCKED PRODUCTS ▶

Code/Color	SKU#	Size
Nekoosa CV300 Series™	Cut Vinyl	
	CVCL2450A	24" x 50 yd
114 Clear	CVCL4850A	48" x 50 yd
	CVWH2450A	24" x 50 yd
10 White	CVWH4850A	48" x 50 yd
	CVSTW2450A	24" x 50 yd
20 Matte White	CVSTW4850A	48" x 50 yd
	CVBR2450A	24" x 50 yd
80 Brown	CVBR4850A	48" x 50 yd
	CVBY2450A	24" x 50 yd
15 Bright Yellow	CVBY4850A	48" x 50 yd
	CVSF2450A	24" x 50 yd
25 Sunflower	CVSF4850A	48" x 50 yd
	CVGO2450A	24" x 50 yd
91 Gold	CVGO4850A	48" x 50 yd
	CVOR2450A	24" x 50 yd
36 Orange	CVOR4850A	48" x 50 yd
	CVSP2450A	24" x 50 yd
33 Soft Pink	CVSP4850A	48" x 50 yd
	CVTR2450A	24" x 50 yd
13 Tomato Red	CVTR4850A	48" x 50 yd
	CVBT2450A	24" x 50 yd
43 Bright Red	CVBT4850A	48" x 50 yd
	CVCD2450A	24" x 50 yd
53 Cardinal Red	CVCD4850A	48" x 50 yd
240.0	CVBG2450A	24" x 50 yd
312 Burgundy	CVBG4850A	48" x 50 yd
440	CVPU2450A	24" x 50 yd
44 Purple	CVPU4850A	48" x 50 yd
47 OL	CVOB2450A	24" x 50 yd
47 Olympic Blue	CVOB4850A	48" x 50 yd
E7 Modium Dive	CVMB2450A	24" x 50 yd
57 Medium Blue	CVMB4850A	48" x 50 yd
OO Dairdh EDlara	CVBTB2450A	24" x 50 yd
98 Bright Blue	CVBTB4850A	48" x 50 yd
67 Pluo	CVBU2450A	24" x 50 yd
67 Blue	CVBU4850A	48" x 50 yd
27 Sapphire Plus	CVSB2450A	24" x 50 yd
37 Sapphire Blue	CVSB4850A	48" x 50 yd
62 Deep Blue	CVDB2450A	24" x 50 yd
oz Deep blue	CVDB4850A	48" x 50 yd
106 Apple Crees	CVAG2450A	24" x 50 yd
196 Apple Green	CVAG4850A	48" x 50 yd
20 Kally Crass	CVKG2450A	24" x 50 yd
38 Kelly Green	CVKG4850A	48" x 50 yd

Code/Color	SKU#	Size						
Nekoosa CV300 Series™ Cut Vinyl								
28 Medium Green	CVGR2450A	24" x 50 yd						
26 Medium Green	CVGR4850A	48" x 50 yd						
18 Hunter Green	CVHG2450A	24" x 50 yd						
16 Hullter Green	CVHG4850A	48" x 50 yd						
90 Silver	CVSI2450A	24" x 50 yd						
90 Slivel	CVSI4850A	48" x 50 yd						
31 Medium Gray	CVGY2450A	24" x 50 yd						
31 Medium Gray	CVGY4850A	48" x 50 yd						
73 Dark Gray	CVDG2450A	24" x 50 yd						
73 Daik Glay	CVDG4850A	48" x 50 yd						
12 Black	CVBK2450A	24" x 50 yd						
I ∠ DIdCK	CVBK4850A	48" x 50 yd						
22 Matte Black	CVSTB2450A	24" x 50 yd						
ZZ WIGHTE DIGCK	CVSTB4850A	48" x 50 yd						









Cut Lettering

Decals

Point-of-Purchase Signage

Holiday Decor

Bumper Stickers

Fleet Markings

Decorative In-Store Displays

Seasonal Signage

Decorative Labels

Trade Show Graphics

Event Signage

Banner Graphics

Name Plates





Eye-catching metallic, reflective and glittering vinyls for cut lettering applications and printed graphics.

Available in both Indoor Decorative and Outdoor Durable series (<3 years outdoors) with permanent adhesive

Easy application to flat, smooth surfaces – dry application only

Cuts and weeds easily

Apply cut letters with RTape® Conform® 4075RLA and printed graphics with RTape® Conform® 4760RLA application tape

Allow for 1/8"-1/4" border around the edges of printed graphics

Overlaminates can be used if extra protection is required

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Screen and Thermal Transfer



VINYLEFX® | METALIZED VINYL



		24"x 50 yd	48"× 50 yd	54"x 50 yd	24"×10/250 yd	48"×10/250 yd
Pattern	Color		Stocked Size	s	Make t	o Order
	Silver	• •	• •	•	• •	• •
Smooth	Gold	• •	• •	•	• •	• •
	Rose Gold	• •	• •		• •	• •
	Silver	• •	• •	•	• •	• •
Fine Brush	Gold	•	•		•	•
	Rose Gold	• •	• •		• •	• •
Rainbow Brite Overall	Silver	• •			• •	
Large Engine Turn	Gold	•			•	
Diamond Plate	Silver	• •	• •		• •	
Manageria	Silver	•	•		•	•
Metal Flake	Gold	•			•	
Florentine Leaf	Gold	• •			• •	







VINYLEFX® | METALIZED VINYL

STOCKED PRODUCTS ▶

Pattern/Color	SKU#	Size
Indoor Decorative		
	VX1764-24150	24" x 50 yd
Smooth Silver	VX1764-48150	48" x 50 yd
	VX1764-54150	54" x 50 yd
	VX2293-24150	24" x 50 yd
Smooth Gold	VX2293-48150	48" x 50 yd
	VX2293-54150	54" x 50 yd
Smooth Rose Gold	VX5439-24150	24" x 50 yd
Sillootii Rose dold	VX5439-48150	48" x 50 yd
	VX6770-24150	24" x 50 yd
Fine Brush Silver	VX6770-48150	48" x 50 yd
	VX6770-54150	54" x 50 yd
Fine Brush Rose Gold	VX5003-24150	24" x 50 yd
Fille Blusii Rose Gold	VX5003-48150	48" x 50 yd
Rainbow Brite Overall Silver	VX3138-24150	24" x 50 yd
Metal Flake Silver	VX2716-24150	24" x 50 yd
WELDI FIDRE SIIVEI	VX2716-48150	48" x 50 yd
Metal Flake Gold	VX5186-24150	24" x 50 yd
Diamond Plate Silver	VX6008-24150	24" x 50 yd
Diamond Plate Sliver	VX6008-48150	48" x 50 yd
Florentine Leaf Gold	VX1754-24150	24" x 50 yd

Pattern/Color	SKU#	Size
Outdoor Durable		
Smooth Silver	VX9809-24150	24" x 50 yd
Sillootii Silvei	VX9809-48150	48" x 50 yd
Smooth Gold	VX9387-24150	24" x 50 yd
Sillootii Gold	VX9387-48150	48" x 50 yd
Smooth Rose Gold	VX4577-24150	24" x 50 yd
Sillootii Rose Gold	VX4577-48150	48" x 50 yd
Fine Brush Silver	VX4126-24150	24" x 50 yd
Fille Blusii Silvei	VX4126-48150	48" x 50 yd
Fine Brush Gold	VX6582-24150	24" x 50 yd
Fille Blusil Gold	VX6582-48150	48" x 50 yd
Fine Brush Rose Gold	VX3922-24150	24"x 50 yd
Fille Blusii Rose Gold	VX3922-48150	48" x 50 yd
Rainbow Brite Overall Silver	VX1488-24150	24" x 50 yd
Large Engine Turn Gold	VX8966-24150	24" x 50 yd
Diamond Plate Silver	VX9703-24150	24" x 50 yd
Diamond Plate Silver	VX9703-48150	48" x 50 yd
Florentine Leaf Gold	VX1566-24150	24" x 50 yd









Cut Lettering

Decals

Point-of-Purchase

Signage

Holiday Décor

Fleet Markings

Decorative In-Store

Displays

Seasonal Signage

Decorative Labels

Trade Show Graphics

Event Signage

Banner Graphics

Name Plates

Bumper Stickers

In-Store Promotions





CUT LETTERING SIGN POLYESTER

Metalized polyester films used in the production of high quality applications that require metallic luster, durability and dimensional stability.

Dimensionally stable films for high quality die cutting applications

2 mil metalized polyester facestock

High peel, high tack permanent adhesive

90# layflat paper liner

Not recommended for outdoor use

Print Compatibility: UV Wide Format, UV and Conventional Offset/Litho and Screen



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



POLYEFX® | CUT LETTERING SIGN POLYESTER



STOCKED PRODUCTS ▶

Color	SKU#	Size
Indoor Metalized Polyester		
		24" x 50 yd
Bright Silver		30" x 50 yd
Dilgitt Silvei		48" x 50 yd
		54" x 50 yd
		24" x 50 yd
Brushed Silver		30" x 50 yd
Brushed Silver		48" x 50 yd
		54" x 50 yd
	炒 CMG2450A	24" x 50 yd
Bright Gold	☼ CMG3050A	30" x 50 yd
Bright dold	≫ CMG4850A	48" x 50 yd
	炒 CMG5450A	54" x 50 yd

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI	
Indoor Metalized Polyester								
	Bright Silver		54"	2 mil	High-Peel, High-Tack Permanent	90# Layflat	.44#	
	Brushed Silver		54"	2 mil	High-Peel, High-Tack Permanent	90# Layflat	.44#	
	Bright Gold	№ CM200G	54"	2 mil	High-Peel, High-Tack Permanent	90# Layflat	.44#	

 $\textbf{Custom Size Offering:} \ \text{Custom converted sheet and roll options available to meet your specific requirements}.$





WALL GRAPHICS

Wall Graphics®

Augusta Wall Graphics®

Interior and Exterior Wall Graphics

Wall Décor

Point-of-Purchase Wall Signage

Renovation Barricades

Wayward Signage

Posters

Textured Wall Graphics



■ WALL GRAPHICS®

REMOVABLE WALL FILMS

Nekoosa's Wall Graphics® portfolio is a comprehensive offering of repositionable, easily removable films for interior and exterior wall graphic applications.

Microsphere Removable Adhesive

- Matte white or gloss white finishes
- 4, 6 and 8 mil facestock rated for <3 years of outdoor use
- Augusta Wall Graphics® 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner also available
- Suitable for short term indoor and outdoor applications (<1 year clean removability from application surfaces)
- Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass

High-Peel Removable Adhesive

- High-peel adhesive properties allow for a broader range of application surfaces – painted plywood, textured walls and low-to-no VOC paints
- 6 mil semi-rigid matte white facestock rated for <3 years of outdoor use
- Options available with a 90# layflat or 90# air-egress layflat polycoated paper liner
- Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces)
- Recommended application surfaces: painted plywood, textured walls, sheetrock, concrete and cinder block

High opacity films with an excellent white point

Stable 90# layflat polycoated paper liner for ease of printing and installation

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional and UV), HP Indigo and Screen

NEW PVC-FREE Wall Graphics® Matte White: 4 mil. matte white film designed with a 90# layflat release liner and microsphere removable adhesive. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. We're happy to offer a PVC-Free option in this product line.







WALL GRAPHICS® | REMOVABLE WALL FILMS

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Forn	nat						
	Matte White	SPMWGW5450	54" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
	Matte White	SPMWGW6050	60" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
	Matte White	SPMWG5450PP	54" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
	Gloss White	SPMWG6G5450	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
	Augusta Embossed Matte White	SPMAUG5450	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
	Matte White	SPMWG65450 •	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
	Matte White	SPMWG66050	60" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
	Matte White	SPM600FW/R5450	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat	1
	Matte White	SPE600FW/R5450	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat Air-Egress	1
	Matte White	SPMWG85450	54" x 50 yd	8 mil	Microsphere Removable	90# Layflat	1

	Finish/Color	SKU#	Size	Thickness	Adhesive	Liner	M Wgt	Sheets/Carton
HP Indigo								
	Matte White	SPMWG6IN1218	12" x 18"	6 mil	Microsphere Removable	90# Layflat	116.7	300
	Matte White	SPMWG6IN1319	13" x 19"	6 mil	Microsphere Removable	90# Lavflat	133.3	300

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Non Top (Coated - UV Offset, Screer	1					
	Matte White	WG400W	54"/60"	4 mil	Microsphere Removable	90# Layflat	.50#
	Augusta Embossed Matte White	AUGUSTA	54"/60"	6 mil	Microsphere Removable	90# Layflat	.62#
	Matte White	WG600W	54"/60"	6 mil	Microsphere Removable	90# Layflat	.62#
	Matte White	CV600FW/R	54"/60"	6 mil	High-Peel Removable	90# Layflat	.62#
	Matte White	CV600FWR/AE	54"/60"	6 mil	High-Peel Removable	90# Layflat Air-Egress	.62#
	Matte White	WG800W	54"	8 mil	Microsphere Removable	90# Layflat	.70#


	Finish/Color	SKU#	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Top Coate	ed - Conventional Offset, \	Water Based Flexo					
	Matte White	WG400W/TC	54"/60"	4 mil	Microsphere Removable	90# Layflat	.50#
	Matte White	WG600W/TC	54"/60"	6 mil	Microsphere Removable	90# Layflat	.62#
	Matte White	≫ WG400W/PP	54"	4 mil	Microsphere Removable	90# Layflat	.38#

Custom Size Offering: Custom converted sheet and roll options available to meet your specific requirements.





Easy to apply and remove from these surfaces:





FLOOR GRAPHICS

Walk-On Graphics®



Wayward Floor Graphics

Floor Advertising Graphics

Point-of-Purchase Floor Signage

Social Distancing Floor Graphics

Directional Arrows

Counter Mats



◆ WALK-ON GRAPHICS®

SLIP RESISTANT FLOOR GRAPHIC SYSTEM

The Walk-On Graphics® two part system includes a printable vinyl base film and a UL 410 slip resistant overlaminate to create durable floor signage applications.

Recommended for use on smooth, clean, flat surfaces like tile, sealed wood, ceramic tile vinyl and sealed concrete

4 mil printable vinyl base film available in white or clear finishes with removable adhesive

4 mil clear double polished and 6 mil clear embossed UL 410 certified overlaminate options Suitable for indoor short term floor graphics (<6 months)

Graphics withstand normal floor maintenance and cleaning

Print Compatibility: Latex, Eco-Solvent, True Solvent, UV Wide Format, Conventional Offset, UV Offset and UV Screen





WALK-ON GRAPHICS® | SLIP RESISTANT | FLOOR GRAPHIC SYSTEM

STOCKED PRODUCTS ▶

	Color	SKU#	Application	Film Thickness	Adhesive	Liner	Durability	Size
Base Film								
	White	SPMWOGWB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
	Clear	SPMWOGCB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd

	Color	SKU#	Material	Film Thickness	Adhesive	Liner	Durability	Size
Recommend	ed Overlaminate							
	Double Polished Clear	LMWOG4LL5450	Calendared Vinyl	4 mil	Permanent	PET	6 Months Indoors	54" x 50 yd
	Embossed Clear	LMWOG6CE5450	Calendared Vinyl	6 mil	Permanent	PET	6 Months Indoors	54" x 50 yd
	Embossed Clear	№ LMPP5450	Polvolefin	3 mil	Permanent	PET	6 Months Indoors	54" x 50 vd

CUSTOM SIZE OFFERING ▶

	Color	SKU#	Application	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non Top Coat	ted Base Film – UV Offs	set, Screen						
	White	WOGFW	Floor	54"	4 mil	Removable	90# Layflat	.50#
	Clear	WOGFC	Floor	54"	4 mil	Removable	90# Layflat	.50#
	Color	SKU#	Application	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI

	Color	SKU#	Application	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Top Coated B	ase Film – Convention	al Offset						
	White	WOGFW/TC	Floor	54"	4 mil	Removable	90# Layflat	.50#
	Clear	WOGFC/TC	LIOOL	54"	4 mil	Removable	90# Layflat	.50#

	Color	SKU#	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Recommend	ed Overlaminate						
	Double Polished Clear	LM4CL	54"	4 mil	Permanent	Clear Film	.30#
	Embossed Clear	SRV650OL	54"	6 mil	Permanent	Clear Film	.44#
	Embossed Clear	▶ LMPP5450	Polyolefin	3 mil	Permanent	PET	.21#

Custom base film and overlaminate sold separately. Custom Size Offering: Can be custom converted into sheets or rolls to meet your requirements.

= PVC-Free

Easy to apply and remove from these surfaces:

TILE	VINYL	WOOD FLOOR	SEALED CONCRETE	POLISHED STONE
	F			









GLASS FINISHES

Deep Etch

Light Etch

Dusted Crystal

Frost

Sand Blast

Sand Matte

Bird Safety Film

Privacy Films

Decorative Window Films

Conference Room Window Films

Lobby Window Films

Retail Space Window Films

Glass Partition Films

Office Space Window Films



NEKOOSA GLASS FINISHESTM PRIVACY AND DECORATIVE WINDOW FILMS

Nekoosa Glass Finishes[™] offers a wide range of printable window films designed to transform the appearance of interior and exterior commercial buildings for privacy and finishing purposes.

Available in Deep Etch, Light Etch, Dusted Crystal, Frost, Sand Blast and Sand Matte finishes

Each film offers a degree of privacy by obscuring direct visibility while allowing excellent light transmission

Solvent-performance permanent adhesive with a PET liner

Printable and plottable

7 years of outdoor durability

For ease of application, apply Nekoosa Glass Finishes™ with RTape's Conform® 4075RLA, ApliTape™ 4075, or Clear Choice® AT65

Bird Safety Film: Bird deterrent safety film engineered specifically to allow birds to see windows that otherwise appear invisible

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex, UV), Offset (Conventional and UV) and Screen



NEKOOSA GLASS FINISHES™

PRIVACY AND DECORATIVE

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Liner	Size
Nekoosa Glass Finishes™				
Nekoosa Glass Finishes - Deep Etch	Opaque Frosted	DW9867-60100 •	PET Liner	60" x 100'
Nekoosa Glass Finishes - Light Etch	Opaque Frosted	DW4477-60100 •	PET Liner	60" x 100'
Nekoosa Glass Finishes - Dusted Crystal	Opaque Frosted	DW3412-60100 •	PET Liner	60" x 100'
Nekoosa Glass Finishes - Frost	Clear Embossed	DW2345-60100 •	PET Liner	60" x 100'
Nekoosa Glass Finishes - Sand Blast	Clear Embossed	DW6231-60100 •	PET Liner	60" x 100'
Nekoosa Glass Finishes - Sand Matte	Opaque Frosted	DW1823-60100 •	PET Liner	60" x 100'
Nekoosa Glass Finishes - Bird Safety Film	DOT	🔊 DW7154-6095 🏓	PET Liner	60" x 95'













OVERLAMINATES

Polyester

Calendered Vinyl

Polycarbonate

Polyolefin

		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0															

Flat & Simple Curves

Printed Graphics

Point-of-Purchase Displays

Wall Graphics

Window Graphics

Floor Graphics

Exhibits

Trade Show Graphics

Transit

Displays

Dry Erase Graphics

Counter Mats

Photographic Prints

In-Store Signage



OVERLAMINATE FILM

Overlaminates that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture and abrasion.

Pressure activated high performance permanent adhesive

Excellent performance on flat or simple curves

Easy to finish – die cut or flatbed

Laminate to a similar substrate for best results



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. We're happy to offer PVC-Free options in this product line.

Calendered Vinyl Improved Performance

3.2 mil gloss, matte and luster finishes rated for <4 years of outdoor use

Enhanced UV protection

78# paper liner for improved wet out

Versatile, great for everyday use – keep a roll on your floor!

Polycarbonate Formerly RTape Eclypse™

3, 5 and 10 mil velvet matte finish rated for <2 years of

Clear non-yellowing permanent solvent adhesive for

Clear PET film liner keeps adhesive smooth – prevents

Eliminates the reflection of overhead lights for glare-free

Commonly used for rolled trade show graphics and

Calendered Vinyl UL-410 Slip Resistance Certified Floor Graphic Overlaminate

4 mil clear double polished and 6 mil semi-rigid clear embossed options available

Clear PET film liner keeps adhesive smooth – prevents

Graphic withstand normal floor maintenance and cleaning Suitable for indoor short term floor graphics for <6 months



Optically clear finish rated for <4 years of indoor use Clear PET film liner keeps adhesive smooth – prevents orange peel

Dry erase option available

NEW Polyolefin

3 mil embossed PVC-Free polyolefin textured overlaminate film with a 1.5 mil clear PET liner

Suitable for interior short-term graphics for up to 6 months UL 410 slip resistant





OVERLAMINATE FILMS PORTFOLIO

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	UV Protection	Size	Film Thickness	Adhesive	Liner
Calendered Viny	yl Overlaminate Films						
	Luster Clear	LM3LL5450 •	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	Luster Clear	LM3LL6050	•	60" x 50 yd	3.2 11111	Permanent	70# Papei
	Matte Clear	LM3MCL5450 •	•	54" x 50 yd	3.2 mil	Permanent	70# Danas
	Matte Clear	LM3MCL6050	•	60" x 50 yd	3.2 11111	Permanent	78# Paper
	Gloss Clear	LM3CL5450 •	•	54" x 50 yd	3.2 mil	Permanent	70# Danas
	GIOSS CIEdi	LM3CL6050	•	60" x 50 yd	3.2 11111	Permanent	78# Paper
	Gloss Optically Clear*	LM4CL5450	•	54" x 50 yd	4 mil	Permanent	PET
	Embossed Clear*	LM6CE5450		54" x 50 yd	6 mil Semi-Rigid	Permanent	PET
				*LN	M4CL and LM6CE are UL 41	0 certified and suitable for	or interior floor graphics.

Polycarbonate C	Overlaminate Films						
		ॐ 5044550LM	•	51" x 50 yd	3 mil	Non-Yellowing Permanent Solvent	PET
	Velvet Matte	≫ 5044552LM	•	51" x 50 yd	5 mil	Non-Yellowing Permanent Solvent	PET
		ॐ 5044553LM	•	51" x 50 yd	10 mil	Non-Yellowing Permanent Solvent	PET

Polyester Over	laminate Films					
	Optically Clear		54" x 50 yd	2 mil	Permanent	PET
	Optically Clear	≥ LM1DE5450	54" x 50 yd	1 mil	Dormanant	PFT
	Dry Erase		60" x 50 yd	1 111111	Permanent	PEI

Polyolefin Over	rlaminate Film												
	Embossed Clear	► LMPP5450		54" x 50 yd	3 mil	Permanent	PET						
	*LMPP5450 is UL410 certified and suitable for interior floor graphics												

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU#	UV Protection	Size	Film Thickness	Adhesive	Liner	Wgt per MSI
Calendered Viny	l Overlaminate Films							
	Luster Clear	LM3LL	•	54"/60"	3.2 mil	Permanent	78#	.41#
	Matte Clear LM3MCL		•	54"/60"	3.2 mil	Permanent	78#	.41#
	Gloss Clear	LM3CL	•	60"	3.2 mil	Permanent	78#	.41#
	Gloss Clear	LM4CL*	•	54"	4 mil	Permanent	PET	.30#
	Embossed Clear	LM6CE*		54"	6 mil Semi-Rigid	Permanent	PET	.44#
					*LM4CL and LM6	CE are UL 410 certifi	ed and suitable for ir	nterior floor graphics.


Polyester Overl	aminate Films						
	Gloss Clear	> LM1CL	54"	1 mil	Permanent	PET	.25#
	GIOSS CIEdi	> LM2CL	54"	2 mil	Permanent	PET	.25#

Polyolefin Ove	rlaminate Film												
	Embossed Clear	≫ LMPP		54" x 50 yd	3 mil	Permanent	PET	.21#					
	*I MDP5450 is III 410 certified and suitable for interior floor graphics												













TRANSLUCENTS & REFLECTIVES

Translucent Calendered Vinyl

Reflective Vinyl

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													

Illuminated Signage

Fleet Graphics

Taxi-Tops

Gas Station Canopies

Awnings

Blinds

Light Boxes

Shop Fascias

Window Graphics



TRANSLUCENT CALENDERED VINYL

ADHESIVE BACKED TRANSLUCENT FILM

The ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Maximum color density with advanced ink adhesion technology

For indoor and outdoor use

Removable adhesive

Ideally suited for mild solvent and solvent inks

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), UV Offset and Screen

TRANSLUCENT CALENDERED VINYL ADHESIVE BACKED TRANSLUCENT FILM

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Liner
Wide Format						
	Matte White	SPMTUR5450N	54" x 50 yd	4 mil	Removable	90# Layflat

 $\textbf{Custom Size Offering:} \ 60 \text{ "} \ \text{x} \ 50 \ \text{yd rolls are available upon request, and subject to order minimums.}$









Vehicle & Fleet Markings

Traffic & Commercial Signage

Traffic Control Devices

Labels

Safety Decals



▼REFLECTIVE VINYL

ADHESIVE BACKED

Reflective Vinyl is a flexible, enclosed lens glass-bead retroreflective sheeting that reflects light. Ideal for safety and commercial signage applications.

For indoor and outdoor use (<7 years) — highly resistant to extreme hot, cold, dry and humid weather conditions

Permanent bonding after 48 hours, removable adhesive with heat (<3 years)

Can be applied to flat, corrugated and riveted surfaces

Available in white

Pressure-activated adhesive for easy installation

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV) and Screen

REFLECTIVE VINYL | ADHESIVE BACKED REFLECTIVE VINYL

STOCKED PRODUCTS ▶

	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Liner
Wide Format						
	White	SPMRF4825	48" x 25 yd	7 mil	Permanent*	78#
	wille	SPMRF4850	48" x 50 yd	7 mil	Permanent*	78#
	Finish/Color	SKU#	Size	Film Thickness	Adhesive	Liner
Cut Film						
		8100022425N	24" x 25 yd	7 mil	Permanent*	78#
	02 White	8100022450N	24" x 50 yd	7 mil	Permanent*	78#
	U2 White	8100024825N	48" x 25 yd	7 mil	Permanent*	78#
		8100024850N	48" x 50 yd	7 mil	Permanent*	78#

*Removable up to 3 years with heat.









MOUNTING FILMS

Applications

Window Graphics (Push/Pull Graphics)

Posters

Medical Applications

Switches

Mouse Pads

Decals



◆ MOUNTING FILMS

PERMANENT AND REMOVABLE POLYESTER

Easily convert non-adhesive backed films to pressure sensitive materials with either a permanent or removable mounting film.

Offered in a variety of gauges and adhesive combinations

Water-resistant for excellent indoor durability (<3 years indoors)

Printed film liners and self-wound liners available

Available with a clear film air-egress printed release liner option

Available in wide format rolls - custom sizes available upon request



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



MOUNTING FILMS | PERMANENT AND REMOVABLE POLYESTER

STOCKED PRODUCTS ▶

	Color	SKU # Film Thickness		Sid	Side 1		Side 2		Size
		21/0#	Filli Hillchiless	Adhesive	Liner	Adhesive	Liner	Durability	Size
Perman	Permanent/Permanent								
	White	冷 CMTT200WSL5150	2 mil	Permanent	40# C2S	Permanent	N/A	3 years	51" x 50 yd
	White		∠ ifill	Permanent	40# C2S	Permanent	N/A	3 years	54" x 50 yd

Color	SKU#	Film Thickness	Sid	e 1	Sid	le 2	Durability	Size
		Filli Hilckness	Adhesive	Liner	Adhesive	Liner	Durability	Size
nanent/Remov	/able							
	♦ CMTT100PR3850		Permanent	Clear Film	Removable	Clear Printed Film	3 years	38" x 50 yo
Optically Clear	≫ CMTT100PR5150	1 mil	Permanent	Clear Film	Removable	Clear Printed Film	3 years	51" x 50 yo
	≫ CMTT100PR5450		Permanent	Clear Film	Removable	Clear Printed Film	3 years	54" x 50 y
	≫ CMTT100SLPR3850	1 mil	Permanent	N/A	Removable	40# C2S	3 years	38" x 50 y
Clear	CMTT100SLPR5150		Permanent	N/A	Removable	40# C2S	3 years	51" x 50 y
	CMTT100SLPR5450		Permanent	N/A	Removable	40# C2S	3 years	54" x 50 y
	≫ CMTT100AEPR3850		Permanent	Clear Film	Removable	Clear Printed Air-Egress Film	3 years	38" x 50 y
Clear	CMTT100AEPR5150	1 mil	Permanent	Clear Film	Removable	Clear Printed Air-Egress Film	3 years	51" x 50 y
	CMTT100AEPR5450		Permanent	Clear Film	Removable	Clear Printed Air-Egress Film	3 years	54" x 50 y











DYE SUBLIMATION

Applications

Ceramics

Flags

Sporting Goods

Tiles

Home Décor

Glass

Mouse Pads

Tradeshow Exhibits

Clothing

Signs & Banners

Metal Photos

Wood Designs

Fiber Glass



NEKOOSA DYE SUBLIMATION TRANSFER PAPER

Dye sublimation paper for consistent, highdefinition image transfer on both hard and soft surfaces.

Stable, layflat 105 & 140 gsm to support a wide range of design, shape, and complexity

One paper designed for both hard and soft surfaces

Professional quality, consistent image for sharp and clean transfer

Permanent image transfer into polyester or poly-coated surfaces

Compatible with all major dye sublimation printer brands designed with water-based ink systems

100% recyclable

Print Compatibility: Inkjet*



This logo represents Nekoosa's commitment to offering sustainable products. Nekoosa Dye Sublimation Transfer Paper is paper-based and 100% recyclable.



NEKOOSA DYE SUBLIMATION TRANSFER PAPER

STOCKED PRODUCTS ▶

	SKU#	Roll Size	Rolls/Carton	Cartons/Pallet
105 gsm Transfer Paper				
	₱ DY-10524393 ●	24" x 393'	1	48
	DY-10544393 •	44" x 393'	1	36
	₱ DY-10564393 ●	64" x 393'	1	36
	₱ DY-10572393 ●	72" x 393'	1	36
	⊅ DY-10574393 ●	74" x 393'	1	36

	SKU#	Roll Size	Rolls/Carton	Cartons/Pallet
140 gsm Transfer Paper				
	by-14024262 ●	24" x 262'	1	48
	≫ DY-14044262 ●	44" x 262'	1	36
	≫ DY-14064262 ●	64" x 262'	1	36
	DY-14072262 ●	72" x 262'	1	24
	DY-14074262 •	74" x 262'	1	24

*Roll widths listed above also available in cradle-packs of 105 gsm @ 500' rolls and 140 gsm @ 262'/roll *36", 54" & 60" 105 gsm rolls and 36", 54", 60" & 87" 140 gsm rolls available upon request. Contact us for more details.

*3" core on all rolls













RIGID FILMS

RIGID FILMS NON-ADHESIVE COATED RIGID FILMS



	Item	Thickness	Size
Polyester			
	Polyester White	2 mil	Available in custom sized sheets and rolls
	Polyester Clear	1, 2, 3, 4, 5, 7 & 10 mil	Available in custom sized sheets and rolls
	Polyester Clear Tipped*	3, 4, 5, 7 & 10 mil	Available in custom sized sheets
			12" x 18" sheets – 20,000 sheet minimum
	Polyester Clear Indigo Coated & Tipped*	3, 4, 5, 7 & 10 mil	13" x 19" sheets – 20,000 sheet minimum
			20.5" x 29.5" sheets – 10,000 sheet minimum

 $\ensuremath{^{*}\text{PFP}}$ - Tipped for Offset printing. Tipped with 50# bond paper.

	Item	Thickness	Size
Catamatte			
,	Clear polyester matte coated on 1 side	3 & 5 mil	Available rolls: 36", 40", 42", 48", 54" & 60"

	Item	Thickness	Size
Metalized Polyester			
	Bright Silver	2 & 5 mil	Available in custom sized sheets and rolls
	Bright Gold	2 mil	Available in custom sized sheets and folls

	Item	Thickness	Size
Rigid Vinyl			
	Clear	5 & 10 mil	Available in custom sized sheets and rolls
	Matte White	10 & 20 mil	Available in custom sized sheets and rolls

 $\textbf{Custom Size Offering:} \ \text{Can be custom converted to meet your size requirements}.$







ADHESIVE PROPERTIES & APPLICATIONS

Perm	anent Adhesive					
Code	Туре	Description	Color	Application	Application Temperature	Service Temperature
P22	Permanent	Moderate-Peel, Moderate-Tack	Clear	General purpose permanent offering good	35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P24	Permanent	Moderate-Peel, Moderate-Tack	White	adhesion with moderate-tack for easier hand applied applications. Non-yellowing, excellent	35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P26	Permanent	Moderate-Peel, Moderate-Tack	Gray	clarity and outdoor durable.	35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P82	Permanent	High-Peel, High-Tack	Clear			-20° to 150° F (-29° to 66° C)
P84	Permanent	High-Peel, High-Tack	White	High-peel and tack, durable long term bond to many substrates. High clarity and extended outdoor durability.	35° F (1.7° C)	
P86	Permanent	High-Peel, High-Tack	Gray	action dutusing.		
P92	Permanent	High-Peel, High-Tack	Clear	High-peel and tack designed for low surface		
P94	Permanent	High-Peel, High-Tack	White	energy plastics, irregular surfaces and demanding long term applications. Good chemical and water	35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P96	Permanent	High-Peel, High-Tack	Gray	resistance.		

Remo	vable Adhesiv	re				
Code	Туре	Description	Color	Application	Application Temperature	Service Temperature
R32	Removable	Low-Peel, Moderate-Tack	Clear	General purpose removable with moderate-tack	40° F (4.4° C)	-10° to 140° F
R36	Removable	Low-Peel, Moderate-Tack	Gray	and high clarity. 1 year clean removability.	40 F (4.4 C)	(-23° to 60° C)
R45	Removable	High-Peel, Moderate-Tack	Clear	Transit adhesive used on OEM paint.	40° F (4.4° C)	-10° to 140° F
R46	Removable	High-Peel, Moderate-Tack	Gray	6 month clean removability.	40 T (4.4 C)	(-23° to 60° C)
R52	Removable	Moderate-Peel, Low-Tack	Clear	Transit adhesive used on OEM paint. Up to 6 month clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
R54	Removable	Moderate-Peel, Low-Tack	White	Sign-Ad® Opaque	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
R67	Removable	Ultra-Removable, Low-Tack	Clear	Low peel and tack removable for window applications. 1 year clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
UR1	Removable	Universal Moderate-Peel, Moderate-Tack	Clear	Multi-use: floor, walls and windows. Up to 6 months clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
W79	Removable	Moderate-Peel, Moderate-Tack	Clear	Microsphere removable for smooth painted surfaces. 1 year clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)

Peel is defined as the average force to part two bonded materials. We use ASTM D3330, 180 degree peel test method for our adhesive values. Adhesion values will vary depending on substrates but as a general guideline in our descriptions, the terms low, moderate and high peel relate to the following as measure on stainless steel with 15 min dwell time:

Low Peel: <10 oz/in | Moderate: 10 – 20 oz/in | High Peel: >20 oz/in

Tack is the property of an adhesive that allows it to adhere to another surface on immediate contact. It is the "stickiness" of the adhesive while in a fluid (e.g., paper cement) or semi-fluid (e.g., pressure sensitive adhesive) state. The descriptors low, moderate and high tack are relative terms; they are used to indicate how easily a film may be repositionable (where low is easy and high is not) or how quickly a film will bond with the surface (where low is slow and high is fast).



RELEASE LINERS

Thickness (mil)	Basis Wgt (lbs)	Substrate	Description	Application
8.0	103	Boardstock	Boardstock, 8 pt	Hi-Stat [®]
10.0	118	Boardstock	Boardstock, 10 pt	Hi-Stat [®]
2.5	40	Paper	40 lb, supercalendered kraft, silicone coated 2-sides	Self-Wound Films
3.2	53	Paper	53 lb, supercalendered kraft, silicone coated 1-side	General Use
4.5	78	Paper	78 lb, poly coated kraft, silicone coated 1-side	Computer Sign Vinyl
4.7	78	Paper	78 lb, clay coated kraft, silicone coated 2-sides	Self-Wound Films
7.7	99	Paper	90 lb, poly coated kraft, silicone coated 1-side. air-egress	General Use/Labels
6.3	87	Paper	90 lb, poly coated kraft, silicone coated 1-side	General Use/Labels
6.8	92	Paper	90 lb, poly coated kraft, silicone coated 1-side	General Use/Labels
4.5	71	PET	4.5 mil clear PET, silicone coated 1-side. air-egress	Clear Film Liner/Optical
5.0	108	PET	5.0 mil clear PET, silicone coated 1-side	Mounting Film
1.5	32	PET	1.5 mil clear PET, silicone coated 1-side	Mounting Film
5.0	NA	Vinyl	5 mil clear gls/matte rigid vinyl	Hi-Stat [®]
8.1	122	Boardstock	90 lb, PE-coated boardstock	Hi-Stat [®]
6.0	88	Paper	88 lb, polycoated kraft, silcome coated 1-side, tight release	VinylEfx®



INDEX

Multipurpose Removable Pressure Sensitive Textured Vinyl		
Trifecta®	7-8	
Synthetic Paper		
SYNAPS XM	11-12	
SYNAPS OM	13-14	
Purchase Displays Banner		
Purchase Displays, Banner Stands & General Signage		
Premium Vinyl	17-18	
Classic Vinyl		
ChalkTalk®	21-22	
SYNAPS OM Rolls	23-24	
Window Graphics		
Sign-Ad [®]	27-28	
Hi-Stat®		
ClingZ [®]		
Ztac™	33-34	
Barrier Film	35-36	
Opaque Window Films	37-38	
Cut Vinyl		
CV300 Series™		
VinylEfx®		
PolyEfx®	47-48	
Wall Graphics		
Wall Graphics®	51-52	
Floor Graphics		
Walk-On Graphics®	55-56	
Glass Finishes		
Nekoosa Glass Finishes™	59-60	
Overlaminates		
Overlaminate Films: Calendered Vinyl, Polycarbonate, Polyester, Polyolefin	62.64	
Calefidered Viriyi, Polycarboriate, Polyester, Polyoletii I	03-04	
Translucents & Reflectives		
Translucent Calendered Vinyl	67-68	
Reflective Vinyl	69-70	
	70.74	
Mounting Films	/3-/4	
Dye Sublimation		
Transfer Paper	77-78	
Rigid Films	81	
Adhesive Proporties & Applications	00	
Adhesive Properties & Applications	82	
Release Liners	83	
Index	ΩΛ	
IIIGA	04	

A-Z	
Adhesives	82
Augusta Wall Graphics®	51-52
Barrier Film	35-36
Bird Safety Fim	59-60
ChalkTalk®	21-22
Classic Vinyl	19-20
ClingZ®	31-32
CV300 Series™	41-43
Dye Sublimation Transfer Paper	77-78
Glass Finishes™	59-60
Hi-Stat®	29-30
Hi-Stat Opti-Cling®	29-30
Mounting Films	69-70
Opaque Window Film	37-38
Overlaminates	63-64
PolyEfx®	47-48
Premium Vinyl	17-18
Reflective Vinyl	69-70
Release Liners	83
Rigid Films	
Sign-Ad®	27-28
SYNAPS OM	
SYNAPS OM Rolls	23-24
SYNAPS XM	11-12
Translucent Calendered Vinyl	67-68
Trifecta®	7-8
Wall Graphics®	
Walk-On Graphics®	
VinylEfx®	44-46
Ztac™	33-34

Color Key

Multipurpose Removable Pressure Sensitive Textured Vi	nyl 5-8
Synthetic Paper	9-14
Purchase Displays, Banner Stands & General Signage	15-24
Window Graphics	25-38
Cut Vinyl	39-48
Wall Graphics	49-52
Floor Graphics	53-56
Glass Finishes	59-60
Overlaminates	61-64
Translucents & Reflectives	65-70
Mounting Films	71-74
Dye Sublimation	75-78
Rigid Films	79-81





NEKOOSA PROMISE

Sustainable Print Media

The industry's broadest portfolio of

Sustainable Print Media

for promotional signage, general displays and more!







Find these PVC-Free films on pages:

SYNAPS OM.....13-14

SYNAPS XM.....11-12

ClingZ[®]......31-32

Ztac™......33-34

Sign-Ad®......27-28

Wall Graphics® 51-52

PolyEfx[®]47-48

Bird Safety Film 59-60

Overlaminates.....63-64

Dye Sublimation

Transfer Paper......77-78

Ridged Films.....81

REQUEST A FREE NEKOOSA PROMISE™ SUSTAINABLE PRINT MEDIA SLEEVE







PREMIER MANUFACTURER OF SPECIALTY PRINT MEDIA NEKOOSA.COM

Waterproof Synthetic Paper

P.O.P. Displays, Banner Stands & General Signage

Window, Wall & Floor Graphics

Glass Finishes

Overlaminates

Cut Films

Application Tapes & Premasks

Carbonless Papers

Dye Sublimation Transfer Paper

Extruded Films



