

 NEKOOSA

GRAPHIC & SPECIALTY PRINT MEDIA

WATERPROOF SYNTHETIC PAPER

PRESSURE SENSITIVE FILMS

WINDOW, WALL & FLOOR GRAPHICS

CUT FILMS

GLASS FINISHES

OVERLAMINATES

MOUNTING &
BARRIER FILMS

DYE SUBLIMATION
TRANSFER PAPER




Print media for wide and grand format, offset, screen, HP Indigo, digital dry toner/laser and dye sublimation printers



Specialty Print Media ...

Where you need it, when you need it.

Looking for a reliable source for wide and grand format rolls and custom sheeted pressure sensitive films? Turn to Nekoosa. With multiple converting centers and 200+ distribution partner locations throughout North America, we can get you the material you need quickly.



Why Nekoosa?



Versatile – We developed a comprehensive range of specialty print media meticulously crafted to suit even the most unique applications.



Service – Quick turnarounds? No problem. Nekoosa ships stocked products the next day and custom sheeted products within 3-5 business days.



Quality – Nekoosa consistently sources the best materials our industry has to offer. We hold ourselves to the highest standard of offering high quality products.

Las Vegas, NV

- ★ Converting Center
- Distribution Center

Wisconsin Rapids, WI

- ★ Converting Center
- Distribution Center

South Plainfield, NJ

- Distribution Center

NEW

NEXT BOND™

A NEKOOSA BRAND

The Future of Long-Term, Outdoor Durable Pressure Sensitive Specialty Print Media

Nekoosa's innovative NextBond™ durable adhesive is a **robust, cost-effective** and **eco-friendly** alternative to traditional solvent-based adhesives for long-term print applications. This groundbreaking adhesive technology ensures **top performance** without compromising quality. NextBond™ durable adhesive **won't shrink** and maintains exceptional **adhesion strength** even when exposed to challenging outdoor environmental and chemical conditions. We've streamlined the production process by curing the adhesive inline with UV lamps and **removing all hazardous solvent waste and harmful VOCs**. These added benefits make NextBond™ UV-cured adhesive the premier choice for **durable, long-term printed graphics, decals and signage**, surpassing traditional solvent adhesives.



Forward-Thinking Innovation

Nekoosa's pioneering NextBond™ UV-cured, durable adhesive meets all critical needs for long-term outdoor print applications like displays, decals and signage.



Price-Competitive Technology

NextBond™ UV-cured, durable adhesive offers solvent-based performance without the associated price.



Tough Outdoor Durability

The performance of NextBond™ UV-cured, durable adhesive is equal to or better than solvent-based adhesives. This adhesive remains resilient under tough environmental conditions for up to 10 years.



Sustainable Design

Producing specialty print media with NextBond™ UV-cured, durable adhesive does not generate hazardous waste and cuts CO2 emissions by over 50% compared to traditional solvent adhesives.



Health and Safety

Using products with NextBond™ adhesive is environmentally and socially responsible. They are free of VOCs, non-flammable, non-toxic, and OSHA, EPA and CARB-compliant.



NEXTBOND™

STOCKED PRODUCTS ▶

Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/ Carton	Durability
Premium Calendered Vinyl							
Gloss White	UVSPM300GWF5450	54" x 50 yd	3 mil PVC	Permanent	90# Layflat	1	5 years
Gloss White	UVSPM300GWR5450	54" x 50 yd	3 mil PVC	High-Peel Removable	90# Layflat	1	5 years
Gloss White	UVSPE300GWF5450	54" x 50 yd	3 mil PVC	Permanent	90# Layflat Air-Egress	1	5 years
Gloss White	UVSPE300GWR5450	54" x 50 yd	3 mil PVC	High-Peel Removable	90# Layflat Air-Egress	1	5 years
Matte White	UVSPM400FW-P5450	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat	1	5 years
Matte White	UVSPM400FW-R5450	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat	1	5 years
Matte White	UVSPE400FW-P5450	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat Air-Egress	1	5 years
Matte White	UVSPE400FW-R5450	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat Air-Egress	1	5 years
Gloss Clear	UVSPM400C-R5450	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat	1	5 years

* Print Compatibility - Wide Format (Eco-Solvent/Solvent, Latex, UV)

Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/ Carton	Durability
Overlaminates							
Matte Vinyl	UVLM3MCL5450	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Luster Vinyl	UVLM3LL5450	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Optically Clear Gloss Vinyl	UVLM3CL5450	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Optically Clear Gloss PET	UVLM1CL5450	54" x 50 yd	1 mil PET	Permanent	1.2 mil PET	1	3 years

Product	Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/ Carton	Durability
Mounting Film								
2 Liner	Optically Clear	UVCMTT100PM5450	54" x 50 yd	1 mil PET	Permanent/Permanent	1.2 mil PET/1.2 mil PET	1	3 years
2 Liner	Optically Clear	UVCMTT100PR5450	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	1.2 mil PET/1.2 mil PET	1	3 years
Self-Wound	Optically Clear	UVCMTT100SFLPM5450	54" x 50 yd	1 mil PET	Permanent/Permanent	1.5 mil Differential PET	1	3 years
Self-Wound	Optically Clear	UVCMTT100SFLPR5450	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	1.5 mil Differential PET	1	3 years

= PVC-Free



NEKOOSA BUCKS
available in select rolls listed above.

COLLECT NEKOOSA BUCKS AND EARN MONEY



1

Print



2

Redeem



3

Earn

Collect Nekoosa Bucks in qualifying rolls of Nekoosa wide format specialty print media, then redeem them for cash. Redeeming is easy, just follow these steps:

1. Go to Nekoosa.com, click on the red Nekoosa Bucks link on the homepage.
2. Log in to your existing account, or create a new account if you are redeeming a Nekoosa Bucks for the first time.
3. Enter the code found on the front of the Nekoosa Bucks flyer, which is found in each qualifying roll.

It's that easy! Once you reach \$25 in redemptions, you can select your first gift card reward. You can also continue to grow your account and request gift cards in larger denominations. Your redemptions will add up. The more Nekoosa wide format specialty print media you run, the more you earn!



Look for this sticker
on specially marked rolls of Nekoosa
wide format print media.



CONVERTING FACILITIES

Wisconsin Rapids, WI
Las Vegas, NV

STOCKING LOCATIONS

Las Vegas, NV
Wisconsin Rapids, WI
South Plainfield, NJ

Nekoosa embodies a strong legacy of manufacturing and converting specialty paper. What originated in 1961 has evolved over its 60 years in the industry, building upon the foundation of Nekoosa Coated Products by acquiring brands like RTape, Catalina Graphic Films, Mojave Digital Media, ClingZ, NCR PAPER* and CET Films.

Today, you know Nekoosa as a premier manufacturer of specialty print media, sustaining a reputation as an innovator and market leader in producing high-quality products with globally recognized and trusted brands. With a history rooted in quality and innovation, one constant that has not changed is Nekoosa's desire to provide unsurpassed service and value to our employees, customers and shareholders – embracing our core values of being Growth Focused, Authentic and Winning Together.

Today, Nekoosa's expertise spans coating, converting and custom plastic extrusion capabilities, with a product offering that includes wide and grand format rolls, offset, screen, HP Indigo and dry toner sheets, specialty synthetics, application tapes and premasks, carbonless papers, dye sublimation transfer paper and extruded films.

This guide covers Nekoosa's specialty print media offerings. For more information, visit nekoosa.com or contact the Nekoosa Customer Service team at 877-258-6046.



Multipurpose Removable Pressure Sensitive Textured Vinyl

Trifecta® 7-8

Synthetic Paper

SYNAPS XM 11-12
SYNAPS OM 13-14

Purchase Displays, Banner Stands & General Signage

Premium Vinyl 17-18
Classic Vinyl 19-20
ChalkTalk® 21-22
SYNAPS OM Rolls 23-24

Window Graphics

Sign-Ad® 27-28
Hi-Stat® 29-30
ClingZ® 31-32
Ztac™ 33-34
Barrier Film 35-36
Opaque Window Films 37-38

Cut Vinyl

CV300 Series™ 41-43
VinylEfx® 44-46
PolyEfx® 47-48

Wall Graphics

Wall Graphics® 51-52

Floor Graphics

Walk-On Graphics® 55-56

Glass Finishes

Nekoosa Glass Finishes™ 59-60

Overlaminates

Overlamine Films:
Calendered Vinyl, Polycarbonate,
Polyester, Polyolefin 63-64

Transluents & Reflectives

Translucent Calendered Vinyl 67-68
Reflective Vinyl 69-70

Mounting Films 73-74

Dye Sublimation

Transfer Paper 77-78

Rigid Films 81

Adhesive Properties & Applications 82

Release Liners 83

Index 84

MULTIPURPOSE REMOVABLE PRESSURE SENSITIVE TEXTURED VINYL

Trifecta®

Applications

One-Step
Floor Graphics

Wall Graphics

Window Signage

Social Distancing
Floor Graphics

Counter Mats

Posters

Wall Décor

Wayward Signage

Directional
Arrows

One-Way Window
Graphics

Floor
Advertisement

Point-of-Purchase
Signage



One product, endless applications. Create floor, wall and window graphics with one universal media ... Trifecta®.

6 mil semi-rigid matte white textured facestock

High opacity film with an excellent white point

Universal removable adhesive that will cleanly remove from indoor and outdoor applications for <6 months

Stable 90# layflat polycoated paper liner for ease of printing and installation

ASTM E84 Class 1 or A rating

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), UV Offset and Screen

When to use Trifecta

One-Step Floor Graphics - Create UL 410 slip resistant floor graphics in one easy step... no overlamine required. Easy to install and remove. Trifecta® is suitable for indoor short term floor graphics (<6 months). **Not intended for outdoor floor graphic applications. For best results, we recommend printing floor graphics with UV inks to avoid potential scuffing.*

Wall Graphics - Hassle free textured wall decals - peel, stick, done. No need for tapes, tacks or nails and will remove cleanly from painted dry wall.

Window Graphics - Enhance the look of standard window graphics with a dimensional, textured finish. Perfect for short term decorative window decals smaller than 2' x 2'.

Certified for
HP Latex Inks



STOCKED PRODUCTS ▶

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Textured Matte White	SPMTRI54100 ●	54" x 100 ft	6 mil	Universal Removable	90# Layflat	1


CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non Top Coated – UV Offset, Screen						
Textured Matte White	TRIFECTA	54"	6 mil	Universal Removable	90# Layflat	.64#

Custom Size Offering: Custom converted sheet and roll options available to meet your specific requirements.

\$5 NEKOOSA BUCKS
available in select rolls listed above.

Easy to apply and remove from these surfaces:



SYNTHETIC PAPER

SYNAPS XM

SYNAPS OM

Applications

Menus

Manuals

Shelf Talkers &
Wobblers

Aisle Invaders

Membership & I.D.
Cards

Hole Punched Tags

Plant Stakes

Scored Table Tents

P.O.P. Retail Displays

Door Hangers

Recipe Cards

Wire-O Bound Booklets

Safety Tags & Signage

Luggage Tags

Flash Cards



SYNAPS XM

DIGITAL DRY TONER/LASER
SYNTHETIC POLYESTER PAPER

SYNAPS XM is the superior alternative to traditional lamination.

Minimal scrap, waste and time compared to traditional lamination

Waterproof, tear-proof and weather resistant – suitable for indoor and outdoor applications

Double sided matte white finish, rigid and lays flat

Superior dimensional stability for precise registration

Antistatic top coating ensures strong toner adhesion and smooth feeding through the printer

Easily washable with a mild soap and soft cloth

PVC Free - Comprised of at least 15% recycled polyester (rPET)

Available in 5, 8, 10, 12 and 14 mil digital cut sized sheets

Print Compatibility: Digital Dry Toner/Laser

NOW ANTIMICROBIAL – SYNAPS XM is now armed with an antimicrobial coating that prevents up to 99.9% of bacteria, viruses, fungi and mold from growing on the sheet's surface over the lifetime of the printed application.



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free



SYNAPS XM

DIGITAL DRY TONER/LASER
SYNTHETIC POLYESTER PAPER

STOCKED PRODUCTS ▶

Thickness	SKU #	Size	GSM	M Wgt	Sheets/Carton	Packages/Carton	Sheets/Package	Carton Weight
Digital Dry Toner/Laser								
5 mil	66025	8.5" x 11"	135	17.85	1200	-	-	21.42
	66031	8.5" x 11" Retail Pack		17.85	600	6	100	10.71
	66026	12" x 18"		41.46	1200	-	-	49.75
	66032	12" x 18" Retail Pack		41.46	600	6	100	24.88
	66050	13" x 19"		47.26	1200	-	-	56.70
8 mil	66027	8.5" x 11"	230	30.58	750	-	-	22.94
	66033	8.5" x 11" Retail Pack		30.58	600	6	100	18.35
	66028	12" x 18"		70.64	750	-	-	52.98
	66034	12" x 18" Retail Pack		70.64	600	6	100	42.38
	66051	13" x 19"		80.53	750	-	-	60.40
10 mil	66029	8.5" x 11"	300	39.89	600	-	-	23.93
	66035	8.5" x 11" Retail Pack		39.89	300	6	50	11.97
	66030	12" x 18"		92.14	600	-	-	55.28
	66036	12" x 18" Retail Pack		92.14	300	6	50	27.64
	66052	13" x 19"		105.04	600	-	-	63.00
12 mil	66066	12" x 18"	375	115.24	500	-	-	57.60
	66069	12" x 18" Retail Pack		115.24	300	6	50	34.60
	66067	13" x 19"		131.78	500	-	-	65.90
	66037	12" x 18"		138.21	450	-	-	62.19
14 mil	66038	12" x 18" Retail Pack	450	138.21	300	6	50	41.46
	66073	13" x 19"		158.09	450	-	-	71.12

Thickness	SKU #	Size	GSM	M Wgt	Sheets/Carton	Carton Weight
8UP ID Cards						
8 mil	66074	8.5 x 11	230	30.58	500	16.0

= PVC-Free



Prints like paper.



Applications

- Menus
- Maps
- Manuals & Catalogs
- Shelf Talkers & Wobblers
- Membership & I.D. Cards
- Hole Punched Tags
- Direct Mail
- Plant Stakes
- Scored Table Tents
- Counter Mats
- Door Hangers
- Recipe Cards
- Aisle Invaders
- Retractable Banner Stand Graphics
- Trade Show Display Panels
- Modular Trade Show Display Panels
- Rotating Banners
- Hanging Signage
- Point-of-Purchase Displays
- Stanchion Frame Graphic Inserts
- Window Graphics



SYNAPS OM

OFFSET, HP INDIGO & WIDE FORMAT
SYNTHETIC POLYESTER PAPER

Superior dry times using standard offset conventional inks make SYNAPS OM the optimal choice for short-run, on demand printing.

- Waterproof, tear-proof and weather resistant - suitable for indoor and outdoor applications
- Dries quickly without the need for special offset inks – just like uncoated paper
- Superior dimensional stability for precise registration – less shrinkage and distortion on press
- High grade opaque polyester film – PVC free, rigid and lays flat
- Comprised of at least 15% recycled polyester (rPET)
- Double sided matte white finish – Printable on both sides
- Available in 5, 8,10 and 14 mil digital cut sizes, folio sheets and wide format rolls

Print Compatibility: Offset (Conventional and UV), HP Indigo, Latex and UV Wide Format
Also Available in Wide Format Rolls

This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.

SYNAPS OM

OFFSET, HP INDIGO & WIDE FORMAT
SYNTHETIC POLYESTER PAPER

STOCKED PRODUCTS ▶

Thickness	SKU #	Size	GSM	M Wgt	Sheets/ Carton	Packages/ Carton	Sheets/Package	Carton Wgt
Offset & HP Indigo								
5 mil* (91# Text)	66002	12" x 18"	135	41.46	1250	-	-	51.83
	66015	12" x 18" Retail Pack		41.46	1200	6	200	49.75
	66056	13" x 19"		47.46	1200	-	-	57.00
	66003	28" x 40"		215.00	300	-	-	64.50
8 mil (85# Cover)	66006	12" x 18"	230	70.64	750	-	-	52.98
	66018	12" x 18" Retail Pack		70.64	800	4	200	56.51
	66058	13" x 19"		80.78	750	-	-	60.60
	66007	28" x 40"		366.29	175	-	-	64.10
10 mil (111# Cover)	66009	12" x 18"	300	92.14	600	-	-	55.28
	66020	12" x 18" Retail Pack		92.14	600	6	100	55.28
	66059	13" x 19"		105.35	600	-	-	63.20
	66072	20.81" x 29.5"		261.95	200	-	-	52.37
14 mil* (166# Cover)	66011	28" x 40"	450	477.77	125	-	-	59.72
	66012	12" x 18"		138.21	450	-	-	62.20
	66024	12" x 18" Retail Pack		138.21	400	4	100	55.28
	66060	13" x 19"		158.03	450	-	-	71.10
	66039	28" x 40"		716.64	100	-	-	71.66

= PVC-Free

Thickness	SKU #	GSM	Size
Wide Format – Latex & UV			
5 mil	66102	135	54" x 100 ft
8 mil	66103	230	36" x 100 ft
	66104		54" x 100 ft
10 mil	66106	300	54" x 100 ft
14 mil	66110	450	36" x 100 ft
	66111		54" x 100 ft

\$5 NEKOOSA BUCKS
available in select rolls listed above.



Prints like paper.



POINT-OF-PURCHASE DISPLAYS, BANNER STANDS & GENERAL SIGNAGE

Premium Vinyl

Classic Vinyl

ChalkTalk®

SYNAPS OM Rolls

Applications

Banner Graphics

Cut Lettering

Decals

Point-of-Purchase
Signage

Bumper Stickers

Fleet Markings

Name Plates

In-Store Promotions



◀ PREMIUM VINYL | HIGH PERFORMANCE CALENDERED VINYL

Turn to Nekoosa's Premium Vinyl when you need to produce specific signage applications that require superior features including robust adhesive systems, liners and finishes.

Choose from a diverse range of film, adhesive, and liner combinations engineered specifically for your application

Easily apply premium 3, 4 or 6 mil calendered vinyl face films to indoor or outdoor flat, textured or slightly curved surfaces without rivets

Achieve your desired aesthetic with matte white, gloss white or clear options

Suitable for both indoor and outdoor use and available with either water-based or NextBond™ long-term durable adhesives

Available in 90# layflat or 90# air-egress layflat options for efficient finishing and installation

B **NEW** NextBond™ UV-cured, durable adhesive presents a robust, price effective and eco-friendly alternative to traditional solvent-based adhesive for long-term bond that can last up to 10 years.

Printer Compatibility: Wide Format (Eco-Solvent/Solvent, Latex and UV), Offset (Conventional and UV) and Screen

*Please review the Premium Vinyls technical information on our website for specific outdoor durability rating.



PREMIUM VINYL

HIGH PERFORMANCE
CALENDERED VINYL

STOCKED PRODUCTS ▶

Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format - Water Based Adhesive						
Gloss White	SPM300GWF2050	20" x 50 yd	3 mil	Permanent	90# Layflat	1
	SPM300GWF5450	54" x 50 yd				1
	SPM300GWF6050	60" x 50 yd				1
Gloss White	SPE300GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layflat Air-Egress	1
	SPM300GWR/GR5450	54" x 50 yd				1
	SPM300GWR/GR6050	60" x 50 yd				1
Gloss White	SPE300GWF/GR5450	54" x 50 yd	3 mil	Gray Permanent	90# Layflat Air-Egress	1
	SPM300GWF/GR5450	54" x 50 yd				1
	SPM300GWF/GR6050	60" x 50 yd				1
Gloss White	SPM300GWF/HT5450	54" x 50 yd	3 mil	High-Tack Permanent	90# Layflat	1
Gloss White	SPM600G5450	54" x 50 yd	6 mil	High-Tack Permanent	90# Layflat	1
Matte White	SPM400FW/P5450	54" x 50 yd	4 mil	Permanent	90# Layflat	1
	SPM400FW/P6050	60" x 50 yd				1
Matte White	SPE400FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# Layflat Air-Egress	1
	SPM400FWR/GR5450	54" x 50 yd				1
	SPM400FWR/GR6050	60" x 50 yd				1
Matte White	SPE400FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layflat Air-Egress	1
	SPM400FWP/GR5450	54" x 50 yd				1
	SPM400FWP/GR6050	60" x 50 yd				1
Matte White	SPM400FWP/HT5450	54" x 50 yd	4 mil	High-Tack Permanent	90# Layflat	1
Matte White	SPM400FW/R5450	54" x 50 yd	4 mil	Removable	90# Layflat	1
	SPM400FW/R6050	60" x 50 yd				1
Matte White	SPM6005450N	54" x 50 yd	6 mil	High-Tack Permanent	90# Layflat	1
	SPM600FW/R5450	54" x 50 yd				1
Matte White	SPM600FW/R5450	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat	1
	SPE600FW5450	54" x 50 yd				1

Finish/Color	SKU#	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format - NextBond™ UV-Cured, Long Term Durable Adhesive						
Gloss White	UVSPM300GWF5450	54" x 50 yd	3 mil	Permanent	90# Layflat	1
Gloss White	UVSPM300GWR5450	54" x 50 yd	3 mil	High-Peel Removable	90# Layflat	1
Gloss White	UVSPE300GWF5450	54" x 50 yd	3 mil	Permanent	90# Layflat Air-Egress	1
Gloss White	UVSPE300GWR5450	54" x 50 yd	3 mil	High-Peel Removable	90# Layflat Air-Egress	1
Matte White	UVSPM400FW-P5450	54" x 50 yd	3.2 mil	Permanent	90# Layflat	1
Matte White	UVSPM400FW-R5450	54" x 50 yd	3.2 mil	High-Peel Removable	90# Layflat	1
Matte White	UVSPE400FW-P5450	54" x 50 yd	3.2 mil	Permanent	90# Layflat Air-Egress	1
Matte White	UVSPE400FW-R5450	54" x 50 yd	3.2 mil	High-Peel Removable	90# Layflat Air-Egress	1
Gloss Clear	UVSPM400C-R5450	54" x 50 yd	3.2 mil	High-Peel Removable	90# Layflat	1

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Roll Size (width)	Film Thickness	Adhesive	Liner	Wgt per MSI
Non-Top Coated – Water Based Adhesive						
Gloss White	PV300GWF	54" & 60"	3 mil	Permanent	90# Layflat	.44#
	PV300GWP/GR/AE	54" & 60"	3 mil	Gray Permanent	90# Layflat Air-Egress	.44#
	PV300GWR/GR/AE	54" & 60"	3 mil	Gray Removable	90# Layflat Air-Egress	.44#
Matte White	PV400FW/P	54" & 60"	4 mil	Permanent	90# Layflat	.50#
	PV400FW/R	54" & 60"	4 mil	Removable	90# Layflat	.50#
	CV400FW/HT	54" & 60"	4 mil	Removable	90# Layflat	.50#
	PV400FWR/GR/AE	54" & 60"	4 mil	Removable	90# Layflat Air-Egress	.50#
	CV600FW	54"	6 mil	Permanent	90# Layflat	.62"
	CV600FW/R	54" & 60"	6 mil	High-Peel Removable	90# Layflat	.62"
	CV600FWR/AE	54" & 60"	6 mil	High-Peel Removable	90# Layflat Air-Egress	.62"
	CV800FW	54"	8 mil	Permanent	90# Layflat	.70#

Finish/Color	SKU #	Roll Size (width)	Film Thickness	Adhesive	Liner	Wgt per MSI
Non-Top Coated - NextBond™ UV Cured, Long Term Durable Adhesive						
Gloss White	UVPV300GWF	54"	3 mil	Permanent	90# Layflat	.38#
	UVPV300GWR	54"	3 mil	High-Peel Removable	90# Layflat	.38#
	UVPV300GWF/AE	54"	3 mil	Permanent	90# Layflat Air-Egress	.41#
	UVPV300GWR/AE	54"	3 mil	High-Peel Removable	90# Layflat Air-Egress	.41#
	UVPV400FW-P	54"	3.2 mil	Permanent	90# Layflat	.39#
Matte White	UVPV400FW-R	54"	3.2 mil	High-Peel Removable	90# Layflat	.39#
	UVPV400FW-P/AE	54"	3.2 mil	Permanent	90# Layflat Air-Egress	.42#
	UVPV400FW-R/AE	54"	3.2 mil	High-Peel Removable	90# Layflat Air-Egress	.42#
Clear	UVPV400C-R	54"	3.2 mil	High-Peel Removable	90# Layflat	.38#

Print Compatibility: Conventional Offset, UV Offset & Screen

NEKOOSA BUCKS
available in select rolls listed above.

Applications

- Banner Graphics
- Cut Lettering
- Decals
- Point-of-Purchase Signage
- Bumper Stickers
- Fleet Markings
- Name Plates
- In-Store Promotions



CLASSIC VINYL

GENERAL USE
CALENDERED VINYL

Nekoosa's Classic Vinyl product portfolio is intended for interior and exterior point-of-purchase graphic applications.

Suitable for indoor and outdoor applications (<3 years outdoors)

Grades with removable adhesive will remove cleanly from surfaces within 1 year

Matte or gloss bright white finishes

Clear or gray block-out, permanent or removable pressure sensitive adhesive

Air-egress options available

Layflat 90# release liner, superior for printing with latex and UV wide format printers

Easy installation onto flat and simple curves without rivets

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional and UV), HP Indigo and Screen

CLASSIC VINYL

GENERAL USE
CALENDERED VINYL

STOCKED PRODUCTS ▶

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Gloss White	SPM390G5450	54" x 50 yd	3 mil	Gray Permanent	90# Layflat	1
	SPM390GWF5450	54" x 50 yd	3 mil	Permanent	90# Layflat	1
	SPM390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layflat	1
	SPE390GWF/GR5450	54" x 50 yd	3 mil	Gray Permanent	90# Layflat Air-Egress	1
Matte White	SPE390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layflat Air-Egress	1
	SPM490FWP5450	54" x 50 yd	4 mil	Permanent	90# Layflat	1
Matte White	SPM490FWR5450	54" x 50 yd	4 mil	Removable	90# Layflat	1
	SPM490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layflat	1
	SPM490FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# Layflat	1
	SPE490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layflat Air-Egress	1
Clear Double Polished	SPM400C450	54" x 50 yd	4 mil	Permanent	90# Layflat	1

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	GSM	M Wgt	Sheets/Carton
HP Indigo								
Matte White	SPM400FWPIN1218	12" x 18"	4 mil	Permanent	90# Layflat	300	100	400
	SPM400FWPIN1319	13" x 19"		Permanent	90# Layflat	300	110	400
Gloss Clear	SPM400FCPIN1218	12" x 18"	4 mil	Permanent	90# Layflat	290	95	400
	SPM400FCPIN1319	13" x 19"		Permanent	90# Layflat	290	100	400

Custom Size Offering: Custom sizes for the HP Indigo 10,000/12,000 available upon request.

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Size (width)	Film Thickness	Adhesive	Liner	GSM
HP Indigo						
Matte White	SPM400FWPIN	54"	4 mil	Permanent	90# Layflat	300
Gloss Clear	SPM400FCPIN	54"	4 mil	Permanent	90# Layflat	290

Custom Size Offering: Custom sizes for the HP Indigo 10,000/12,000 available upon request.

Finish/Color	SKU #	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non-Top Coated – UV Offset & Screen						
Matte White	CV400FWP/GR	54"/60"	4 mil	Gray Permanent	90# Layflat	.50#
	CV400FW/P	54"/60"	4 mil	Permanent	90# Layflat	.50#
	CV400FW/R	54"/60"	4 mil	Removable	90# Layflat	.50#
	CV400FWR/GR	54"/60"	4 mil	Gray Removable	90# Layflat	.50#
Clear	CV400C/P	54"/60"	4 mil	Permanent	90# Layflat	.50#
	CV400C/R	54"/60"	4 mil	Removable	90# Layflat	.50#
Matte Black	CV400FB	54"	4 mil	Permanent	90# Layflat	.50#

Custom Size Offering: Each product listed above can be custom converted into sheets or rolls to meet your specific requirements

Finish/Color	SKU #	Size (width)	Film Thickness	Adhesive	Liner	GSM
Top Coated – Conventional & UV Offset						
Matte White	CV400FWP/TC	54"/60"	4 mil	Permanent	90# Layflat	.50#
	CV400FWP/TC/GR	54"/60"	4 mil	Gray Permanent	90# Layflat	.50#
	CV400FWR/TC	54"/60"	4 mil	Removable	90# Layflat	.50#
	CV400FWR/TC/GR	54"/60"	4 mil	Gray Removable	90# Layflat	.50#
Clear	CV400CP/TC	54"/60"	4 mil	Permanent	90# Layflat	.50#

Custom Size Offering: Each product listed above can be custom converted into sheets or rolls to meet your specific requirements



Applications

Restaurant Menu Boards

Retail Promotional Displays

Point-of-Purchase Wall Signage

To-Do List

Textured Wall Graphics

Seasonal Promotional Signage

Trade Show & Event Signage

Large Format Graphics

Grocery Store Displays



CHALKTALK®

CHALKBOARD FILM

Printable, chalkboard film with removable adhesive for all your creative uses.

5 mil textured matte black vinyl facestock, high-peel removable adhesive, 90# layflat polycoated paper liner

High-peel adhesive properties allow for a broader range of applications surfaces like painted plywood, textured walls and low-to-no VOC paints

Suitable for indoor and outdoor applications (<6 months clean removability from application surface)

Write with chalk or liquid chalk ink pens for best results

Wipes clean with a damp cloth

ASTM E84 Class 1 or A rating

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV) and Screen

CHALKTALK® CHALKBOARD FILM

STOCKED PRODUCTS ▶

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Textured Matte Black	SPMCHK2475	24" x 75 ft	5 mil	High Peel Removable	90# Layflat	1
Textured Matte Black	SPMCHK5475	54" x 75 ft	5 mil	High Peel Removable	90# Layflat	1

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Wgt/MSI
Non Top Coated – Screen						
Textured Matte Black	SPMCHK	54"	5 mil	High Peel Removable	90# Layflat	.62#

Custom Size Offering: Custom converted sheet and roll options available to meet your specific requirements.

\$5 NEKOOSA BUCKS available in select rolls listed above.

Easy to apply and remove from these surfaces:



*For best results, write on ChalkTalk with chalk ink pens.



Applications

Trade Show Graphics

Banner Stands

Rotating Banners

Wide Format Banners

Point-of-Purchase Signage

Indoor & Outdoor Prints

Hanging Graphics

Backlit Graphics



◀ SYNAPS OM ROLLS | WIDE FORMAT POLYESTER FILM

SYNAPS OM is a latex and UV printable polyester film that will not bow, fade, curl or warp.

No lamination required

Waterproof and tear proof - suitable for indoor and outdoor applications

Polyester film with a glare free double sided matte white finish

High white point for superior image quality


Lays flat even when rolled - will not wrinkle or fray on the edges

Printable on both sides

PVC Free - Comprised of at least 15% recycled polyester (rPET)

Available in 5, 8, 10 and 14 mil 36"x100' and 54"x100' rolls

Print Compatibility: Latex and UV Wide Format

 This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



SYNAPS OM ROLLS

WIDE FORMAT
POLYESTER FILM

STOCKED PRODUCTS

Wide Format	Film Thickness	SKU #	Description	Size
	5 mil	66102 ●	5.0 mil matte white high grade polyester film	54" x 100'
	8 mil	66103 ●	8.0 mil matte white high grade polyester film	36" x 100'
	8 mil	66104 ●	8.0 mil matte white high grade polyester film	54" x 100'
	10 mil	66106 ●	10.0 mil matte white high grade polyester film	54" x 100'
	14 mil	66110 ●	14.0 mil matte white high grade polyester film	36" x 100'
	14 mil	66111 ●	14.0 mil matte white high grade polyester film	54" x 100'

NEKOOSA BUCKS
available in select rolls listed above.

 = PVC-Free

WINDOW GRAPHICS

Sign-Ad®

Hi-Stat®

ClingZ®

Hi-Stat Opti-Cling®

Ztac™

Barrier Film

Opaque Window Film



Prints like paper.



Applications

Interior & Exterior
Window Graphics

Point-of-Purchase
Window Advertisements

One-Way Window
Messaging

Double-Sided Window
Signage

Opaque Window
Graphics

Optically Clear
Window Graphics

Price Stickers

Counter Mats



SIGN-AD® | REMOVABLE
WINDOW FILM

Advertise your newest product or upcoming event with window graphics printed on Nekoosa's Sign-Ad® removable window film.


Available in clear, optically clear, white, opaque

Removable low-tack or moderate-tack adhesive options for easy installation and removal without leaving a trace of residue behind

Superior printing, die-cutting and installation performance due to a robust 90# layflat paper liner

Air-egress option available

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional/Litho and UV) HP Indigo and Screen

NEW PVC-FREE  **Sign-Ad® Clear:** 4 mil. gloss clear film designed with a removable window adhesive and 90# layflat release liner. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. We are happy to offer a PVC-free option in this product line.

SIGN-AD® REMOVABLE WINDOW FILM

STOCKED PRODUCTS ▶

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Matte White	SPMSA5450 ●	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
	SPMSA6050	60" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
Opaque Gloss White	SPMSABF5450 ●	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1
Gloss Clear	SPMCAD5450 ●	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
	SPMCAD6050	60" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
Clear Air-Egress	SPECADP5450N	54" x 50 yd	4 mil	Low-Tack Removable	Clear Printed Film with Air-Egress	1
Gloss Optically Clear	SPMCADP5450 ●	54" x 50 yd	4 mil	Low-Tack Removable	Clear Film	1

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	GSM	M Wgt	Sheets/Carton
HP Indigo								
Matte White	SPMSAIN1218	12" x 18"	4 mil	Low-Tack Removable	90# Layflat	285	88	400
	SPMSAIN1319	13" x 19"	4 mil	Low-Tack Removable	90# Layflat	285	100	
Gloss Clear	SPMCADIN1218	12" x 18"	4 mil	Low-Tack Removable	90# Layflat	275	85	400
	SPMCADIN1319	13" x 19"	4 mil	Low-Tack Removable	90# Layflat	275	97	

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
PVC-Free Alternative: Polypropylene (PP)						
Gloss Clear	SPMCAD5450PP	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
HP Indigo						
Matte White	SPMSAIN	54"	4 mil	Low-Tack Removable	90# Layflat	.50#
Gloss Clear	SPMCADIN	54"	4 mil	Low-Tack Removable	90# Layflat	.50#

Color/Finish	SKU #	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Top Coated – Conventional & UV Offset						
Matte White	SIGN-AD WHITE/TC	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#
Gloss Clear	SIGN-AD CLEAR/TC	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#
Gloss Clear	SIGN-AD CLEAR/PP	54"	4 mil	Low-Tack Removable	90# Layflat	.37#

Finish/Color	SKU #	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Non-Top Coated – Offset						
Matte White	SIGN-AD WHITE	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#
Opaque Gloss White	SIGN-AD GLOSS WHITE OPAQUE	54"	4 mil	Moderate-Tack Removable	90# Layflat	.50#
Gloss Clear	SIGN-AD CLEAR	54"/60"	4 mil	Low-Tack Removable	90# Layflat	.50#
Clear Air-Egress	SIGN-AD CLEAR/AE	54"	4 mil	Low-Tack Removable	Clear Film	.50#
Gloss Optically Clear	SIGN-AD PLUS	54"	4 mil	Low-Tack Removable	Clear Film	.50#

Easy to apply and remove from these surfaces:



HP Indigo: Custom sizes available for HP Indigo 10,000 and 12,000. Calendered Vinyl, 400 sheets per carton.
Top Coated and Non-Top Coated Offset: Can be custom converted into sheets or rolls to meet your requirements.

= PVC-Free

\$5 NEKOOSA BUCKS available in select rolls listed above.



Applications

- Window Graphics
- Point-of-Purchase Window Advertisements
- Reversible Print Window Displays
- Double Sided Window Graphics
- Optically Clear Window Displays
- Automotive Window Graphics
- Window Decals
- Seasonal Signage
- Holiday Décor
- Price Stickers
- LED Screen Protection



HI-STAT® STATIC CLING VINYL

Hi-Stat® static cling vinyl is a very flexible film which adheres to most clean, high polished surfaces without adhesive.

Ideal for temporary promotional applications used indoors or outdoors (<3 months)

Easy to apply, remove and reposition for application to most clean, high polished surfaces – no surface damage

Can be wet applied, but no solvents needed for application or removal

Can be die-cut, kiss-cut and plotter cut

Available in folio sheets, digital cut size sheets and wide format rolls in white, clear or optically clear finishes

Wide format rolls now enhanced with a 90# polycoated layflat release liner for optimal performance on wide format printers

Laminate Nekoosa's Hi-Stat® Clear with Sign-Ad® Gloss White Opaque to easily create removable 'push-pull' two way signage

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex, UV), Offset (Conventional Offset/Litho and UV), HP Indigo and Screen

HI-STAT® | STATIC CLING VINYL

STOCKED PRODUCTS ▶

Finish/Color	SKU #	Roll Size	Film Thickness	Liner	Rolls/Carton
Wide Format					
Gloss White	SPMHSW5450	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
	SPMHSW6050	60" x 50 yd		90# PE-Coated Layflat	1
Gloss Clear	SPMHSC5450	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
	SPMHSC6050	60" x 50 yd		90# PE-Coated Layflat	1
Optically Clear Opti-Cling®	SPMHSC5C5450	54" x 50 yd	8 mil	Matte Clear Film	1

Finish/Color	SKU #	Roll Size	Film Thickness	Liner	GSM	M Wgt	Sheets/Carton
HP Indigo							
Gloss White	SPMHSWIN1218	12" x 18"	8 mil	8 pt Board	405	123.3	300
	SPMHSWIN1319	13" x 19"		8 pt Board	405	140	300
Gloss Clear	SPMHSCIN1218	12" x 18"	8 mil	8 pt Board	390	123.3	300
	SPMHSCIN1319	13" x 19"		8 pt Board	390	140	300

Custom Size Offering: Custom sizes for the HP Indigo 10,000/12,000 available upon request.

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Size (width)	Film Thickness	Liner	Wgt/MSI
Non-Top Coated – UV Offset, Screen					
Gloss White	CV608W	54"	6 mil	8 pt Board	.55#
Gloss Clear	CV608C	54"	6 mil	8 pt Board	.55#
Gloss White	CV610W	54"	6 mil	10 pt Board	.60#
Gloss Clear	CV610C	54"	6 mil	10 pt Board	.60#
Gloss White	CV808W	50"/54"/60"	8 mil	8 pt Board	.62#
Gloss Clear	CV808C	50"/54"/60"	8 mil	8 pt Board	.62#
Gloss White	CV810W	40"/50"/54"/60"	8 mil	10 pt Board	.67#
Gloss Clear	CV810C	40"/50"/54"/60"	8 mil	10 pt Board	.67#
Gloss Clear Opti-Cling®	OPTI-CLING	54"	8 mil	Matte Clear Film	.85#

Custom Size Offering: Each product listed above can be custom converted into sheets or rolls to meet your specific requirements.

Finish/Color	SKU #	Size (width)	Film Thickness	Liner	Wgt/MSI
Top Coated – Conventional Offset					
Gloss White	CV660W/TC	54"	6 mil	60#	.48#
Gloss Clear	CV660C/TC	54"	6 mil	60#	.48#
Gloss White	CV608W/TC	54"	6 mil	8 pt Board	.55#
Gloss Clear	CV608C/TC	54"	6 mil	8 pt Board	.60#
Gloss White	CV610W/TC	54"	6 mil	10 pt Board	.60#
Gloss Clear	CV610C/TC	54"	6 mil	10 pt Board	.62#
Gloss White	CV808W/TC	50"/54"/60"	8 mil	8 pt Board	.62#
Gloss Clear	CV808C/TC	50"/54"/60"	8 mil	8 pt Board	.67#
Gloss White	CV810W/TC	40"/50"/54"/60"	8 mil	10 pt Board	.67#
Gloss Clear	CV810C/TC	40"/50"/54"/60"	8 mil	10 pt Board	.67#

Custom Size Offering: Each product listed above can be custom converted into sheets or rolls to meet your specific requirements.

\$5 NEKOOSA BUCKS available in select rolls listed above.



Applications


- Screen Safe Labels
- In-Store Promotional Signage
- Large Format Graphics
- Tileable Murals
- P.O.P. Signage
- Reverse Sided Graphics
- Trade Show & Event Signage
- Window Graphics
- Holiday Décor & Decals
- Guerrilla Marketing



ClingZ® is an adhesive-free electrically charged film that adheres to any dry interior surface and is effortless to reposition.

- Ideal for temporary indoor marketing applications
- Effortless to apply, remove and reposition to any dry interior surface
- Adhesive free – no glue, tape, tacks or pins required
- Chemically inert, PVC-free and phthalate-free
- Can be die cut, kiss cut and plotter cut
- Available in white and clear

Print Compatibility: Offset (Conventional and UV), HP Indigo and UV Wide Format*

 This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



STOCKED PRODUCTS ▶

Color	SKU #	Size	GSM	M Wgt	Qty/Unit
ClingZ Standard Offset					
White	71100	19" x 25"	240	162.2	2000/skid
	71101	23" x 35"		274.8	2000/skid
	71102	28" x 40"		382.4	2000/skid
	71105	19" x 25"		162.2	200/carton
	71106	23" x 35"		274.8	200/carton
	71107	28" x 40"		382.4	200/carton
Clear	71110	19" x 25"	243	164.2	2000/skid
	71111	23" x 35"		278.3	2000/skid
	71112	28" x 40"		387.2	2000/skid
	71115	19" x 25"		164.2	200/carton
	71116	23" x 35"		278.3	200/carton
	71117	28" x 40"		387.2	200/carton

Color	SKU #	Size	GSM	M Wgt	Qty/Unit
ClingZ Versaliner Offset*					
White	71200	20" x 28"	243	193.6	2000/skid
	71201	28" x 40"		387.2	2000/skid
	71205	20" x 28"		193.6	250/carton
	71206	28" x 40"		387.2	250/carton
Clear	71210	20" x 28"	246	196.0	2000/skid
	71211	28" x 40"		392.0	2000/skid
	71215	20" x 28"		196.0	250/carton
	71216	28" x 40"		392.0	250/carton

Color	SKU #	Size	GSM	M Wgt	Qty/Unit
ClingZ HP Indigo					
White	71300	12" x 18"	269	82.6	500/carton
	71301	13" x 19"		94.5	500/carton
	71310	20.5" x 29.5"		231.4	1200/skid
	71312	20.5" x 29.5"		231.4	300/carton
Clear	71305	12" x 18"	261	80.2	500/carton
	71306	13" x 19"		91.7	500/carton
	71311	20.5" x 29.5"		224.5	1200/skid
	71313	20.5" x 29.5"		224.5	300/carton

Color	SKU #	Size	GSM	Roll Wgt	Qty/Unit
ClingZ Wide Format					
White	71514	54" x 75'	161	12	1/Roll
Clear	71515	54" x 75'	155	12	1/Roll

NEKOOSA BUCKS
available in select rolls listed above.


*Select ClingZ Versaliner if extra finishing like die or kiss cutting is required.



HP CERTIFIED:
ClingZ for HP Indigo Clear 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900
ClingZ for HP Indigo White 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900



Easy to apply and remove from these surfaces:



Applications

Window Graphics

Tileable Mural

P.O.P. Signage

Reverse Sided Window Graphics

Trade Show & Event Signage

Holiday Décor and Decals

Hot Deli Glass Case Signage

Glass Freezer & Cooler Doors



Ztac™ is an ultra-low tack, repositionable, PVC-free film designed for easy application and removal on very smooth indoor surfaces.

Effortless to apply, remove and reposition multiple times without leaving a trace of adhesive residue behind

Repositionable – will hold its original shape without "dog earring"

Suitable for indoor use on very smooth surfaces like windows, glass and polished metal

Can we die cut, kiss cut, perforated, scored and folded

Chemically inert, PVC-Free and phthalate-free

Print Compatibility: HP Indigo, Conventional, UV Offset and UV Wide Format

This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.

STOCKED PRODUCTS ▶

Color	SKU #	Size	Film Thickness	Adhesive	Liner	GSM	Rolls
Wide Format							
White	71411 ●	54" x 50 yds	6 mil	Low Tack Dot Pattern Adhesive	Paper	208	1
Clear	71410 ●	54" x 50 yds	6 mil	Low Tack Dot Pattern Adhesive	Paper	201	1

Color	SKU #	Size	Film Thickness	Adhesive	Liner	GSM	Carton or Skid Wgt	Qty/Unit
Conventional & UV Offset								
White	71426	28" x 40"	6 mil	Low Tack Dot Pattern Adhesive	Paper	310	494	180/carton
	71421	28" x 40"						1800/skid
Clear	71425	28" x 40"	6 mil	Low Tack Dot Pattern Adhesive	Paper	298	474.9	180/carton
	71420	28" x 40"						1800/skid

Color	SKU #	Size	Film Thickness	Adhesive	Liner	GSM	Carton or Skid Wgt	Qty/Unit
HP Indigo								
White	71602	13" x 19"	6 mil	Low Tack Dot Pattern Adhesive	Paper	310	109.3	450/carton
Clear	71603	13" x 19"	6 mil	Low Tack Dot Pattern Adhesive	Paper	299	105.1	450/carton


\$5 NEKOOSA BUCKS available in select rolls listed above.

= PVC-Free

HP CERTIFIED:
Ztac for HP Indigo Clear 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900
Ztac for HP Indigo White 5000, 5500, 5600 multi-shot, 7000, 7500, 7600, 7800 and 7900



Easy to apply and remove from these surfaces:



Applications

- Push-Pull Graphics
- Window Decals
- Posters
- Mouse Pads
- Decals



◀ BARRIER FILM | OPAQUE POLYPROPYLENE

Applied to Sign-Ad® Clear or Hi-Stat®, the complete opacity of this barrier film allows the printing of two-way decals for interior and exterior viewing.

- Bright White, 100% opaque two-sided window graphics
- Permanent adhesive
- Laminate to a clear static cling or clear pressure sensitive film
- Eliminates the need to print many layers of ink on one film

Print Compatibility: UV Wide Format

This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



BARRIER FILM

OPAQUE
POLYPROPYLENE

STOCKED PRODUCTS ▶

	Color	SKU #	Size	Film Thickness	Adhesive	Liner	Wgt/MSI	Rolls/Carton
Wide Format	Gloss White	SPMBF5450N	54" x 50 yds	2.3 mil	White Permanent Acrylic	53#	.30#	1

CUSTOM SIZE OFFERING ▶

	Color	SKU #	Size	Film Thickness	Adhesive	Liner	Wgt/MSI	Rolls/Carton
Top-Coated – Conventional, UV Offset & Screen	Gloss White	CP200WBF	54"	2.3 mil	White Permanent Acrylic	53#	.30#	1

*All products have a 4 mil flexible vinyl face stock and 0/split 90# poly coated liner.

 = PVC-Free

\$5 NEKOOSA BUCKS
available in select rolls listed above.



Applications

- Push-Pull Graphics
- Window Graphics
- Posters
- Decals
- P.O.P. Displays
- Advertising Graphics



OPAQUE WINDOW FILMS

Opaque window films can be laminated to clear Hi-Stat® or Sign-Ad® products to create double sided “push-pull” signage for window decals, window graphics and point-of-purchase displays.

BARRIER FILM

Bright white, 2.3 mil opaque polypropylene film with a permanent adhesive

Laminates to a clear static cling or clear pressure sensitive film

Print Compatibility: UV Wide Format

SIGN-AD® OPAQUE

Bright white, opaque 6 mil vinyl with a moderate-tack removable white adhesive

Laminate to a Sign-Ad® clear product to easily create two-way signage

Suitable for indoor and outdoor use (<1 year outdoors)

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional and UV) and Screen

OPAQUE WINDOW FILMS

OPAQUE BARRIER FILM

STOCKED PRODUCTS ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Gloss White	PMBF5450N	54" x 50 yds	2.3 mil	White Permanent	53#	1

CUSTOM SIZE OFFERINGS ▶

	Finish/Color	SKU #	Size (Width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Top-Coated – Conventional, UV Offset & Screen	Gloss White	CP200WBF	54"	2.3 mil	White Permanent	53#	.30#

Custom Size Offering: Barrier Film is only sold in rolls, and can be slit to meet your specific requirements.

OPAQUE SIGN-AD®

STOCKED PRODUCTS ▶

	Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Opaque Gloss White	SPMSABF5450	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1

CUSTOM SIZE OFFERING ▶

	Finish/Color	SKU #	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non-Top Coated – UV Offset & Screen	Opaque Gloss White	SIGN-AD GLOSS WHITE OPAQUE	54"	6 mil	Moderate-Tack Removable	90# Layflat	.68#

Custom Size Offering: This product can be custom converted into sheets or rolls to meet your specific requirements.

\$5 NEKOOSA BUCKS available in select rolls listed above.



CUT FILMS

CV300 Series™

VinylEfx®

PolyEfx®

Applications

Banner Graphics

Cut Lettering

Decals

Holiday Décor

Point-of-Purchase
Signage

Bumper Stickers

Fleet Markings

Safety Signage

Commercial Signage

Identification Markings

Appliance Labels

Nameplates



NEKOOSA CV300 SERIES™

CUT LETTERING
SIGN VINYL

Create endless signage applications with
CV300 Series.

Excellent dimensional stability

Cuts and weeds easily

Available in a variety of colors and standard roll sizes

For ease of installation, apply cut letters with RTape® Conform® 4075RLA

Soft in nature, adaptable for conforming to curves or flat surfaces

3 mil gloss vinyl facestock rated for <6 years of outdoor durability

Moderate peel, moderate tack permanent adhesive

78# paper liner

Specifically formulated for banner graphics and lettering

Print Compatibility: Thermal



NEKOOSA CV300 SERIES™

CUT LETTERING
SIGN VINYL

■ Indoor & Outdoor Series: Roll Size (in)



* Other sizes may be available upon request.

NEKOOSA CV300 SERIES™

CUT LETTERING
SIGN VINYL

STOCKED PRODUCTS ▶

Code/Color	SKU #	Size
Nekoosa CV300 Series™ Cut Vinyl		
114 Clear	CVCL2450A CVCL4850A	24" x 50 yd 48" x 50 yd
10 White	CVWH2450A CVWH4850A	24" x 50 yd 48" x 50 yd
20 Matte White	CVSTW2450A CVSTW4850A	24" x 50 yd 48" x 50 yd
80 Brown	CVBR2450A CVBR4850A	24" x 50 yd 48" x 50 yd
15 Bright Yellow	CVBY2450A CVBY4850A	24" x 50 yd 48" x 50 yd
25 Sunflower	CVSF2450A CVSF4850A	24" x 50 yd 48" x 50 yd
91 Gold	CVGO2450A CVGO4850A	24" x 50 yd 48" x 50 yd
36 Orange	CVOR2450A CVOR4850A	24" x 50 yd 48" x 50 yd
33 Soft Pink	CVSP2450A CVSP4850A	24" x 50 yd 48" x 50 yd
13 Tomato Red	CVTR2450A CVTR4850A	24" x 50 yd 48" x 50 yd
43 Bright Red	CVBT2450A CVBT4850A	24" x 50 yd 48" x 50 yd
53 Cardinal Red	CVCD2450A CVCD4850A	24" x 50 yd 48" x 50 yd
312 Burgundy	CVBG2450A CVBG4850A	24" x 50 yd 48" x 50 yd
44 Purple	CVPU2450A CVPU4850A	24" x 50 yd 48" x 50 yd
47 Olympanic Blue	CVOB2450A CVOB4850A	24" x 50 yd 48" x 50 yd
57 Medium Blue	CVMB2450A CVMB4850A	24" x 50 yd 48" x 50 yd
98 Bright Blue	CVBTB2450A CVBTB4850A	24" x 50 yd 48" x 50 yd
67 Blue	CVBU2450A CVBU4850A	24" x 50 yd 48" x 50 yd
37 Sapphire Blue	CVSB2450A CVSB4850A	24" x 50 yd 48" x 50 yd
62 Deep Blue	CVDB2450A CVDB4850A	24" x 50 yd 48" x 50 yd
196 Apple Green	CVAG2450A CVAG4850A	24" x 50 yd 48" x 50 yd
38 Kelly Green	CVKG2450A CVKG4850A	24" x 50 yd 48" x 50 yd

Code/Color	SKU #	Size
Nekoosa CV300 Series™ Cut Vinyl		
28 Medium Green	CVGR2450A CVGR4850A	24" x 50 yd 48" x 50 yd
18 Hunter Green	CVHG2450A CVHG4850A	24" x 50 yd 48" x 50 yd
90 Silver	CVSI2450A CVSI4850A	24" x 50 yd 48" x 50 yd
31 Medium Gray	CVGY2450A CVGY4850A	24" x 50 yd 48" x 50 yd
73 Dark Gray	CVDG2450A CVDG4850A	24" x 50 yd 48" x 50 yd
12 Black	CVBK2450A CVBK4850A	24" x 50 yd 48" x 50 yd
22 Matte Black	CVSTB2450A CVSTB4850A	24" x 50 yd 48" x 50 yd



Applications

- Cut Lettering
- Decals
- Point-of-Purchase Signage
- Holiday Decor
- Bumper Stickers
- Fleet Markings
- Decorative In-Store Displays
- Seasonal Signage
- Decorative Labels
- Trade Show Graphics
- Event Signage
- Banner Graphics
- Name Plates



VINYLEFX® METALIZED VINYL

Eye-catching metallic, reflective and glittering vinyls for cut lettering applications and printed graphics.

Available in both Indoor Decorative and Outdoor Durable series (<3 years outdoors) with permanent adhesive

Easy application to flat, smooth surfaces – dry application only

Cuts and weeds easily

Apply cut letters with RTape® Conform® 4075RLA and printed graphics with RTape® Conform® 4760RLA application tape


Allow for 1/8"-1/4" border around the edges of printed graphics

Overlaminates can be used if extra protection is required

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Screen and Thermal Transfer



VINYLEFX® METALIZED VINYL




Pattern	Color	Stocked Sizes			Make to Order	
		24" x 50 yd	48" x 50 yd	54" x 50 yd	24" x 10/250 yd	48" x 10/250 yd
Smooth	Silver	•♦	•♦	•	•♦	•♦
	Gold	•♦	•♦	•	•♦	•♦
	Rose Gold	•♦	•♦	•	•♦	•♦
Fine Brush	Silver	•♦	•♦	•	•♦	•♦
	Gold	•♦	•♦	•	•♦	•♦
	Rose Gold	•♦	•♦	•	•♦	•♦
Rainbow Brite Overall	Silver	•♦			•♦	
Large Engine Turn	Gold	•♦			•♦	
	Silver	•♦	•♦		•♦	
Diamond Plate	Silver	•♦	•♦		•♦	
	Gold	•♦			•♦	
Metal Flake	Silver	•	•		•	•
	Gold	•			•	
Florentine Leaf	Silver	•♦			•♦	
	Gold	•♦			•♦	



STOCKED PRODUCTS ▶

Pattern/Color	SKU#	Size
Indoor Decorative		
Smooth Silver	VX1764-24150	24" x 50 yd
	VX1764-48150	48" x 50 yd
	VX1764-54150	54" x 50 yd
Smooth Gold	VX2293-24150	24" x 50 yd
	VX2293-48150	48" x 50 yd
	VX2293-54150	54" x 50 yd
Smooth Rose Gold	VX5439-24150	24" x 50 yd
	VX5439-48150	48" x 50 yd
Fine Brush Silver	VX6770-24150	24" x 50 yd
	VX6770-48150	48" x 50 yd
	VX6770-54150	54" x 50 yd
Fine Brush Rose Gold	VX5003-24150	24" x 50 yd
	VX5003-48150	48" x 50 yd
	VX5003-54150	48" x 50 yd
Rainbow Brite Overall Silver	VX3138-24150	24" x 50 yd
Metal Flake Silver	VX2716-24150	24" x 50 yd
	VX2716-48150	48" x 50 yd
Metal Flake Gold	VX5186-24150	24" x 50 yd
Diamond Plate Silver	VX6008-24150	24" x 50 yd
	VX6008-48150	48" x 50 yd
Florentine Leaf Gold	VX1754-24150	24" x 50 yd

Pattern/Color	SKU#	Size
Outdoor Durable		
Smooth Silver	VX9809-24150	24" x 50 yd
	VX9809-48150	48" x 50 yd
	VX9387-24150	24" x 50 yd
Smooth Gold	VX9387-48150	48" x 50 yd
	VX4577-24150	24" x 50 yd
Smooth Rose Gold	VX4577-48150	48" x 50 yd
	VX4126-24150	24" x 50 yd
Fine Brush Silver	VX4126-48150	48" x 50 yd
	VX6582-24150	24" x 50 yd
Fine Brush Gold	VX6582-48150	48" x 50 yd
	VX3922-24150	24" x 50 yd
Fine Brush Rose Gold	VX3922-48150	48" x 50 yd
	VX1488-24150	24" x 50 yd
Rainbow Brite Overall Silver	VX1488-24150	24" x 50 yd
Large Engine Turn Gold	VX8966-24150	24" x 50 yd
Diamond Plate Silver	VX9703-24150	24" x 50 yd
	VX9703-48150	48" x 50 yd
Florentine Leaf Gold	VX1566-24150	24" x 50 yd



Applications

- Cut Lettering
- Decals
- Point-of-Purchase
- Signage
- Holiday Décor
- Fleet Markings
- Decorative In-Store
- Displays
- Seasonal Signage
- Decorative Labels
- Trade Show Graphics
- Event Signage
- Banner Graphics
- Name Plates
- Bumper Stickers
- In-Store Promotions



POLYEFX® CUT LETTERING
SIGN POLYESTER

Metalized polyester films used in the production of high quality applications that require metallic luster, durability and dimensional stability.

Dimensionally stable films for high quality die cutting applications


2 mil metalized polyester facestock

High peel, high tack permanent adhesive

90# layflat paper liner

Not recommended for outdoor use

Print Compatibility: UV Wide Format, UV and Conventional Offset/Litho and Screen

 This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.

POLYEFX® | CUT LETTERING
SIGN POLYESTER



STOCKED PRODUCTS ▶

Color	SKU #	Size
Indoor Metalized Polyester		
Bright Silver	👉 CMS2450A	24" x 50 yd
	👉 CMS3050A	30" x 50 yd
	👉 CMS4850A	48" x 50 yd
	👉 CMS5450A	54" x 50 yd
Brushed Silver	👉 CMBS2450A	24" x 50 yd
	👉 CMBS3050A	30" x 50 yd
	👉 CMBS4850A	48" x 50 yd
	👉 CMBS5450A	54" x 50 yd
Bright Gold	👉 CMG2450A	24" x 50 yd
	👉 CMG3050A	30" x 50 yd
	👉 CMG4850A	48" x 50 yd
	👉 CMG5450A	54" x 50 yd

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Indoor Metalized Polyester						
Bright Silver	👉 CM200S	54"	2 mil	High-Peel, High-Tack Permanent	90# Layflat	.44#
Brushed Silver	👉 CM200BS	54"	2 mil	High-Peel, High-Tack Permanent	90# Layflat	.44#
Bright Gold	👉 CM200G	54"	2 mil	High-Peel, High-Tack Permanent	90# Layflat	.44#

Custom Size Offering: Custom converted sheet and roll options available to meet your specific requirements.

👉 = PVC-Free

WALL GRAPHICS

Wall Graphics®

Augusta Wall Graphics®

Applications

Interior and Exterior Wall Graphics

Wall Décor

Point-of-Purchase Wall Signage

Renovation Barricades

Wayward Signage

Posters

Textured Wall Graphics



WALL GRAPHICS®

REMOVABLE WALL FILMS

Nekoosa's Wall Graphics® portfolio is a comprehensive offering of repositionable, easily removable films for interior and exterior wall graphic applications.


Microsphere Removable Adhesive	High-Peel Removable Adhesive
<ul style="list-style-type: none">• Matte white or gloss white finishes• 4, 6 and 8 mil facestock rated for <3 years of outdoor use• Augusta Wall Graphics® 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner also available• Suitable for short term indoor and outdoor applications (<1 year clean removability from application surfaces)• Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass	<ul style="list-style-type: none">• High-peel adhesive properties allow for a broader range of application surfaces – painted plywood, textured walls and low-to-no VOC paints• 6 mil semi-rigid matte white facestock rated for <3 years of outdoor use• Options available with a 90# layflat or 90# air-egress layflat polycoated paper liner• Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces)• Recommended application surfaces: painted plywood, textured walls, sheetrock, concrete and cinder block

High opacity films with an excellent white point

Stable 90# layflat polycoated paper liner for ease of printing and installation

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), Offset (Conventional and UV), HP Indigo and Screen

NEW PVC-FREE  **Wall Graphics® Matte White:** 4 mil. matte white film designed with a 90# layflat release liner and microsphere removable adhesive. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.

 This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. We're happy to offer a PVC-Free option in this product line.



WALL GRAPHICS®

REMOVABLE
WALL FILMS

STOCKED PRODUCTS ▶

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Matte White	SPMWGW5450	54" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
Matte White	SPMWGW6050	60" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
Matte White	SPMWG5450PP	54" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
Gloss White	SPMWG6G5450	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
Augusta Embossed Matte White	SPMAUG5450	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
Matte White	SPMWG65450	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
Matte White	SPMWG66050	60" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
Matte White	SPM600FW/R5450	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat	1
Matte White	SPE600FW/R5450	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat Air-Egress	1
Matte White	SPMWG85450	54" x 50 yd	8 mil	Microsphere Removable	90# Layflat	1

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	M Wgt	Sheets/Carton
HP Indigo							
Matte White	SPMWG6IN1218	12" x 18"	6 mil	Microsphere Removable	90# Layflat	116.7	300
Matte White	SPMWG6IN1319	13" x 19"	6 mil	Microsphere Removable	90# Layflat	133.3	300

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Non Top Coated - UV Offset, Screen						
Matte White	WG400W	54"/60"	4 mil	Microsphere Removable	90# Layflat	.50#
Augusta Embossed Matte White	AUGUSTA	54"/60"	6 mil	Microsphere Removable	90# Layflat	.62#
Matte White	WG600W	54"/60"	6 mil	Microsphere Removable	90# Layflat	.62#
Matte White	CV600FW/R	54"/60"	6 mil	High-Peel Removable	90# Layflat	.62#
Matte White	CV600FWR/AE	54"/60"	6 mil	High-Peel Removable	90# Layflat Air-Egress	.62#
Matte White	WG800W	54"	8 mil	Microsphere Removable	90# Layflat	.70#

Finish/Color	SKU #	Size (width)	Thickness	Adhesive	Liner	Wgt/MSI
Top Coated - Conventional Offset, Water Based Flexo						
Matte White	WG400W/TC	54"/60"	4 mil	Microsphere Removable	90# Layflat	.50#
Matte White	WG600W/TC	54"/60"	6 mil	Microsphere Removable	90# Layflat	.62#
Matte White	WG400W/PP	54"	4 mil	Microsphere Removable	90# Layflat	.38#

Custom Size Offering: Custom converted sheet and roll options available to meet your specific requirements.



NEKOOSA BUCKS

available in select rolls listed above.



Easy to apply and remove from these surfaces:

Microsphere Removable



High-Peel Removable



Applications

Wayward Floor Graphics

Floor Advertising Graphics

Point-of-Purchase Floor Signage

Social Distancing Floor Graphics

Directional Arrows

Counter Mats



◀ WALK-ON GRAPHICS®

SLIP RESISTANT
FLOOR GRAPHIC
SYSTEM

The Walk-On Graphics® two part system includes a printable vinyl base film and a UL 410 slip resistant overlamine to create durable floor signage applications.

Recommended for use on smooth, clean, flat surfaces like tile, sealed wood, ceramic tile vinyl and sealed concrete

4 mil printable vinyl base film available in white or clear finishes with removable adhesive

4 mil clear double polished and 6 mil clear embossed UL 410 certified overlamine options
Suitable for indoor short term floor graphics (<6 months)

Graphics withstand normal floor maintenance and cleaning

Print Compatibility: Latex, Eco-Solvent, True Solvent, UV Wide Format, Conventional Offset, UV Offset and UV Screen



WALK-ON GRAPHICS® SLIP RESISTANT FLOOR GRAPHIC SYSTEM

STOCKED PRODUCTS ▶

Color	SKU #	Application	Film Thickness	Adhesive	Liner	Durability	Size
Base Film							
White	SPMWOGWB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
Clear	SPMWOGCB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd

Color	SKU #	Material	Film Thickness	Adhesive	Liner	Durability	Size
Recommended Overlaminates							
Double Polished Clear	LMWOG4LL5450	Calendared Vinyl	4 mil	Permanent	PET	6 Months Indoors	54" x 50 yd
Embossed Clear	LMWOG6CE5450	Calendared Vinyl	6 mil	Permanent	PET	6 Months Indoors	54" x 50 yd
Embossed Clear	LMPP5450	Polyolefin	3 mil	Permanent	PET	6 Months Indoors	54" x 50 yd

CUSTOM SIZE OFFERING ▶

Color	SKU #	Application	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Non Top Coated Base Film – UV Offset, Screen							
White	WOGFW	Floor	54"	4 mil	Removable	90# Layflat	.50#
Clear	WOGFC		54"	4 mil	Removable	90# Layflat	.50#

Color	SKU #	Application	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Top Coated Base Film – Conventional Offset							
White	WOGFW/TC	Floor	54"	4 mil	Removable	90# Layflat	.50#
Clear	WOGFC/TC		54"	4 mil	Removable	90# Layflat	.50#

Color	SKU #	Size (width)	Film Thickness	Adhesive	Liner	Wgt/MSI
Recommended Overlaminates						
Double Polished Clear	LM4CL	54"	4 mil	Permanent	Clear Film	.30#
Embossed Clear	SRV6500L	54"	6 mil	Permanent	Clear Film	.44#
Embossed Clear	LMPP5450	Polyolefin	3 mil	Permanent	PET	.21#

Custom base film and overlaminates sold separately. Custom Size Offering: Can be custom converted into sheets or rolls to meet your requirements.

 = PVC-Free

GLASS FINISHES

- Deep Etch
- Light Etch
- Dusted Crystal
- Frost
- Sand Blast
- Sand Matte
- Bird Safety Film

Easy to apply and remove from these surfaces:



Applications

Privacy Films

Decorative
Window Films

Conference Room
Window Films

Lobby
Window Films

Retail Space
Window Films

Glass Partition Films

Office Space
Window Films



NEKOOSA GLASS FINISHES™

PRIVACY AND DECORATIVE
WINDOW FILMS

Nekoosa Glass Finishes™ offers a wide range of printable window films designed to transform the appearance of interior and exterior commercial buildings for privacy and finishing purposes.

Available in Deep Etch, Light Etch, Dusted Crystal, Frost, Sand Blast and Sand Matte finishes

Each film offers a degree of privacy by obscuring direct visibility while allowing excellent light transmission

Solvent-performance permanent adhesive with a PET liner

Printable and plottable

7 years of outdoor durability

For ease of application, apply Nekoosa Glass Finishes™ with RTape's Conform® 4075RLA, ApliTape™ 4075, or Clear Choice® AT65

Bird Safety Film: Bird deterrent safety film engineered specifically to allow birds to see windows that otherwise appear invisible

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex, UV), Offset (Conventional and UV) and Screen



NEKOOSA GLASS FINISHES™

PRIVACY AND DECORATIVE
WINDOW FILMS

STOCKED PRODUCTS ▶

Nekoosa Glass Finishes™	Finish/Color	SKU #	Liner	Size
Nekoosa Glass Finishes - Deep Etch	Opaque Frosted	DW9867-60100 ●	PET Liner	60" x 100'
Nekoosa Glass Finishes - Light Etch	Opaque Frosted	DW4477-60100 ●	PET Liner	60" x 100'
Nekoosa Glass Finishes - Dusted Crystal	Opaque Frosted	DW3412-60100 ●	PET Liner	60" x 100'
Nekoosa Glass Finishes - Frost	Clear Embossed	DW2345-60100 ●	PET Liner	60" x 100'
Nekoosa Glass Finishes - Sand Blast	Clear Embossed	DW6231-60100 ●	PET Liner	60" x 100'
Nekoosa Glass Finishes - Sand Matte	Opaque Frosted	DW1823-60100 ●	PET Liner	60" x 100'
Nekoosa Glass Finishes - Bird Safety Film	DOT	DW7154-6095 ●	PET Liner	60" x 95'



NEKOOSA BUCKS

available in select rolls listed above.

= PVC-Free

OVERLAMINATES

Polyester

Calendered Vinyl

Polycarbonate

Polyolefin



Applications

Flat & Simple Curves

Printed Graphics

Point-of-Purchase Displays

Wall Graphics

Window Graphics

Floor Graphics

Exhibits

Trade Show Graphics

Transit

Displays

Dry Erase Graphics

Counter Mats

Photographic Prints

In-Store Signage



OVERLAMINATE FILMS PORTFOLIO

Overlaminates that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture and abrasion.

Calendered vinyl, polycarbonate, polyester, and polyolefin options available to fit your specific application - *Laminate to similar substrates for the best results

Choose from a range of finishes, including matte, gloss, luster, velvet, optically clear or textured options to achieve the perfect blend of aesthetics and functionality

High-performing, permanent pressure-activated adhesives engineered to prevent common flaws in the laminating process like silvering, orange peeling and delamination

Excellent performance on flat or simply curved application surfaces

Unique options also available – UL 410 slip resistance and dye erase

B **NEW** NextBond™ UV-cured, durable adhesive presents a robust, price effective and eco-friendly alternative to traditional solvent-based adhesive for long-term bond that can last up to 10 years.



OVERLAMINATE FILMS PORTFOLIO

TRANSLUCENTS & REFLECTIVES

Translucent Calendered Vinyl

Reflective Vinyl

STOCKED PRODUCTS ▶

Finish/Color	SKU #	UV Protection	Size	Film Thickness	Adhesive	Liner
Calendered Vinyl Overlaminates Films						
Luster Clear	LM3LL5450 ●	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3LL6050	•	60" x 50 yd			
Matte Clear	LM3MCL5450 ●	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3MCL6050	•	60" x 50 yd			
Gloss Clear	LM3CL5450 ●	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3CL6050	•	60" x 50 yd			
Gloss Optically Clear*	LM4CL5450	•	54" x 50 yd	4 mil	Permanent	PET
Embossed Clear*	LM6CE5450		54" x 50 yd	6 mil Semi-Rigid	Permanent	PET

*LM4CL and LM6CE are UL 410 certified and suitable for interior floor graphics.

Polycarbonate Overlaminates Films						
Velvet Matte	5044550LM	•	51" x 50 yd	3 mil	Non-Yellowing Permanent Solvent	PET
	5044552LM	•	51" x 50 yd	5 mil	Non-Yellowing Permanent Solvent	PET
	5044553LM	•	51" x 50 yd	10 mil	Non-Yellowing Permanent Solvent	PET

Polyester Overlaminates Films						
Optically Clear	LM2CL5450		54" x 50 yd	2 mil	Permanent	PET
Optically Clear	LM1DE5450		54" x 50 yd	1 mil	Permanent	PET
Dry Erase	LM1DE6050		60" x 50 yd			

Polyolefin Overlaminates Film						
Embossed Clear	LMPP5450		54" x 50 yd	3 mil	Permanent	PET

*LMPP5450 is UL410 certified and suitable for interior floor graphics

Finish/Color	SKU #	UV Protection	Size	Film Thickness	Adhesive	Liner
NextBond™ - UV Cured, Long Term Durable Adhesive						
Matte Vinyl	UVLM3MCL5450 ●	•	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET
Luster Vinyl	UVLM3LL5450 ●	•	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET
Optically Clear Gloss Vinyl	UVLM3CL5450 ●	•	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET
Optically Clear Gloss PET	UVLM1CL5450 ●		54" x 50 yd	1 mil PET	Permanent	1.2 mil PET

CUSTOM SIZE OFFERING ▶

Finish/Color	SKU #	UV Protection	Size	Film Thickness	Adhesive	Liner	Wgt per MSI
Calendered Vinyl Overlaminates Films							
Luster Clear	LM3LL	•	54"/60"	3.2 mil	Permanent	78#	.41#
Matte Clear	LM3MCL	•	54"/60"	3.2 mil	Permanent	78#	.41#
Gloss Clear	LM3CL	•	60"	3.2 mil	Permanent	78#	.41#
Gloss Clear	LM4CL*	•	54"	4 mil	Permanent	PET	.30#
Embossed Clear	LM6CE*		54"	6 mil Semi-Rigid	Permanent	PET	.44#

*LM4CL and LM6CE are UL 410 certified and suitable for interior floor graphics.

Polyester Overlaminates Films							
Gloss Clear	LM1CL		54"	1 mil	Permanent	PET	.25#
	LM2CL		54"	2 mil	Permanent	PET	.25#

Polyolefin Overlaminates Film							
Embossed Clear	LMPP		54" x 50 yd	3 mil	Permanent	PET	.21#

*LMPP5450 is UL410 certified and suitable for interior floor graphics.

Finish/Color	SKU #	UV Protection	Size	Film Thickness	Adhesive	Liner	Wgt per MSI
NextBond™ - UV Cured, Long Term Durable Adhesive							
Matte Vinyl	UVLM3MCL5450 ●	•	54"	3.2 mil PVC	Permanent	1.2 mil PET	.24#
Luster Vinyl	UVLM3LL5450 ●	•	54"	3.2 mil PVC	Permanent	1.2 mil PET	.24#
Optically Clear Gloss Vinyl	UVLM3CL5450 ●	•	54"	3.2 mil PVC	Permanent	1.2 mil PET	.24#
Optically Clear Gloss PET	UVLM1CL5450 ●		54"	1 mil PET	Permanent	1.2 mil PET	.14#



NEKOOSA BUCKS

available in select rolls listed above.



= PVC-Free

Applications

- Illuminated Signage
- Fleet Graphics
- Taxi-Tops
- Gas Station Canopies
- Awnings
- Blinds
- Light Boxes
- Shop Fascias
- Window Graphics



TRANSLUCENT CALENDERED VINYL

ADHESIVE BACKED
TRANSLUCENT FILM

The ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Maximum color density with advanced ink adhesion technology

For indoor and outdoor use

Removable adhesive

Ideally suited for mild solvent and solvent inks

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV), UV Offset and Screen

TRANSLUCENT CALENDERED VINYL

ADHESIVE BACKED
TRANSLUCENT FILM

STOCKED PRODUCTS ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner
Wide Format	Matte White	SPMTUR5450N	54" x 50 yd	4 mil	Removable	90# Layflat

Custom Size Offering: 60" x 50 yd rolls are available upon request, and subject to order minimums.



Applications

- Vehicle & Fleet Markings
- Traffic & Commercial Signage
- Traffic Control Devices
- Labels
- Safety Decals



REFLECTIVE VINYL

ADHESIVE BACKED
REFLECTIVE VINYL

Reflective Vinyl is a flexible, enclosed lens glass-bead retroreflective sheeting that reflects light. Ideal for safety and commercial signage applications.

For indoor and outdoor use (<7 years) – highly resistant to extreme hot, cold, dry and humid weather conditions

Permanent bonding after 48 hours, removable adhesive with heat (<3 years)

Can be applied to flat, corrugated and riveted surfaces

Available in white

Pressure-activated adhesive for easy installation

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex and UV) and Screen

REFLECTIVE VINYL | ADHESIVE BACKED
REFLECTIVE VINYL

MOUNTING FILMS

STOCKED PRODUCTS ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner
Wide Format	White	SPMRF4825	48" x 25 yd	7 mil	Permanent*	78#
		SPMRF4850	48" x 50 yd	7 mil	Permanent*	78#
	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner
Cut Film	02 White	8100022425N	24" x 25 yd	7 mil	Permanent*	78#
		8100022450N	24" x 50 yd	7 mil	Permanent*	78#
		8100024825N	48" x 25 yd	7 mil	Permanent*	78#
		8100024850N	48" x 50 yd	7 mil	Permanent*	78#

*Removable up to 3 years with heat.



Applications

Window Graphics
(Push/Pull Graphics)

Posters

Medical Applications

Switches

Mouse Pads

Decals



◀ MOUNTING FILMS | PERMANENT AND REMOVABLE POLYESTER

Easily convert non-adhesive backed films to pressure sensitive materials with either a permanent or removable mounting film.

Offered in a variety of gauges and adhesive combinations


Options available for both indoor and outdoor applications

Printed film liners and self-wound liners available

Air-egress liner options available for easy, bubble free application

Available in wide format rolls - custom sizes available upon request

B **NEW** NextBond™ UV-cured, durable adhesive presents a robust, price effective and eco-friendly alternative to traditional solvent-based adhesive for long-term bond that can last up to 10 years.

 This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials. 100% of this product line is PVC-Free.



MOUNTING FILMS

PERMANENT AND REMOVABLE
POLYESTER

STOCKED PRODUCTS ▶

Color	SKU #	Film Thickness	Side 1		Side 2		Durability	Size
			Adhesive	Liner	Adhesive	Liner		
Wide Format - Water Based Adhesive								
Permanent/Permanent								
White	▶ CMTT200WSL5150 ●	2 mil	Permanent	40# C2S	Permanent	N/A (Self Wound)	3 years	51" x 50 yd
	▶ CMTT200WSL5450 ●							54" x 50 yd
Permanent/Removable								
Optically Clear	▶ CMTT100PR3850 ●	1 mil	Permanent	Clear Film	Removable	Clear Printed Film	3 years	38" x 50 yd
	▶ CMTT100PR5150 ●							51" x 50 yd
	▶ CMTT100PR5450 ●							54" x 50 yd
Clear	▶ CMTT100SLPR3850 ●	1 mil	Permanent	N/A (Self Wound)	Removable	40# C2S	3 years	38" x 50 yd
	▶ CMTT100SLPR5150 ●							51" x 50 yd
	▶ CMTT100SLPR5450 ●							54" x 50 yd
Clear	▶ CMTT100AEP3850 ●	1 mil	Permanent	Clear Film	Removable	Clear Printed Air-Egress Film	3 years	38" x 50 yd
	▶ CMTT100AEP5150 ●							51" x 50 yd
	▶ CMTT100AEP5450 ●							54" x 50 yd

Wide Format - NextBond™ UV-Cured, Long Term Durable Adhesive								
Permanent/Permanent								
Optically Clear	▶ UVCMTT100PM5450 ●	1 mil	Permanent	1.2 mil PET	Permanent	1.2 mil PET	3 years	51" x 50 yd
	▶ UVCMTT100SFLPM5450 ●			1.5 mil PET DIFF		N/A (Self Wound)		54" x 50 yd
Permanent/High-Peel Removable								
Optically Clear	▶ UVCMTT100PR5450 ●	1 mil	Permanent	1.2 mil PET	High-Peel Removable	1.2 mil PET	3 years	54" x 50 yd
	▶ UVCMTT100SFLPR5450 ●			1.5 mil PET DIFF		N/A (Self Wound)		54" x 50 yd



NEKOOSA BUCKS
available in select rolls listed above.

▶ = PVC-Free

DYE SUBLIMATION



Applications

- Ceramics
- Flags
- Sporting Goods
- Tiles
- Home Décor
- Glass
- Mouse Pads
- Tradeshow Exhibits
- Clothing
- Signs & Banners
- Metal Photos
- Wood Designs
- Fiber Glass



◀ NEKOOSA DYE SUBLIMATION TRANSFER PAPER

Dye sublimation paper for consistent, high-definition image transfer on both hard and soft surfaces.

Stable, layflat 105 & 140 gsm to support a wide range of design, shape, and complexity

One paper designed for both hard and soft surfaces

Professional quality, consistent image for sharp and clean transfer

Permanent image transfer into polyester or poly-coated surfaces

Compatible with all major dye sublimation printer brands designed with water-based ink systems

100% recyclable

Print Compatibility: Inkjet*



This logo represents Nekoosa's commitment to offering sustainable products. Nekoosa Dye Sublimation Transfer Paper is paper-based and 100% recyclable.



NEKOOSA DYE SUBLIMATION TRANSFER PAPER

STOCKED PRODUCTS ▶

	SKU #	Roll Size	Rolls/Carton	Cartons/Pallet
105 gsm Transfer Paper				
	DY-10524393 ●	24" x 393'	1	48
	DY-10544393 ●	44" x 393'	1	36
	DY-10564393 ●	64" x 393'	1	36
	DY-10572393 ●	72" x 393'	1	36
	DY-10574393 ●	74" x 393'	1	36

	SKU #	Roll Size	Rolls/Carton	Cartons/Pallet
140 gsm Transfer Paper				
	DY-14024262 ●	24" x 262'	1	48
	DY-14044262 ●	44" x 262'	1	36
	DY-14064262 ●	64" x 262'	1	36
	DY-14072262 ●	72" x 262'	1	24
	DY-14074262 ●	74" x 262'	1	24

*Roll widths listed above also available in cradle-packs of 105 gsm (Q 500' rolls and 140 gsm (Q 262'/roll
 *36", 54" & 60" 105 gsm rolls and 36", 54", 60" & 87" 140 gsm rolls available upon request. Contact us for more details.
 *3" core on all rolls

\$5 NEKOOSA BUCKS
 available in select rolls listed above.

 = Paper-Based



RIGID FILMS

NON-ADHESIVE
COATED RIGID FILMS



Item	Thickness	Size
Polyester		
Polyester White	2 mil	Available in custom sized sheets and rolls
Polyester Clear	1, 2, 3, 4, 5, 7 & 10 mil	Available in custom sized sheets and rolls
Polyester Clear Tipped*	3, 4, 5, 7 & 10 mil	Available in custom sized sheets
Polyester Clear Indigo Coated & Tipped*	3, 4, 5, 7 & 10 mil	12" x 18" sheets – 20,000 sheet minimum
		13" x 19" sheets – 20,000 sheet minimum
		20.5" x 29.5" sheets – 10,000 sheet minimum

*PPF - Tipped for Offset printing. Tipped with 50# bond paper.

Item	Thickness	Size
Catamatte		
Clear polyester matte coated on 1 side	3 & 5 mil	Available rolls: 36", 40", 42", 48", 54" & 60"

Item	Thickness	Size
Metalized Polyester		
Bright Silver	2 & 5 mil	Available in custom sized sheets and rolls
Bright Gold	2 mil	

Item	Thickness	Size
Rigid Vinyl		
Clear	5 & 10 mil	Available in custom sized sheets and rolls
Matte White	10 & 20 mil	Available in custom sized sheets and rolls

Custom Size Offering: Can be custom converted to meet your size requirements.



ADHESIVE PROPERTIES & APPLICATIONS

Permanent Adhesive						
Code	Type	Description	Color	Application	Application Temperature	Service Temperature
P22	Permanent	Moderate-Peel, Moderate-Tack	Clear	General purpose permanent offering good adhesion with moderate-tack for easier hand-applied applications. Non-yellowing, excellent clarity, and outdoor durability.	35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P24	Permanent	Moderate-Peel, Moderate-Tack	White		35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P26	Permanent	Moderate-Peel, Moderate-Tack	Gray		35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P82	Permanent	High-Peel, High-Tack	Clear	High-peel and tack, durable long term bond to many substrates. High clarity and extended outdoor durability.	35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P84	Permanent	High-Peel, High-Tack	White			
P86	Permanent	High-Peel, High-Tack	Gray			
P92	Permanent	High-Peel, High-Tack	Clear	High-peel and tack designed for low surface energy plastics, irregular surfaces and demanding long term applications. Good chemical and water resistance.	35° F (1.7° C)	-20° to 150° F (-29° to 66° C)
P94	Permanent	High-Peel, High-Tack	White			
P96	Permanent	High-Peel, High-Tack	Gray			
NX1	Permanent	High-Peel, High-Tack	Clear	NextBond™ UV cured, outdoor durable adhesive. Alternative to traditional solvent adhesives. High-peel and tack designed for low surface energy plastics, irregular surfaces, and demanding long term applications. Superior chemical and water resistance.	35° F (1.7° C)	-40° to 180° F (-40° to 82° C)

Removable Adhesive						
Code	Type	Description	Color	Application	Application Temperature	Service Temperature
R32	Removable	Low-Peel, Moderate-Tack	Clear	General purpose removable with moderate-tack and high clarity. 1 year clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
R36	Removable	Low-Peel, Moderate-Tack	Gray			
R45	Removable	High-Peel, Moderate-Tack	Clear	Transit adhesive used on OEM paint. 6 month clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
R46	Removable	High-Peel, Moderate-Tack	Gray			
R52	Removable	Moderate-Peel, Low-Tack	Clear	Transit adhesive used on OEM paint. Up to 6 month clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
R54	Removable	Moderate-Peel, Low-Tack	White	Sign-Ad® Opaque	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
R67	Removable	Ultra-Removable, Low-Tack	Clear	Low peel and tack removable for window applications. 1 year clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
UR1	Removable	Universal Moderate-Peel, Moderate-Tack	Clear	Multi-use: floor, walls and windows. Up to 6 months clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
W79	Removable	Moderate-Peel, Moderate-Tack	Clear	Microsphere removable for smooth painted surfaces. 1 year clean removability.	40° F (4.4° C)	-10° to 140° F (-23° to 60° C)
NX2	Removable	High-Peel, Moderate-Tack	Clear	NextBond™ UV cured, outdoor durable adhesive. Alternative to traditional solvent adhesives. High-peel removable adhesive that removes cleanly from wide range of surfaces for up to one year.	35° F (1.7° C)	-40° to 180° F (-40° to 82° C)

Peel is defined as the average force to part two bonded materials. We use ASTM D3330, 180 degree peel test method for our adhesive values. Adhesion values will vary depending on substrates but as a general guideline in our descriptions, the terms low, moderate and high peel relate to the following as measure on stainless steel with 15 min dwell time:

Low Peel: <10 oz/in | Moderate: 10 – 20 oz/in | High Peel: >20 oz/in

Tack is the property of an adhesive that allows it to adhere to another surface on immediate contact. It is the "stickiness" of the adhesive while in a fluid (e.g., paper cement) or semi-fluid (e.g., pressure sensitive adhesive) state. The descriptors low, moderate and high tack are relative terms; they are used to indicate how easily a film may be repositionable (where low is easy and high is not) or how quickly a film will bond with the surface (where low is slow and high is fast).

RELEASE LINERS

Thickness (mil)	Basis Wgt (lbs)	Substrate	Description	Application
2.5	40	Paper	40 lb, supercalendered kraft, silicone coated 2-sides	Self-Wound Films
3.2	53	Paper	53 lb, supercalendered kraft, silicone coated 1-side	General Use
4.5	78	Paper	78 lb, poly coated kraft, silicone coated 1-side	Computer Sign Vinyl
4.7	78	Paper	78 lb, clay coated kraft, silicone coated 2-sides	Self-Wound Films
6.0	88	Paper	88 lb, polycoated kraft, silicone coated 1-side, tight release	VinylEfx®
7.7	99	Paper	90 lb, poly coated kraft, silicone coated 1-side, air-egress	General Use/Labels
6.3	87	Paper	90 lb, poly coated kraft, silicone coated 1-side	General Use/Labels
6.8	92	Paper	90 lb, poly coated kraft, silicone coated 1-side	General Use/Labels
8.0	103	Boardstock	Boardstock, 8 pt	Hi-Stat®
10.0	118	Boardstock	Boardstock, 10 pt	Hi-Stat®
8.1	122	Boardstock	90 lb, PE-coated boardstock	Hi-Stat®
5.0	N/A	Vinyl	5 mil clear gls/matte rigid vinyl	Hi-Stat®
4.5	71	PET	4.5 mil clear PET, silicone coated 1-side, air-egress	Clear Film Liner/Optical
5.0	108	PET	5.0 mil clear PET, silicone coated 1-side	Mounting Film
1.5	32	PET	1.5 mil clear PET, silicone coated 1-side	Mounting Film
1.5	32	PET	1.5 mil clear PET, silicone coated 2-side (self wound)	Mounting Film
1.2	26	PET	1.2 mil clear PET, silicone coated 1-side	Mounting Film, Overlamine

INDEX

Multipurpose Removable Pressure Sensitive Textured Vinyl
Trifecta® 7-8

Synthetic Paper
SYNAPS XM 11-12
SYNAPS OM 13-14

Point-of-Purchase Displays, Banner Stands & General Signage
Premium Vinyl 17-18
Classic Vinyl 19-20
ChalkTalk® 21-22
SYNAPS OM Rolls 23-24

Window Graphics
Sign-Ad® 27-28
Hi-Stat® 29-30
ClingZ® 31-32
Ztac™ 33-34
Barrier Film 35-36
Opaque Window Films 37-38

Cut Vinyl
CV300 Series™ 41-43
VinylEfx® 44-46
PolyEfx® 47-48

Wall Graphics
Wall Graphics® 51-52

Floor Graphics
Walk-On Graphics® 55-56

Glass Finishes
Nekoosa Glass Finishes™ 59-60

Overlaminates
Overlamine Films:
Calendered Vinyl, Polycarbonate, Polyester, Polyolefin 63-64

Transluents & Reflectives
Translucent Calendered Vinyl 67-68
Reflective Vinyl 69-70

Mounting Films 73-74

Dye Sublimation
Transfer Paper 77-78

Rigid Films 81

Adhesive Properties & Applications 82














Release Liners 83

Index 84

A-Z

Adhesives 82
Augusta Wall Graphics® 51-52
Barrier Film 35-36
Bird Safety Film 59-60
ChalkTalk® 21-22
Classic Vinyl 19-20
ClingZ® 31-32
CV300 Series™ 41-43
Dye Sublimation Transfer Paper 77-78
Glass Finishes™ 59-60
Hi-Stat® 29-30
Hi-Stat Opti-Cling® 29-30
Mounting Films 73-74
Opaque Window Film 37-38
Overlaminates 63-64
PolyEfx® 47-48
Premium Vinyl 17-18
Reflective Vinyl 69-70
Release Liners 83
Rigid Films 81
Sign-Ad® 27-28
SYNAPS OM 13-14
SYNAPS OM Rolls 23-24
SYNAPS XM 11-12
Translucent Calendered Vinyl 67-68
Trifecta® 7-8
Wall Graphics® 51-52
Walk-On Graphics® 55-56
VinylEfx® 44-46
Ztac™ 33-34

Color Key

 **Multipurpose Removable Pressure Sensitive Textured Vinyl** 5-8
 **Synthetic Paper** 9-14
 **Purchase Displays, Banner Stands & General Signage** 15-24
 **Window Graphics** 25-38
 **Cut Vinyl** 39-48
 **Wall Graphics** 49-52
 **Floor Graphics** 53-56
 **Glass Finishes** 59-60
 **Overlaminates** 61-64
 **Transluents & Reflectives** 65-70
 **Mounting Films** 71-74
 **Dye Sublimation** 75-78
 **Rigid Films** 79-81



The industry's broadest portfolio of
Sustainable Print Media
for promotional signage, general displays and more!



Find these PVC-Free films on pages:

SYNAPS OM 13-14
SYNAPS XM 11-12
ClingZ® 31-32
Ztac™ 33-34
Sign-Ad® 27-28
Wall Graphics® 51-52
PolyEfx® 47-48
Bird Safety Film 59-60
Overlaminates 63-64
Dye Sublimation Transfer Paper 77-78
Ridged Films 81



REQUEST A FREE NEKOOSA PROMISE™ SUSTAINABLE PRINT MEDIA SLEEVE



**PREMIER
MANUFACTURER OF
SPECIALTY
PRINT MEDIA**
NEKOOSA.COM

Waterproof Synthetic Paper

P.O.P. Displays, Banner Stands & General Signage

Window, Wall & Floor Graphics

Glass Finishes

Overlaminates

Cut Films

Application Tapes & Premasks

Carbonless Papers

Dye Sublimation Transfer Paper

Extruded Films



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials.