



WIDE FORMAT GRAPHIC & SPECIALTY PRINT MEDIA

OUTDOOR DURABLE FILMS

PRESSURE SENSITIVE FILMS

WINDOW, WALL & FLOOR GRAPHICS

CUT FILMS

GLASS FINISHES

OVERLAMINATES

**MOUNTING &
BARRIER FILMS**

**DYE SUBLIMATION
TRANSFER PAPER**



**Speciality print media for eco-solvent/solvent, latex,
and UV wide format printing**


Nekoosa's wide format portfolio covers a large variety of different ink compatibility, film thickness, applications, and features.

		INK COMPATIBILITY																																										
		Latex	UV Wide Format	Eco-Solvent/Solvent	Dye Sublimation	FEATURES											Gloss	Matte	Luster	Velvet	White	Clear	Optically Clear	Opaque	Textured/Embossed	Permanent	High-Bond	High-Tack	Removable	Microsphere Removable	Low-Tack	Repositionable	Air-Egress											
Outdoor Durable																																												
NextBond®	Outdoor Durable Printable Vinyls, Overlaminates & Mounting Films																			•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•						•
Textured Print Media																																												
Trifecta®	Multipurpose Removable Textured Vinyl																			•	•	•					•							•					•				•	
General Signage & Banner Stands																																												
Premium Vinyl	High Performance Calendered Vinyl																				•	•	•				•	•						•		•	•					•		
Classic Vinyl	General Use Calendered Vinyl																				•	•	•				•	•						•			•					•		
ChalkTalk®	Chalkboard Film																				•	•	•				•						•			•								
SYNAPS OM Wide Format	Durable, Layflat Polyester Film																				•	•					•																	
Window Graphics																																												
Sign-Ad®	Removable Window Graphic Film																				•	•	•				•	•			•	•	•						•		•	•	•	
Hi-Stat®	Static Cling Vinyl																				•	•	•				•				•	•	•								•			
ClingZ®	Electrically Charged Polypropylene																									•													•					
Ztac™	Ultra Low-Tack Polyester																					•				•				•	•					•		•	•					
Barrier Film	Opaque Polypropylene																					•				•				•			•											
Cut Vinyl																																												
Nekoosa CV300 Series™	Cut Lettering Sign Vinyl																									•	•			•	•				•		•							
VinylEfx®	Metalized Cut Lettering Sign Vinyl																				•	•	•				•						•											
PolyEfx®	Polyester Cut Lettering Sign Vinyl																					•				•	•						•		•									
Wall Graphics																																												
Wall Graphics®	Removable Wall Graphic Film																				•	•	•				•	•			•			•			•	•	•	•	•			
Floor Graphics																																												
Walk-On Graphics®	Slip Resistant Floor Graphic System																				•	•	•				•			•	•					•								
Glass Finishes																																												
Nekoosa Glass Finishes®	Privacy and Decorative Window Films																				•	•	•				•			•	•		•											
Overlamine Films																																												
Polyester*	Polyester Overlaminating Films																									•				•	•			•										
Calendered Vinyl	Calendered Vinyl Overlaminating Films																									•	•	•		•			•	•										
Polycarbonate	Polycarbonate Overlaminating Films																									•			•					•										
Polyolefin	Embossed PVC-Free Polyolefin Textured Overlamine Film																												•			•	•											
Transluents & Reflective Films																																												
Translucent Vinyl	Adhesive Backed Translucent Film																				•	•	•				•										•							
Reflective Vinyl	Reflective Vinyl																				•	•	•				•							•										
Mounting Films																																												
Mounting Films	Permanent and Removable Polyester																												•	•	•			•		•	•				•			
Dye Sublimation																																												
Transfer Paper	Stable, Layflat Paper for Hard and Soft Surfaces																							•					•															



Specialty Print Media ... Where you need it, when you need it.

Looking for a reliable source for wide and grand format rolls and custom sized pressure sensitive films?
Turn to Nekoosa. With multiple converting centers and 200+ distribution partner locations
throughout North America, we can get you the material you need quickly.



Why Nekoosa?



Versatile – We developed a comprehensive range of specialty print media meticulously crafted to suit even the most unique applications.



Service – Quick turnarounds? No problem. Nekoosa ships stocked products the next day and custom sizes promptly.



Quality – Nekoosa consistently sources the best materials our industry has to offer. We hold ourselves to the highest standard of offering high quality products.

Las Vegas, NV

- ★ Converting Center
- Distribution Center

Wisconsin Rapids, WI

- ★ Converting Center
- Distribution Center

Nekoosa, WI

- ★ Converting Center

South Plainfield, NJ

- Distribution Center



COLLECT NEKOOSA BUCKS AND EARN MONEY



1
Print



2
Redeem



3
Earn

Collect Nekoosa Bucks in qualifying rolls of Nekoosa wide format specialty print media, then redeem them for cash. Redeeming is easy, just follow these steps:

1. Go to Nekoosa.com, click on the red Nekoosa Bucks link on the homepage.
2. Log in to your existing account, or create a new account if you are redeeming a Nekoosa Bucks for the first time.
3. Enter the code found on the front of the Nekoosa Bucks flyer, which is found in each qualifying roll.

It's that easy! Once you reach \$25 in redemptions, you can select your first gift card reward. You can also continue to grow your account and request gift cards in larger denominations. Your redemptions will add up. The more Nekoosa wide format specialty print media you run, the more you earn!



Look for this sticker
on specially marked rolls of Nekoosa
wide format print media.



FIND NEKOOSA BUCKS IN THESE PRODUCT LINES

NextBond®	NextBond® durable UV-cured adhesive is a robust, cost-effective, and eco-friendly alternative to traditional solvent-based adhesive for long-term print applications – no hazardous waste or harmful VOCs.
Trifecta®	One product, endless applications. Create floor, wall, and countertop graphics with one universal media ... Trifecta®.
Premium Vinyl	Turn to Nekoosa's Premium Vinyl when you need to produce specific signage applications that require superior features, including robust adhesive systems, liners, and finishes.
ChalkTalk®	Versatile and printable, this chalkboard film with removable adhesive is perfect for all your creative projects and temporary promotional displays.
SYNAPS OM	Create durable banner stand graphics that resist bowing, fading, curling, warping, and wrinkling with SYNAPS OM polyester film.
Sign-Ad®	Advertise your newest product or upcoming event with window graphics on Nekoosa's Sign-Ad® removable window film.
Hi-Stat®	Designed for creating vibrant window displays, Hi-Stat® static cling vinyl is an exceptionally flexible film that adheres to clean, smooth surfaces without adhesive.
ClingZ®	ClingZ® is an adhesive-free, electrically charged film that clings to any dry interior surface, making it a breeze to apply, remove, and reposition – a truly effortless signage solution.
Ztac™	Ztac™ is an ultra-low tack, repositionable film that easily adheres to even extremely hot or cold indoor surfaces like freezer doors, deli cases, and coolers.
Barrier Film	Applied to clear Sign-Ad®, Hi-Stat®, or NextBond® the complete opacity of this barrier film allows the printing of two-way decals for interior and exterior viewing.
Wall Graphics®	Nekoosa's Wall Graphics portfolio is a comprehensive offering of repositionable, easily removable films for interior and exterior wall graphic applications.
Nekoosa Glass Finishes	Transform the appearance of interior and exterior commercial buildings for privacy and finishing purposes with Nekoosa Glass Finishes™ window films.
Overlamine Films	Overlamine films that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture, and abrasion.
Mounting Films	Easily convert non-adhesive backed films to pressure-sensitive materials with permanent or removable mounting films.
Dye Sublimation Transfer Paper	Transfer high-definition, detailed graphics onto both hard and soft surfaces with Nekoosa's versatile dye sublimation transfer paper.

Qualifying SKUs are marked with a gold dot 💰 on the stocked product charts throughout this guide.

For more information about the Nekoosa Bucks customer loyalty program, scan this QR code ▶

SCAN
ME



OUTDOOR DURABLE

NextBond®



NEW



NEXT BOND®

A NEKOOSA BRAND

The Future of Long-Term, Outdoor Durable Pressure Sensitive Specialty Print Media

Nekoosa's innovative NextBond® durable adhesive is a **robust, cost-effective, and eco-friendly** alternative to traditional solvent-based adhesives for long-term print applications. This groundbreaking adhesive technology ensures **top performance** without compromising quality. NextBond® durable adhesive **won't shrink** and maintains exceptional **adhesion strength** even when exposed to challenging outdoor environmental and chemical conditions. We've streamlined the production process by curing the adhesive inline with UV lamps and **removing all hazardous solvent waste and harmful VOCs**. These added benefits make NextBond® UV-cured adhesive the premier choice for **durable, long-term printed graphics, decals, and signage**, surpassing traditional solvent adhesives.



Forward-Thinking Innovation

Nekoosa's pioneering NextBond® UV-cured, durable adhesive meets all critical needs for long-term outdoor print applications like displays, decals and signage.



Price-Competitive Technology

NextBond® UV-cured, durable adhesive offers solvent-based performance without the associated price.



Tough Outdoor Durability

The performance of NextBond® UV-cured, durable adhesive is equal to or better than solvent-based adhesives. This adhesive remains resilient under tough environmental conditions for up to 10 years.



Sustainable Design

Producing specialty print media with NextBond® UV-cured, durable adhesive does not generate hazardous waste and cuts CO2 emissions by over 50% compared to traditional solvent adhesives.



Health and Safety

Using products with NextBond® adhesive is environmentally and socially responsible. They are free of VOCs, non-flammable, non-toxic, and OSHA, EPA and CARB-compliant.

SCAN HERE FOR
FREE SAMPLES ►





STANDARD SIZES ▶

NextBond® Premium Vinyl Print Media

Experience flawless prints with Nekoosa's Premium Vinyl featuring NextBond® durable adhesive. Engineered with an enhanced printing surface, it withstands high heat and prevents visual defects, ensuring perfect prints every time. Rated for 5 years of outdoor durability and reinforced with UV inhibitors, prints won't fade even in harsh conditions. Options available with layflat air-egress liner for an easy, bubble-free application.

Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
Premium Calendered Vinyl							
Gloss White	UVSPM300GWF5450	54" x 50 yd	3 mil PVC	Permanent	90# Layflat	1	5 years
Gloss White	UVSPM300GWR5450	54" x 50 yd	3 mil PVC	High-Peel Removable	90# Layflat	1	5 years
Gloss White	UVSPE300GWF5450	54" x 50 yd	3 mil PVC	Permanent	90# Layflat Air-Egress	1	5 years
Gloss White	UVSPE300GWR5450	54" x 50 yd	3 mil PVC	High-Peel Removable	90# Layflat Air-Egress	1	5 years
Matte White	UVSPM400FW-P5450	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat	1	5 years
Matte White	UVSPM400FW-R5450	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat	1	5 years
Matte White	UVSPE400FW-P5450	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat Air-Egress	1	5 years
Matte White	UVSPE400FW-R5450	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat Air-Egress	1	5 years
Gloss Clear	UVSPM400C-P5450	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat	1	5 years
Gloss Clear	UVSPM400C-R5450	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat	1	5 years

* Print Compatibility - Wide Format (Eco-Solvent/Solvent, Latex, UV)



NextBond® High-Bond Opaque Print Media

Achieve unmatched opacity and durability with NextBond® High-Bond Opaque. With >99.5% opacity, it completely conceals existing graphics without gray pigment contamination. Its double layer of UV-cured adhesive creates a strong, durable bond on challenging surfaces, while built-in UV inhibitors ensure 5 years of fade-resistant outdoor performance. Turn to NextBond® High-Bond Opaque when applying graphics in cold temperatures as low as -10°F.

Finish/Resin	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
High-Bond Opaque (HBO)							
Opaque Matte White	UVSPM400FWOP-HBP5450	54" x 50 yd	3.2 mil	High-Bond Permanent	90# Layflat	1	5 years
Opaque Matte White	UVSPM400FWOP-HBR5450	54" x 50 yd	3.2 mil	High-Bond High-Peel Removable	90# Layflat	1	5 years
Opaque Matte White	UVSPE400FWOP-HBP5450	54" x 50 yd	3.2 mil	High-Bond Permanent	90# Layflat Air-Egress	1	5 years
Opaque Matte White	UVSPE400FWOP-HBR5450	54" x 50 yd	3.2 mil	High-Bond High-Peel Removable	90# Layflat Air-Egress	1	5 years

NextBond® Overlamine Films

Protect your printed graphics with NextBond® Overlamine Films. NextBond® permanent adhesive applies evenly across the printed graphic, eliminating silvering and preventing delamination. The robust liner ensures a smooth, clear finish without cloudiness and runs seamlessly through the laminator without generating static.

Finish/Resin	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
Overlaminates							
Matte Vinyl*	UVLM3MCL5450	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Luster Vinyl*	UVLM3LL5450	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Gloss Vinyl*	UVLM3CL5450	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Velvet Matte Polycarbonate**	UV5044552LM	51" x 50 yd	5 mil PC	Permanent	1.2 mil PET	1	2 years
Velvet Matte Polycarbonate**	UV5044732LM	54" x 50 yd	5 mil PC	Permanent	1.2 mil PET	1	2 years
Velvet Matte Polycarbonate**	UV5044553LM	51" x 50 yd	10 mil PC	Permanent	1.2 mil PET	1	2 years
Velvet Matte Polycarbonate**	UV5044733LM	54" x 50 yd	10 mil PC	Permanent	1.2 mil PET	1	2 years
Optically Clear Polyester	UVLM1CL5450	54" x 50 yd	1 mil PET	Permanent	1.2 mil PET	1	3 years
Embossed Polyolefin	UVLM3PP5450	54" x 50 yd	3 mil PP	Permanent	1.2 mil PET	1	1 year

*LM3PP is UL410 certified and suitable for interior floor graphics.

NextBond® Mounting Films

Easily convert non-adhesive backed films into durable, long-lasting, pressure sensitive signage with Nekoosa's NextBond® Mounting Films. The smooth, optically clear polyester (PET) construction guarantees a flawless finish without cloudiness, and it runs effortlessly through laminators without tearing, buckling, wrinkling, or curling.

Product	Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
Mounting Films								
2 Liner	Optically Clear	UVCMTT100PM5450	54" x 50 yd	1 mil PET	Permanent/Permanent	1.2 mil PET/1.2 mil PET	1	3 years
2 Liner	Optically Clear	UVCMTT100PR5450	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	1.2 mil PET/1.2 mil PET	1	3 years
2 Liner	Optically Clear	UVCMTT100AEP5450	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	4.2 mil Air Egress Printed/1.2 mil PET	1	3 years
Self Wound	Optically Clear	UVCMTT100SFLPM5450	54" x 50 yd	1 mil PET	Permanent/Permanent	1.5 mil Differential PET	1	3 years
Self Wound	Optically Clear	UVCMTT100SFLPR5450	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	1.5 mil Differential PET	1	3 years



NEKOOSA BUCKS

available in select rolls listed above.

CUSTOM SIZES AVAILABLE - Each NextBond® product listed above is offered in custom sizes. Please contact us for more details.



TEXTURED PRINT MEDIA

Trifecta®



Applications

One-Step Floor Graphics

Wall Graphics

Countertop Graphics

Retail P.O.P. Graphics

Directional & Wayward Signage

Short-Term Event Signage

Hospitality Signage

Promotional & Sale Graphics

Museum & Exhibit Graphics

Venue & Stadium Signage

Wall Murals

Floor Advertisements



MULTIPURPOSE REMOVABLE
TEXTURED VINYL

One product, endless applications. Create floor, wall, and countertop graphics with one universal media ... Trifecta®.

Print, Apply, Done - No overlamine film required, saving time and materials

Durable 6 mil semi-rigid matte white textured vinyl facestock rated for < 3 years of outdoor use, ensuring long last performance

High opacity and bright white point delivers vibrant, high impact printed graphics

Reliable clear adhesive removes cleanly from both indoor and outdoor surfaces for < 1 year without leaving a trace of residue behind

Stable 90# layflat polycoated liner ensures smooth feeding, precise cutting, and easy installation without curling or shifting

UL 410 slip resistance certified

ASTM E84 Class 1 or A fire rated

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

When to use Trifecta

One-Step Floor Graphics - Create UL 410 slip resistant floor graphics in one easy step... no overlamine required. Easy to install and remove. Trifecta® is suitable for indoor short term floor graphics (<6 months).

Wall Graphics - Hassle free textured wall graphics - peel, stick, done. No need for tapes, tacks, or nails and will remove cleanly from painted dry wall.

Countertop Graphics - Promote impulse buys, deliver essential information, enhance your space and more with a dimensional textured finish that creates a positive customer experience.

Certified for
HP Latex Inks



SCAN HERE FOR
FREE SAMPLES ▶





MULTIPURPOSE REMOVABLE
TEXTURED VINYL

STANDARD SIZES ▶


	Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Textured Matte White	SPMTRI54100 \$	54" x 100 ft	6 mil	Universal Removable	90# Layflat	1




NEKOOSA BUCKS

available in select rolls listed above.

Easy to apply and remove from these surfaces:



*We recommend testing Trifecta® on your specific application surface to ensure compatibility



GENERAL SIGNAGE & BANNER STANDS

Premium Vinyl

Classic Vinyl

ChalkTalk®

SYNAPS OM Wide Format



Applications

Banner Graphics

Cut Lettering

Decals

Point-of-Purchase
Signage

Bumper Stickers

Fleet Markings

Name Plates

In-Store Promotions



◀ PREMIUM VINYL

HIGH PERFORMANCE
CALENDERED VINYL

Turn to Nekoosa's Premium Vinyl when you need to produce specific signage applications that require superior features including robust adhesive systems, liners and finishes.

Choose from a diverse range of film, adhesive, and liner combinations engineered specifically for your application

Easily apply premium 3, 4 or 6 mil calendered vinyl face films to indoor or outdoor flat, textured, or slightly curved surfaces without rivets

Achieve your desired aesthetic with matte white, gloss white, or clear options

Suitable for indoor and short term outdoor applications (<5 years outdoors)

Available in 90# layflat or 90# air-egress layflat options for efficient finishing and installation

Printer Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ▶



PREMIUM VINYL

HIGH PERFORMANCE
CALENDERED VINYL

STANDARD SIZES ▶

Wide Format	Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Cartron
	Gloss White	SPM300GWF2050	20" x 50 yd	3 mil	Permanent	90# Layflat	1
		SPM300GWF5450 \$	54" x 50 yd				1
		SPM300GWF6050	60" x 50 yd				1
	Gloss White	SPE300GWR/GR5450 \$	54" x 50 yd	3 mil	Gray Removable	90# Layflat Air-Egress	1
		SPM300GWR/GR5450 \$	54" x 50 yd			90# Layflat	1
		SPM300GWR/GR6050	60" x 50 yd			90# Layflat	1
	Gloss White	SPE300GWF/GR5450 \$	54" x 50 yd	3 mil	Gray Permanent	90# Layflat Air-Egress	1
		SPM300GWF/GR5450 \$	54" x 50 yd			90# Layflat	1
		SPM300GWF/GR6050	60" x 50 yd			90# Layflat	1
	Gloss White	SPM300GWF/HT5450 \$	54" x 50 yd	3 mil	High-Tack Permanent	90# Layflat	1
	Gloss White	SPM600G5450 \$	54" x 50 yd	6 mil	High-Tack Permanent	90# Layflat	1
	Matte White	SPM400FW/P5450 \$	54" x 50 yd	4 mil	Permanent	90# Layflat	1
		SPM400FW/P6050	60" x 50 yd				1
	Matte White	SPE400FWR/GR5450 \$	54" x 50 yd	4 mil	Gray Removable	90# Layflat Air-Egress	1
		SPM400FWR/GR5450 \$	54" x 50 yd			90# Layflat	1
		SPM400FWR/GR6050	60" x 50 yd			90# Layflat	1
	Matte White	SPE400FWP/GR5450 \$	54" x 50 yd	4 mil	Gray Permanent	90# Layflat Air-Egress	1
		SPM400FWP/GR5450 \$	54" x 50 yd			90# Layflat	1
		SPM400FWP/GR6050	60" x 50 yd			90# Layflat	1
	Matte White	SPM400FWP/HT5450 \$	54" x 50 yd	4 mil	High-Tack Permanent	90# Layflat	1
	Matte White	SPM400FW/R5450 \$	54" x 50 yd	4 mil	Removable	90# Layflat	1
		SPM400FW/R6050	60" x 50 yd				1
	Matte White	SPM600S450N \$	54" x 50 yd	6 mil	High-Tack Permanent	90# Layflat	1
		SPM600FW/R5450 \$	54" x 50 yd				1
	Matte White	SPE600FW/R \$	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat Air-Egress	1



NEKOOSA BUCKS

available in select rolls listed above.



Applications

Banner Graphics

Cut Lettering

Decals

Point-of-Purchase
Signage

Bumper Stickers

Fleet Markings

Name Plates

In-Store Promotions



◀ CLASSIC VINYL

GENERAL USE
CALENDERED VINYL

Nekoosa's Classic Vinyl product portfolio is intended for interior and exterior point-of-purchase graphic applications.

Suitable for indoor and outdoor applications (<3 years outdoors)

Grades with removable adhesive will remove cleanly from surfaces within 1 year

Matte, gloss, or clear finishes

Clear or gray block-out, permanent, or removable pressure sensitive adhesive

Air-egress options available

Layflat 90# release liner, superior for printing with latex and UV wide format printers

Easy installation onto flat and simple curves without rivets

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ▶



CLASSIC VINYL

GENERAL USE
CALENDERED VINYL

STANDARD SIZES ▶

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Gloss White	SPM390G5450	54" x 50 yd	3 mil	Gray Permanent	90# Layflat	1
	SPM390GWF5450	54" x 50 yd	3 mil	Permanent	90# Layflat	1
	SPM390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layflat	1
	SPE390GWF/GR5450	54" x 50 yd	3 mil	Gray Permanent	90# Layflat Air-Egress	1
	SPE390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layflat Air-Egress	1
Matte White	SPM490FWP5450	54" x 50 yd	4 mil	Permanent	90# Layflat	1
	SPM490FWR5450	54" x 50 yd	4 mil	Removable	90# Layflat	1
	SPM490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layflat	1
	SPM490FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# Layflat	1
	SPE490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layflat Air-Egress	1
Gloss Clear	SPE490FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# Layflat Air-Egress	1
	SPM400C450	54" x 50 yd	4 mil	Permanent	90# Layflat	1



Applications

Restaurant Menu Boards

Retail Promotional
Displays

Point-of-Purchase
Wall Signage

To-Do List

Textured Wall Graphics

Seasonal Promotional
Signage

Trade Show & Event
Signage

Large Format Graphics

Grocery Store Displays



Printable, chalkboard film with removable adhesive for all your creative uses.

5 mil textured matte black vinyl facestock, high-peel removable adhesive, 90# layflat polycoated paper liner

High-peel adhesive properties allow for a broader range of applications surfaces like painted plywood, textured walls, and low-to-no VOC paints

Suitable for indoor and outdoor applications (<6 months clean removability from application surface)

Write with chalk or liquid chalk ink pens for best results*

Wipes clean with a damp cloth

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ►



CHALKTALK®

CHALKBOARD
FILM

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Textured Matte Black	SPMCHK2475 \$	24" x 75 ft	5 mil	High Peel Removable	90# Layflat	1
	Textured Matte Black	SPMCHK5475 \$	54" x 75 ft	5 mil	High Peel Removable	90# Layflat	1



NEKOOSA BUCKS

available in select rolls listed above.

Easy to apply and remove from these surfaces:

WOOD PANELING	POLISHED STONE	STAINLESS STEEL	SMOOTH PAINTED WALLS	TEXTURED PAINTED WALLS	LOW VOC PAINT	CONCRETE
PAINTED PLYWOOD						

*For best results, write on ChalkTalk® with chalk ink pens.



Applications

Retractable Banner
Stand Graphics

Stanchion Stand
Graphic Inserts

Trade Show Graphics

Rotating Banners

Wide Format Banners

Point-of-Purchase
Signage

Hanging Graphics

Backlit Graphics

Menu Boards

Wayfinding Signage

Retail Storefront
Graphics

Museum & Exhibit
Graphics

Outdoor Durable
Signage

Transit & Bus Shelter
Posters

Aisle Invaders & Shelf
Wobblers



SYNAPS OM WIDE FORMAT

DURABLE, LAYFLAT
POLYESTER FILM

No lamination, No curling. Just fast, flawless, durable wide format graphics.

No Lamination Required – Save time and production costs with a durable, ready-to-use print media, no additional lamination needed

Durable & Scratch Resistant – Engineered to withstand demanding environments and heavy handling – resists scratches, abrasions, curling, wrinkling, bowing, and edge fraying

Waterproof & Tear Resistant – Reliable performance in wet and extreme outdoor conditions, ideal for long-lasting signage in any weather

Layflat After Rolling – Maintains a smooth, professional appearance after being rolled during shipping or long-term storage

Highest Quality Prints – A bright white point and double-sided matte finish produce bold colors, sharp image detail, and consistent results front and back

Fade & Heat Resistant – Graphics remain vibrant even when exposed to direct sunlight, heat, and repeated handling

Versatile Finishing – Compatible with common post-production finishing methods like grommeting, die-cutting, trimming, and mounting

Sustainable Choice – PVC-free and made with over 15% recycled polyester (rPET) for a more environmentally friendly responsible print solution

Print Compatibility – Wide Format (Latex & UV)

Certified for
HP Latex Inks

SCAN HERE FOR
FREE SAMPLES ▶



SYNAPS OM WIDE FORMAT

DURABLE, LAYFLAT
POLYESTER FILM

STANDARD SIZES ▶

Film Thickness	SKU #	Size	GSM	Rolls/Cartons
SYNAPS OM - Wide Format Rolls				
5 mil	66102 \$	54" x 100'	135	1
8 mil	66103 \$	36" x 100'	230	1
	66104 \$	54" x 100'		1
10 mil	66106 \$	54" x 100'	300	1
14 mil	66110 \$	36" x 100'	450	1
	66111 \$	54" x 100'		1

Film Thickness	SKU #	Size	GSM	Sheets/Cartons
SYNAPS OM - Flatbed Sheets				
5 mil	66003 \$	28" x 40"	135	300
8 mil	66007 \$	28" x 40"	230	175
10 mil	66011 \$	28" x 40"	300	100
14 mil	66039 \$	28" x 40"	450	100

*Each SYNAPS OM thickness listed above is offered in custom sizes. Please contact us for more information.



NEKOOSA BUCKS

available in select rolls listed above.

= PVC-Free

15 %

RECYCLED PLASTIC

Synaps

Certified by RecyClass



WINDOW GRAPHICS

Sign-Ad®

Hi-Stat®

Hi-Stat Opti-Cling®

ClingZ®

Ztac™

Barrier Film

Opaque Window Film



Applications

Interior & Exterior
Window Graphics

Point-of-Purchase
Window Advertisements

One-Way Window
Messaging

Double-Sided Window
Signage

Opaque Window
Graphics

Optically Clear
Window Graphics

Price Stickers

Counter Mats



SIGN-AD®

REMOVABLE
WINDOW GRAPHIC FILM

Advertise your newest product or upcoming event with window graphics printed on Nekoosa's Sign-Ad® removable window film.


Available in clear, optically clear, white, and opaque finishes

Removable low-tack or moderate-tack adhesive options for easy installation and removal without leaving a trace of residue behind

Superior printing, die-cutting, and installation performance due to a robust 90# layflat paper liner

Air-egress option available

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

PVC-FREE OPTION  **Sign-Ad® Clear:** 4 mil. gloss clear film designed with a removable adhesive and 90# layflat release liner. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.



SCAN HERE FOR
FREE SAMPLES ▶



SIGN-AD[®] | REMOVABLE WINDOW GRAPHIC FILM

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Matte White	SPMSA5450 \$	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
		SPMSA6050	60" x 50 yd				1
	Opaque Gloss White	SPMSABF5450 \$	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1
	Gloss Clear	SPMCAD5450 \$	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
		SPMCAD5450PP	54" x 50 yd				1
		SPMCAD6050	60" x 50 yd				1
	Clear Air-Egress	SPECADP5450N	54" x 50 yd	4 mil	Low-Tack Removable	Clear Printed Film with Air-Egress	1
	Gloss Optically Clear	SPMCADP5450 \$	54" x 50 yd	4 mil	Low-Tack Removable	Clear Film	1



NEKOOSA BUCKS

available in select rolls listed above.



Easy to apply and remove from these surfaces:



Applications

Window Graphics

Point-of-Purchase
Window Advertisements

Reversible Print Window
Displays

Double Sided Window
Graphics

Optically Clear Window
Displays

Automotive Window
Graphics

Window Decals

Seasonal Signage

Holiday Décor

Price Stickers

LED Screen Protection



Hi-Stat® static cling vinyl is a very flexible film which adheres to most clean, high polished surfaces without adhesive.

Ideal for temporary promotional applications used indoors or outdoors (<3 months)

Easy to apply, remove, and reposition for application to most clean, high polished surfaces – no surface damage

Can be wet applied, but no solvents needed for application or removal

Can be die-cut, kiss-cut, and plotter cut

Available in white, clear, or optically clear finishes

Wide format rolls enhanced with a 90# polycoated layflat release liner for optimal performance on wide format printers

Laminate Nekoosa's Hi-Stat® Clear with Sign-Ad® Gloss White Opaque to easily create removable 'push-pull' two way signage

Print Compatibility: Wide Format (Eco-Solvent/Solvent, and Latex, and UV)

Certified for
HP Latex Inks



SCAN HERE FOR
FREE SAMPLES ►



HI-STAT®

STATIC CLING
VINYL

STANDARD SIZES ▶

	Finish/Color	SKU #	Roll Size	Film Thickness	Liner	Rolls/Carton
Wide Format						
Gloss White		SPMHSW5450 \$	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
		SPMHSW6050	60" x 50 yd		90# PE-Coated Layflat	1
Gloss Clear		SPMHSC5450 \$	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
		SPMHSC6050	60" x 50 yd		90# PE-Coated Layflat	1
Optically Clear Opti-Cling®		SPMHSC5C5450 \$	54" x 50 yd	8 mil	Matte Clear Film	1

\$ NEKOOSA BUCKS
available in select rolls listed above.



Applications

Screen Safe Labels

In-Store Promotional
Signage

Large Format Graphics

Tileable Murals

P.O.P. Signage

Reverse Sided Graphics

Trade Show & Event
Signage

Window Graphics

Holiday Décor & Decals

Guerrilla Marketing



ELECTRICALLY CHARGED
POLYPROPYLENE

ClingZ® is an adhesive-free electrically charged film that adheres to any dry interior surface and is effortless to reposition.

Ideal for temporary indoor marketing applications

Effortless to apply, remove, and reposition to any dry interior surface

Adhesive free – no glue, tape, tacks, or pins required

Chemically inert, PVC-free, and phthalate-free

Can be die cut, kiss cut, and plotter cut

Print Compatibility: Wide Format (UV)



SCAN HERE FOR
FREE SAMPLES ►





ELECTRICALLY CHARGED
POLYPROPYLENE

STANDARD SIZES ▶

	Color	SKU #	Size	GSM	Roll Wgt	Qty/Unit
Wide Format	White	71514 \$	54" x 75'	161	12	1/Roll




NEKOOSA BUCKS

available in select rolls listed above.

= PVC-Free

Easy to apply and remove from these surfaces and many more...



*We recommend testing ClingZ® on your specific application surface to ensure compatibility



Applications

Window Graphics

Tileable Mural

P.O.P. Signage

Reverse Sided Window
Graphics

Trade Show & Event
Signage

Holiday Décor and
Decals

Hot Deli Glass Case
Signage

Glass Freezer & Cooler
Doors



ztac™

ULTRA LOW-TACK
POLYESTER

Ztac™ is an ultra-low tack, repositionable, PVC-free film designed for easy application and removal on very smooth indoor surfaces.

Effortless to apply, remove, and reposition multiple times without leaving a trace of adhesive residue behind

Repositionable – will hold its original shape without “dog earring”

ClingZ requires a white boarder to properly adhere

Suitable for indoor use on very smooth surfaces like windows, glass, and polished metal

Can be die cut, kiss cut, perforated, scored, and folded

Chemically inert, PVC-free, and phthalate-free

Print Compatibility: Wide Format (UV)



SCAN HERE FOR
FREE SAMPLES ►



STANDARD SIZES ▶

	Color	SKU #	Size	Film Thickness	Adhesive	Liner	GSM	Rolls
Wide Format								
	White	71411 \$	54" x 50 yd	3 mil	Low Tack Dot Pattern Adhesive	Paper	208	1
	Clear	71410 \$	54" x 50 yd	3 mil	Low Tack Dot Pattern Adhesive	Paper	201	1




NEKOOSA BUCKS

available in select rolls listed above.

= PVC-Free

Easy to remove from these smooth, indoor
surfaces and more...



*We recommend testing Ztac™ on your specific application surface to ensure compatibility



Applications

Push-Pull Graphics

Window Decals

Posters

Mouse Pads

Decals



◀ BARRIER FILM

OPAQUE
POLYPROPYLENE

Applied to Sign-Ad® Clear or Hi-Stat® Clear, the complete opacity of this barrier film allows the printing of two-way decals for interior and exterior viewing.

Bright white, 100% opaque two-sided window graphics

4 mil flexible vinyl face stock and 0/split 90# poly coated liner

Permanent adhesive

Laminate to a clear static cling or clear pressure sensitive film

Eliminates the need to print many layers of ink on one film

Print Compatibility: Wide Format (UV)




SCAN HERE FOR
FREE SAMPLES ▶



BARRIER FILM

OPAQUE
POLYPROPYLENE

STANDARD SIZES ▶

	Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Opaque Gloss White	SPMBF5450N 	54" x 50 yd	2.3 mil	White Permanent Acrylic	53#	1

 **NEKOOSA BUCKS**
available in select rolls listed above.

 = PVC-Free



Applications

Push-Pull Graphics

Window Graphics

Posters

Decals

P.O.P. Displays

Advertising Graphics



OPAQUE WINDOW FILMS

Opaque window films can be laminated to clear Hi-Stat®, Sign-Ad®, or NextBond® products to create double sided “push-pull” signage for window decals, window graphics, and point-of-purchase displays.

BARRIER FILM

Bright white, 2.3 mil opaque polypropylene film with a permanent adhesive

Laminates to a clear static cling or clear pressure sensitive film

Print Compatibility: Wide Format (UV)

SIGN-AD® OPAQUE

Bright white, opaque 6 mil vinyl with a moderate-tack removable white adhesive

Laminate to another clear Nekoosa product to easily create two-way signage

Suitable for indoor and outdoor use (<1 year outdoors)

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



BARRIER FILM
SCAN HERE FOR
FREE SAMPLES ▶




SIGN-AD® OPAQUE
SCAN HERE FOR
FREE SAMPLES ▶



OPAQUE WINDOW FILMS

OPAQUE BARRIER FILM

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Opaque Gloss White	SPMBF5450N 	54" x 50 yd	2.3 mil	Permanent	53#	1

 = PVC-Free

SIGN-AD® OPAQUE

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Opaque Gloss White	SPMSABF5450 	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1



NEKOOSA BUCKS

available in select rolls listed above.



CUT FILMS

Nekoosa CV300 Series™

VinylEfx®

PolyEfx®



Applications

Banner Graphics

Cut Lettering

Decals

Holiday Décor

Point-of-Purchase
Signage

Bumper Stickers

Fleet Markings

Safety Signage

Commercial Signage

Identification Markings

Appliance Labels

Nameplates



NEKOOSA CV300 SERIES™

CUT LETTERING
SIGN VINYL

Create endless signage applications with
CV300 Series.

Excellent dimensional stability

Cuts and weeds easily

Available in a variety of colors and standard roll sizes

For ease of installation, apply cut letters with RTape® Conform® 4075RLA

Soft in nature, adaptable for conforming to curves or flat surfaces

3 mil gloss vinyl facestock rated for <6 years of outdoor durability

Moderate peel, moderate tack permanent adhesive

78# paper liner

Specifically formulated for banner graphics and lettering




SCAN HERE FOR
FREE SAMPLES ▶



NEKOOSA CV300 SERIES™

CUT LETTERING
SIGN VINYL

■ Indoor & Outdoor Series: Roll Size (in)



* Other sizes may be available upon request.

STANDARD SIZES ▶

Code/Color	SKU #	Size
Nekoosa CV300 Series™ Cut Vinyl		
114 Clear	CVCL2450A	24" x 50 yd
	CVCL4850A	48" x 50 yd
10 White	CVWH2450A	24" x 50 yd
	CVWH4850A	48" x 50 yd
20 Matte White	CVSTW2450A	24" x 50 yd
	CVSTW4850A	48" x 50 yd
15 Bright Yellow	CVBY2450A	24" x 50 yd
	CVBY4850A	48" x 50 yd
25 Sunflower	CVSF2450A	24" x 50 yd
	CVSF4850A	48" x 50 yd
91 Gold	CVGO2450A	24" x 50 yd
	CVGO4850A	48" x 50 yd
36 Orange	CVOR2450A	24" x 50 yd
	CVOR4850A	48" x 50 yd
43 Bright Red	CVBT2450A	24" x 50 yd
	CVBT4850A	48" x 50 yd
53 Cardinal Red	CVCD2450A	24" x 50 yd
	CVCD4850A	48" x 50 yd
47 Olympic Blue	CVOB2450A	24" x 50 yd
	CVOB4850A	48" x 50 yd

Code/Color	SKU #	Size
Nekoosa CV300 Series™ Cut Vinyl		
57 Medium Blue	CVMB2450A	24" x 50 yd
	CVMB4850A	48" x 50 yd
37 Sapphire Blue	CVSB2450A	24" x 50 yd
	CVSB4850A	48" x 50 yd
62 Deep Blue	CVDB2450A	24" x 50 yd
	CVDB4850A	48" x 50 yd
196 Apple Green	CVAG2450A	24" x 50 yd
	CVAG4850A	48" x 50 yd
18 Hunter Green	CVHG2450A	24" x 50 yd
	CVHG4850A	48" x 50 yd
90 Silver	CVSI2450A	24" x 50 yd
	CVSI4850A	48" x 50 yd
73 Dark Gray	CVDG2450A	24" x 50 yd
	CVDG4850A	48" x 50 yd
12 Black	CVBK2450A	24" x 50 yd
	CVBK4850A	48" x 50 yd
22 Matte Black	CVSTB2450A	24" x 50 yd
	CVSTB4850A	48" x 50 yd

Applications

Cut Lettering

Decals

Point-of-Purchase
Signage

Holiday Decor

Bumper Stickers

Fleet Markings

Decorative In-Store
Displays

Seasonal
Signage

Decorative
Labels

Trade Show
Graphics

Event Signage

Banner Graphics

Name Plates



Eye-catching metallic, reflective, and glittering vinyls for cut lettering applications and printed graphics.

Available in both Indoor Decorative and Outdoor Durable series (<3 years outdoors) with permanent adhesive

Easy application to flat, smooth surfaces – dry application only

Cuts and weeds easily

Apply cut letters with RTape® Conform® 4075RLA and printed graphics with RTape® Conform® 4760RLA application tape

Allow for 1/8" - 1/4" border around the edges of printed graphics

Overlaminates can be used if extra protection is required


Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ▶



VINYLEFX® METALIZED CUT LETTERING SIGN VINYL



STANDARD SIZES ►

Pattern/Color	SKU#	Size
Indoor Decorative		
Smooth Silver	VX1764-24150	24" x 50 yd
	VX1764-48150	48" x 50 yd
	VX1764-54150	54" x 50 yd
Smooth Gold	VX2293-24150	24" x 50 yd
	VX2293-48150	48" x 50 yd
	VX2293-54150	54" x 50 yd
Smooth Rose Gold	VX5439-24150	24" x 50 yd
	VX5439-48150	48" x 50 yd
	VX6770-24150	24" x 50 yd
Fine Brush Silver	VX6770-48150	48" x 50 yd
	VX6770-54150	54" x 50 yd
Fine Brush Rose Gold	VX5003-24150	24" x 50 yd
	VX5003-48150	48" x 50 yd
Rainbow Brite Overall Silver	VX3138-24150	24" x 50 yd
	VX2716-24150	24" x 50 yd
	VX2716-48150	48" x 50 yd
Metal Flake Silver	VX5186-24150	24" x 50 yd
	VX6008-24150	24" x 50 yd
Diamond Plate Silver	VX6008-48150	48" x 50 yd
	VX1754-24150	24" x 50 yd

Pattern/Color	SKU#	Size
Outdoor Durable		
Smooth Silver	VX9809-24150	24" x 50 yd
	VX9809-48150	48" x 50 yd
Smooth Gold	VX9387-24150	24" x 50 yd
	VX9387-48150	48" x 50 yd
Smooth Rose Gold	VX4577-24150	24" x 50 yd
	VX4577-48150	48" x 50 yd
Fine Brush Silver	VX4126-24150	24" x 50 yd
	VX4126-48150	48" x 50 yd
Fine Brush Gold	VX6582-24150	24" x 50 yd
	VX6582-48150	48" x 50 yd
Fine Brush Rose Gold	VX3922-24150	24" x 50 yd
	VX3922-48150	48" x 50 yd
Rainbow Brite Overall Silver	VX1488-24150	24" x 50 yd
Large Engine Turn Gold	VX8966-24150	24" x 50 yd
Diamond Plate Silver	VX9703-24150	24" x 50 yd
	VX9703-48150	48" x 50 yd
Florentine Leaf Gold	VX1566-24150	24" x 50 yd



Applications

Cut Lettering
 Decals
 Point-of-Purchase
 Signage
 Holiday Décor
 Fleet Markings
 Decorative In-Store
 Displays
 Seasonal Signage
 Decorative Labels
 Trade Show Graphics
 Event Signage
 Banner Graphics
 Name Plates
 Bumper Stickers
 In-Store Promotions



POLYEFX®

POLYESTER CUT LETTERING
SIGN VINYL

Metalized polyester films used in the production of high quality applications that require metallic luster, durability and dimensional stability.

Dimensionally stable films for high quality die cutting applications

2 mil metalized polyester facestock

High peel, high tack permanent adhesive

90# layflat paper liner

Not recommended for outdoor use

Print Compatibility: Wide Format (UV)

SCAN HERE FOR
FREE SAMPLES ►



POLYEFX®

POLYESTER CUT LETTERING
SIGN VINYL



STANDARD SIZES ▶

Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Indoor Metalized Polyester						
Bright Silver	CMG2450A	24" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMG4850A	48" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMG5450A	54" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
Brushed Silver	CMBS2450A	24" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMBS4850A	48" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMBS5450A	54" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
Bright Gold	CMG2450A	24" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMG4850A	48" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMG5450A	54" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1

*54" x 50 yd rolls are stocked, and 24" x 50 yd and 48" x 50 yd rolls will be made to order.

*Each product listed above is offered in custom sizes. Please contact us for more details.

 = PVC-Free

WALL GRAPHICS

Wall Graphics®

Augusta Wall Graphics®



Applications

Interior and Exterior
Wall Graphics

Wall Décor

Point-of-Purchase Wall
Signage

Renovation Barricades

Wayward Signage

Posters

Textured Wall Graphics



WALL GRAPHICS®

WALL GRAPHIC
FILM

Nekoosa's Wall Graphics® portfolio is a comprehensive offering of repositionable, easily removable films for interior and exterior wall graphic applications.

Microsphere Removable Adhesive	High-Peel Removable Adhesive
<ul style="list-style-type: none"> • Matte white or gloss white finishes • 4, 6, and 8 mil facestock rated for <3 years of outdoor use • Augusta Wall Graphics® 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner also available • Suitable for short term indoor and outdoor applications (<1 year clean removability from application surfaces) • Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass 	<ul style="list-style-type: none"> • High-peel adhesive properties allow for a broader range of application surfaces – painted plywood, textured walls, and low-to-no VOC paints • 6 mil semi-rigid matte white facestock rated for <3 years of outdoor use • Options available with a 90# layflat or 90# air-egress layflat polycoated paper liner • Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces) • Recommended application surfaces: painted plywood, textured walls, sheetrock, concrete, and cinder block

High opacity films with an excellent white point

Stable 90# layflat polycoated paper liner for ease of printing and installation

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

PVC-FREE OPTION  **Wall Graphics® Matte White:** 4 mil. matte white film designed with a 90# layflat release liner and microsphere removable adhesive. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.

Certified for
HP Latex Inks



SCAN HERE FOR
FREE SAMPLES ▶



WALL GRAPHICS®

WALL GRAPHIC
FILM

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format							
Matte White		SPMWGW5450	54" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
		SPMWGW6050	60" x 50 yd				1
		SPMWG5450PP \$	54" x 50 yd				1
		SPMWG65450 \$	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
		SPMWG66050	60" x 50 yd				1
		SPM600FW/R5450	54" x 50 yd		High-Peel Removable	90# Layflat	1
		SPE600FW/R5450	54" x 50 yd	6 mil		90# Layflat Air-Egress	1
		SPMWG85450	54" x 50 yd	8 mil	Microsphere Removable	90# Layflat	1
Gloss White		SPMWG6G5450	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
Augusta Embossed Matte White		SPMAUG5450 \$	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1



NEKOOSA BUCKS

available in select rolls listed above.

= PVC-Free

Easy to apply and remove from these surfaces and many more...


Microsphere Removable

WALL PAPER	WOOD PANELING	POLISHED STONE	GLASS	STAINLESS STEEL	SMOOTH PAINTED WALLS

High-Peel Removable

TEXTURED PAINTED WALLS	LOW VOC PAINT	CONCRETE	PAINTED PLYWOOD

*We recommend testing Wall Graphics® on your specific application surface to ensure compatibility



FLOOR GRAPHICS

Walk-On Graphics®



Applications

Wayward Floor Graphics

Floor Advertising
Graphics

Point-of-Purchase Floor
Signage

Social Distancing Floor
Graphics

Directional Arrows

Counter Mats



◀ WALK-ON GRAPHICS®

SLIP RESISTANT
FLOOR GRAPHIC
SYSTEM

The Walk-On Graphics® two part system includes a printable vinyl base film and a UL 410 slip resistant overlaminate to create durable floor signage applications.

Recommended for use on smooth, clean, flat surfaces like tile, sealed wood, ceramic tile vinyl, and sealed concrete

4 mil printable vinyl base film available in white or clear finishes with removable adhesive

4 mil clear, double polished, and 6 mil clear embossed UL 410 certified overlaminate options
Suitable for indoor short term floor graphics (<6 months)

Graphics withstand normal floor maintenance and cleaning

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ▶



WALK-ON GRAPHICS®

SLIP RESISTANT
FLOOR GRAPHIC SYSTEM

STANDARD SIZES ▶

	Color	SKU #	Application	Film Thickness	Adhesive	Liner	Durability	Size
Base Film	White	SPMWOGWB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
	Clear	SPMWOGCB5450N	Floor	4 mil	Removable	90# Layflat	6 months	54" x 50 yd

	Color	SKU #	Material	Film Thickness	Adhesive	Liner	Durability	Size
Recommended Overlaminate	Double Polished Clear	LMWOG4LL5450	Calendared Vinyl	4 mil	Permanent	PET	6 Months Indoors	54" x 50 yd
	Embossed Clear	LM4CL5450A	Calendared Vinyl	6 mil	Permanent	PET	6 Months Indoors	54" x 50 yd
	Embossed Clear	LMPP5450	Polyolefin	3 mil	Permanent	PET	6 Months Indoors	54" x 50 yd

*Overlaminates listed above are UL 410 certified and suitable for interior floor graphics.



= PVC-Free

Easy to apply and remove from these surfaces:





GLASS FINISHES

Deep Etch

Light Etch

Dusted Crystal

Frost

Sand Blast

Sand Matte

Bird Safety Film

Applications

Privacy Films

Decorative
Window Films

Conference Room
Window Films

Lobby
Window Films

Retail Space
Window Films

Glass Partition Films

Office Space
Window Films



NEKOOSA GLASS FINISHES®

PRIVACY AND DECORATIVE
WINDOW FILMS

Nekoosa Glass Finishes® offers a wide range of printable window films designed to transform the appearance of interior and exterior commercial buildings for privacy and finishing purposes.

Available in Deep Etch, Light Etch, Dusted Crystal, Frost, Sand Blast, and Sand Matte finishes

Each film offers a degree of privacy by obscuring direct visibility while allowing excellent light transmission

Solvent-performance permanent adhesive with a PET liner

Printable and plottable

7 years of outdoor durability

For ease of application, apply Nekoosa Glass Finishes® with RTape's Conform® 4075RLA, ApliTape™ 4075, or Clear Choice® AT65

Bird Safety Film: Bird deterrent safety film engineered specifically to allow birds to see windows that otherwise appear invisible

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, UV)



SCAN HERE FOR
FREE SAMPLES ▶



NEKOOSA GLASS FINISHES®

PRIVACY AND DECORATIVE
WINDOW FILMS

STANDARD SIZES ▶

	Finish/Color	SKU #	Liner	Size
Nekoosa Glass Finishes®				
Nekoosa Glass Finishes - Deep Etch	Opaque Frosted	DW9867-60100 \$	PET Liner	60" x 100'
Nekoosa Glass Finishes - Light Etch	Opaque Frosted	DW4477-60100 \$	PET Liner	60" x 100'
Nekoosa Glass Finishes - Dusted Crystal	Opaque Frosted	DW3412-60100 \$	PET Liner	60" x 100'
Nekoosa Glass Finishes - Frost	Clear Embossed	DW2345-60100 \$	PET Liner	60" x 100'
Nekoosa Glass Finishes - Sand Blast	Clear Embossed	DW6231-60100 \$	PET Liner	60" x 100'
Nekoosa Glass Finishes - Sand Matte	Opaque Frosted	DW1823-60100 \$	PET Liner	60" x 100'
Nekoosa Glass Finishes - Bird Safety Film	DOT	DW7154-6095 \$	PET Liner	60" x 95'



NEKOOSA BUCKS

available in select rolls listed above.

= PVC-Free



OVERLAMINATES


Polyester

Calendered Vinyl

Polycarbonate

Polyolefin

NEKO
MANUFACTURING
TYPE



printed on an Acuity Advance X2

Applications

Flat & Simple Curves

Printed Graphics

Point-of-Purchase Displays

Wall Graphics

Window Graphics

Floor Graphics

Exhibits

Trade Show Graphics

Transit

Displays

Dry Erase Graphics

Counter Mats

Photographic Prints

In-Store Signage



OVERLAMINATE FILMS

PORTFOLIO

Overlaminates that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture, and abrasion.

Calendered vinyl, polycarbonate, polyester, and polyolefin options available to fit your specific application - **Laminate to similar substrates for the best results*

Choose from a range of finishes, including matte, gloss, luster, velvet, optically clear, or textured options to achieve the perfect blend of aesthetics and functionality

High-performing, permanent pressure-activated adhesives engineered to prevent common flaws in the laminating process like silvering, orange peeling, and delamination

Excellent performance on flat or simply curved application surfaces

Unique options also available – UL 410 slip resistance and dry erase



SCAN HERE FOR
FREE SAMPLES ▶



OVERLAMINATE FILMS PORTFOLIO

STANDARD SIZES ▶

Finish/Color	SKU #	UV Protection	Size	Film Thickness	Adhesive	Liner
Calendered Vinyl Overlamine Films						
Luster Clear	LM3LL5450 \$	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3LL6050	•	60" x 50 yd			
Matte Clear	LM3MCL5450 \$	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3MCL6050	•	60" x 50 yd			
Gloss Clear	LM3CL5450 \$	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3CL6050	•	60" x 50 yd			
Gloss Optically Clear*	LM4CL5450	•	54" x 50 yd	4 mil	Permanent	PET
Embossed Clear*	LM6CE5450	•	54" x 50 yd	6 mil Semi-Rigid	Permanent	PET

*LM4CL and LM6CE are UL 410 certified and suitable for interior floor graphics.

Polycarbonate Overlamine Films						
Velvet Matte	5044550LM	•	51" x 50 yd	3 mil	Non-Yellowing Permanent Solvent	PET
	5044553LM	•	51" x 50 yd	10 mil	Non-Yellowing Permanent Solvent	PET

*Also available in the NextBond® portfolio

Polyester Overlamine Films						
Optically Clear	LM2CL5450		54" x 50 yd	2 mil	Permanent	PET
Optically Clear Dry Erase	LM1DE5450		54" x 50 yd	1 mil	Permanent	PET

Polyolefin Overlamine Film						
Embossed Clear	LMPP5450		54" x 50 yd	3 mil	Permanent	PET


*LMPP5450 is UL410 certified and suitable for interior floor graphics



NEKOOSA BUCKS

available in select rolls listed above.

= PVC-Free



TRANSLUCENTS & REFLECTIVES

Translucent Calendered Vinyl

Reflective Vinyl



Applications

Illuminated Signage

Fleet Graphics

Taxi-Tops

Gas Station Canopies

Awnings

Blinds

Light Boxes

Shop Fascias

Window Graphics



TRANSLUCENT CALENDERED VINYL

ADHESIVE BACKED
TRANSLUCENT FILM

The ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Maximum color density with advanced ink adhesion technology

For indoor and outdoor use

Removable adhesive

Ideally suited for mild solvent and solvent inks

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

TRANSLUCENT CALENDERED VINYL

ADHESIVE BACKED
TRANSLUCENT FILM

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner
Wide Format	Matte White	SPMTUR5450N	54" x 50 yd	4 mil	Removable	90# Layflat
	Matte White	SPMTUR6050N	60" x 50 yd	4 mil	Removable	90# Layflat

Custom Size Offering: 60" x 50 yd rolls are available upon request, and subject to order minimums.



Applications

Vehicle & Fleet Markings

Traffic & Commercial
Signage

Traffic Control Devices

Labels

Safety Decals



REFLECTIVE VINYL

ADHESIVE BACKED
REFLECTIVE VINYL

Reflective Vinyl is a flexible, enclosed lens glass-bead retroreflective sheeting that reflects light. Ideal for safety and commercial signage applications.

For indoor and outdoor use (<7 years) – highly resistant to extreme hot, cold, dry, and humid weather conditions

Permanent bonding after 48 hours, removable adhesive with heat (<3 years)

Can be applied to flat, corrugated, and riveted surfaces

Available in white

Pressure-activated adhesive for easy installation

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

REFLECTIVE VINYL

ADHESIVE BACKED
REFLECTIVE VINYL

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner
Wide Format	White	SPMRF4825	48" x 25 yd	7 mil	Permanent*	78#
		SPMRF4850	48" x 50 yd	7 mil	Permanent*	78#

*Removable up to 3 years with heat.



MOUNTING FILMS



Applications

Window Graphics
(Push/Pull Graphics)

Posters

Medical Applications

Switches

Mouse Pads

Decals



◀ MOUNTING FILMS

PERMANENT AND
REMOVABLE POLYESTER

Easily convert non-adhesive backed films to pressure sensitive materials with either a permanent or removable mounting film.

Offered in a variety of gauges and adhesive combinations

Options available for both indoor and outdoor applications

Printed film liners and self-wound liners available

Air-egress liner options available for easy, bubble free application

Available in wide format rolls - custom sizes available upon request



SCAN HERE FOR
FREE SAMPLES ▶



MOUNTING FILMS

PERMANENT AND REMOVABLE
POLYESTER

STANDARD SIZES ▶

	Color	SKU #	Film Thickness	Side 1		Side 2		Durability	Size
				Adhesive	Liner	Adhesive	Liner		
Wide Format									
Permanent/Permanent									
	White	👉 CMTT200WSL5150	2 mil	Permanent	40# C2S	Permanent	N/A (Self Wound)	3 years	51" x 50 yd
		👉 CMTT200WSL5450							54" x 50 yd
Permanent/Removable									
	Optically Clear	👉 CMTT100PR3850	1 mil	Permanent	Clear Film	Removable	Clear Printed Film	3 years	38" x 50 yd
		👉 CMTT100PR5150							51" x 50 yd
		👉 CMTT100PR5450							54" x 50 yd
	Clear	👉 CMTT100SLPR3850	1 mil	Permanent	N/A (Self Wound)	Removable	40# C2S	3 years	38" x 50 yd
		👉 CMTT100SLPR5150							51" x 50 yd
		👉 CMTT100SLPR5450							54" x 50 yd
	Clear	👉 CMTT100AEPR3850	1 mil	Permanent	Clear Film	Removable	Clear Printed Air-Egress Film	3 years	38" x 50 yd
		👉 CMTT100AEPR5150							51" x 50 yd
		👉 CMTT100AEPR5450							54" x 50 yd

 = PVC-Free



DYE SUBLIMATION



Applications

Ceramics
 Flags
 Clothing
 Blankets
 Tablecloths
 Shower Curtains
 Sporting Apparel
 Tiles
 Home Décor
 Glass
 Mouse Pads
 Tradeshow Exhibits
 Signs & Banners
 Metal Photos
 Wood Designs
 Fiber Glass



NEKOOSA DYE SUBLIMATION TRANSFER PAPER

Dye sublimation paper for consistent, high-definition image transfer on both hard and soft surfaces.

Stable, layflat 105 & 140 gsm to support a wide range of design, shape, and complexity

One paper designed for both hard and soft surfaces

Professional quality, consistent image for sharp and clean transfer

Permanent image transfer into polyester or poly-coated surfaces

Compatible with all major dye sublimation printer brands designed with water-based ink systems

Made in the USA and 100% recyclable

Made with FSC®-certified paper, supporting responsible forestry for a more sustainable printing solution

Print Compatibility: Inkjet*

HP Stitch printer profiles available for download at colorbase.com/profile-search

SCAN HERE FOR
FREE SAMPLES ►



NEKOOSA DYE SUBLIMATION TRANSFER PAPER

STANDARD SIZES ▶

SKU #	Basis Weight	Color	Core	Rolls/Carton	Cartons/Pallet	Roll Size	Sq Ft / Roll
105 gsm Transfer Paper							
▶ DY-10524393 \$	105 gsm	White	3"	1	48	24" x 393'	786.0
▶ DY-10544393 \$	105 gsm	White	3"	1	36	44" x 393'	1441.0
▶ DY-10554393 \$	105 gsm	White	3"	1	36	54" x 393'	1768.5
▶ DY-10564393 \$	105 gsm	White	3"	1	36	64" x 393'	2096.0
▶ DY-10574393 \$	105 gsm	White	3"	1	36	74" x 393'	2423.5
SKU #	Roll Size	Color	Core	Rolls/Carton	Cartons/Pallet	Roll Size	Sq Ft/Roll
140 gsm Transfer Paper							
▶ DY-14044262 \$	140 gsm	White	3"	1	36	44" x 262'	960.7
▶ DY-14054262 \$	140 gsm	White	3"	1	36	54" x 262'	1179.0
▶ DY-14064262 \$	140 gsm	White	3"	1	36	64" x 262'	1397.3
▶ DY-14074262 \$	140 gsm	White	3"	1	24	74" x 262'	1615.7

*Roll widths listed above also available in cradle-packs

*Other roll sizes available upon request. Contact Nekoosa for more details.



NEKOOSA BUCKS

available in select rolls listed above.

= Paper-Based





NEKOOSA PROMISE™

Sustainable Print Media

The industry's broadest portfolio of
Sustainable Print Media
for promotional signage, general displays, and more!



Find sustainable solutions in these product lines:

- NextBond®
- SYNAPS
- Sign-Ad®
- ClingZ®
- Ztac™
- Barrier Film
- PolyEfx®
- Wall Graphics®
- Nekoosa Glass Finishes®
- Overlamine Films
- Mounting Films
- Dye Sublimation Transfer Paper

NextBond® eco-friendly adhesive is offered in these products:

- Premium Vinyl Print Media
- High-Bond Opaque Print Media
- Overlamine Films
- Mounting Films



REQUEST A FREE NEKOOSA PROMISE™ SUSTAINABLE PRINT MEDIA SLEEVE





**PREMIER
MANUFACTURER OF
SPECIALTY
PRINT MEDIA**
NEKOOSA.COM

Waterproof Synthetic Paper

P.O.P. Displays, Banner Stands & General Signage

Window, Wall & Floor Graphics

Glass Finishes

Outdoor Graphic Media

Overlaminates

Cut Films

Application Tapes & Premasks

Dye Sublimation Transfer Paper

Carbonless Papers

Extruded Films



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials.