



WIDE FORMAT GRAPHIC & SPECIALTY PRINT MEDIA

OUTDOOR DURABLE FILMS

PRESSURE SENSITIVE FILMS

WINDOW, WALL & FLOOR GRAPHICS

CUT FILMS

OVERLAMINATES

MOUNTING &
BARRIER FILMS

DYE SUBLIMATION
TRANSFER PAPER



Specialty print media for eco-solvent/solvent, latex,
and UV wide format printing

Nekoosa's wide format portfolio covers a large variety of different ink compatibility, film thickness, applications, and features.

		INK COMPATIBILITY	FEATURES																			
			Latex	UV Wide Format	Eco-Solvent	Dye Sublimation	Gloss	Matte	Luster	Velvet	White	Clear	Optically Clear	Opaque	Textured/Embossed	Permanent	High-Bond	High-Tack	Removable	Microsphere Removable	Low-Tack	Repositionable
Outdoor Durable																						
NextBond®	Outdoor Durable Printable Vinyls, Overlaminate & Mounting Films	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Textured Print Media																						
Trifecta®	Multipurpose Removable Textured Vinyl	•	•	•				•														
General Signage & Banner Stands																						
Premium Vinyl	High Performance Calendered Vinyl	•	•	•			•	•									•	•	•	•	•	•
Classic Vinyl	General Use Calendered Vinyl	•	•	•			•	•									•	•	•	•	•	•
SYNAPS OM Wide Format	Durable, Layflat Polyester Film	•	•					•														
Window Graphics																						
Sign-Ad®	Removable Window Graphic Film	•	•	•			•	•									•	•	•	•	•	•
Hi-Stat®	Static Cling Vinyl	•	•	•				•														
ClingZ®	Electrically Charged Polypropylene			•				•														
Ztac™	Ultra Low-Tack Polyester			•				•									•	•	•	•	•	•
Barrier Film	Opaque Polypropylene			•			•										•	•	•	•	•	•
Cut Vinyl																						
Nekoosa CV300 Series®	Cut Lettering Sign Vinyl							•	•								•	•	•	•	•	•
VinylEfx®	Metalized Cut Lettering Sign Vinyl		•	•	•				•									•				
PolyEfx®	Polyester Cut Lettering Sign Vinyl			•			•	•										•	•			
Wall Graphics																	•	•	•	•	•	•
Wall Graphics®	Removable Wall Graphic Film							•	•	•		•	•			•		•	•	•	•	•
Floor Graphics																	•	•	•	•	•	•
Walk-On Graphics®	Slip Resistant Floor Graphic System							•	•	•		•										
Overlaminate Films																	•	•	•	•	•	•
Polyester*	Polyester Overlaminating Films																	•	•	•	•	•
Calendered Vinyl	Calendered Vinyl Overlaminating Films																•	•	•	•	•	•
Polycarbonate	Polycarbonate Overlaminating Films																•	•	•	•	•	•
Polyolefin	Embossed PVC-Free Polyolefin Textured Overlaminate Film																•	•	•	•	•	•
Translucents & Reflective Films																						
Translucent Vinyl	Adhesive Backed Translucent Film							•	•	•		•					•	•				
Reflective Vinyl	Reflective Vinyl							•	•	•		•					•	•				
Mounting Films																	•	•	•	•	•	•
Mounting Films	Permanent and Removable Polyester																•	•	•	•	•	•
Dye Sublimation																	•					
Transfer Paper	Stable, Layflat Paper for Hard and Soft Surfaces																•					




Specialty Print Media ...

Where you need it, when you need it.

Looking for a reliable source for wide and grand format rolls and custom sized pressure sensitive films?

Turn to Nekoosa. With multiple converting centers and 200+ distribution partner locations throughout North America, we can get you the material you need quickly.



Why Nekoosa?



Versatile – We developed a comprehensive range of specialty print media meticulously crafted to suit even the most unique applications.



Service – Quick turnarounds? No problem. Nekoosa ships stocked products the next day and custom sizes promptly.



Quality – Nekoosa consistently sources the best materials our industry has to offer. We hold ourselves to the highest standard of offering high quality products.

Las Vegas, NV

★ Converting Center
● Distribution Center

Wisconsin Rapids, WI

★ Converting Center
● Distribution Center

Nekoosa, WI

★ Converting Center

South Plainfield, NJ

● Distribution Center



NEKOOSA PROMISE®

Sustainable Print Media

The industry's broadest portfolio of
Sustainable Print Media
for promotional signage, general displays, and more!



Find sustainable solutions
in these product lines:

NextBond®
SYNAPS
Sign-Ad®
ClingZ®
Ztac™
Barrier Film
PolyEfx®
Wall Graphics®
Overlaminate Films
Mounting Films
Dye Sublimation Transfer Paper

NEXT BOND®

NextBond® eco-friendly adhesive is
offered in these products:

NextBond® Premium Vinyl
NextBond® High-Bond Opaque
NextBond® Overlaminate Films
NextBond® Mounting Films

REQUEST A FREE NEKOOSA PROMISE® SUSTAINABLE PRINT MEDIA SLEEVE





COLLECT NEKOOSA BUCKS AND EARN MONEY



- 1
Print



- 2
Redeem



- 3
Earn

Collect Nekoosa Bucks in qualifying rolls of Nekoosa wide format specialty print media, then redeem them for cash. Redeeming is easy, just follow these steps:

1. Go to Nekoosa.com and click the red Nekoosa Bucks link on the homepage, or scan the QR code on your Nekoosa Bucks flyer.
2. Log in to your existing account, or create a new account if this is your first time redeeming.
3. Enter the code found on the front of the Nekoosa Bucks flyer. If you scanned the QR code to start, your code will automatically populate. If you have multiple codes, click Scan Another Code. When finished, click Redeem Codes.

It's that easy! Once you reach \$25 in redemptions, you can select your first gift card reward. You can also continue to grow your account and request gift cards in larger denominations. Your redemptions will add up. The more Nekoosa wide format specialty print media you run, the more you earn!



Look for this emblem
on specially marked rolls of
Nekoosa wide format print media.

FIND NEKOOSA BUCKS IN THESE PRODUCT LINES

NextBond®	NextBond® durable UV-cured adhesive is a robust, cost-effective, and eco-friendly alternative to traditional solvent-based adhesive for long-term print applications – no hazardous waste or harmful VOCs.
Trifecta®	One product, endless applications. Create floor, wall, and countertop graphics with one universal media ... Trifecta®.
Premium Vinyl	Turn to Nekoosa's Premium Vinyl when you need to produce specific signage applications that require superior features, including robust adhesive systems, liners, and finishes.
SYNAPS OM Wide Format	Create durable banner stand graphics that resist bowing, fading, curling, warping, and wrinkling with SYNAPS OM polyester film.
Sign-Ad®	Advertise your newest product or upcoming event with window graphics on Nekoosa's Sign-Ad® removable window film.
Hi-Stat®	Designed for creating vibrant window displays, Hi-Stat® static cling vinyl is an exceptionally flexible film that adheres to clean, smooth surfaces without adhesive.
ClingZ®	ClingZ® is an adhesive-free, electrically charged film that clings to any dry interior surface, making it a breeze to apply, remove, and reposition – a truly effortless signage solution.
Ztac™	Ztac™ is an ultra-low tack, repositionable film that easily adheres to even extremely hot or cold indoor surfaces like freezer doors, deli cases, and coolers.
Barrier Film	Applied to clear Sign-Ad®, Hi-Stat®, or NextBond® the complete opacity of this barrier film allows the printing of two-way decals for interior and exterior viewing.
Wall Graphics®	Nekoosa's Wall Graphics portfolio is a comprehensive offering of repositionable, easily removable films for interior and exterior wall graphic applications.
Overlaminate Films	Overlaminate films that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture, and abrasion.
Mounting Films	Easily convert non-adhesive backed films to pressure-sensitive materials with permanent or removable mounting films.
Dye Sublimation Transfer Paper	Transfer high-definition, detailed graphics onto both hard and soft surfaces with Nekoosa's versatile dye sublimation transfer paper.

For a full list of eligible SKUs and more information about the Nekoosa Bucks customer loyalty program, scan this QR code.►

SCAN
ME



There is no limit to the number of reward cards you can request. Only qualifying purchases of Nekoosa products may receive gift cards. Nekoosa Bucks have no cash value and cannot be replaced if lost or stolen. Nekoosa reserves the right to modify or withdraw this promotion at any time. Collect Nekoosa Bucks only in specially marked cartons of NCR PAPER® carbonless sheets, Nekoosa carbonless sheets, and Nekoosa wide format products. Nekoosa Bucks from previous years may not be redeemed. For program rules and regulations, visit www.nekoosabucks.com. Fast Packs five-ream cartons and cartons of retail packs are not included.

OUTDOOR DURABLE

NextBond®



NEW

B

NEXT  BOND®

A  NEKOOSA BRAND

The Future of Long-Term, Outdoor Durable Pressure Sensitive Specialty Print Media

Nekoosa's innovative NextBond® durable adhesive is a **robust, cost-effective**, and **eco-friendly** alternative to traditional solvent-based adhesives for long-term print applications. This groundbreaking adhesive technology ensures **top performance** without compromising quality. NextBond® durable adhesive **won't shrink** and maintains exceptional **adhesion strength** even when exposed to challenging outdoor environmental and chemical conditions. We've streamlined the production process by curing the adhesive inline with UV lamps and **removing all hazardous solvent waste and harmful VOCs**. These added benefits make NextBond® UV-cured adhesive the premier choice for **durable, long-term printed graphics, decals, and signage**, surpassing traditional solvent adhesives.



Forward-Thinking Innovation

Nekoosa's pioneering NextBond® UV-cured, durable adhesive meets all critical needs for long-term outdoor print applications like displays, decals and signage.



Price-Competitive Technology

NextBond® UV-cured, durable adhesive offers solvent-based performance without the associated price.



Tough Outdoor Durability

The performance of NextBond® UV-cured, durable adhesive is equal to or better than solvent-based adhesives. This adhesive remains resilient under tough environmental conditions for up to 10 years.



Sustainable Design

Producing specialty print media with NextBond® UV-cured, durable adhesive does not generate hazardous waste and cuts CO₂ emissions by over 50% compared to traditional solvent adhesives.



Health and Safety

Using products with NextBond® adhesive is environmentally and socially responsible. They are free of VOCs, non-flammable, non-toxic, and OSHA, EPA and CARB-compliant.

SCAN HERE FOR
FREE SAMPLES ►





STANDARD SIZES ▶

NextBond® Premium Vinyl Print Media

Experience flawless prints with NextBond® Premium Vinyl print media. Engineered with an enhanced printing surface, it withstands high heat and prevents visual defects, ensuring perfect prints every time. Rated for 5 years of outdoor durability and reinforced with UV inhibitors, prints won't fade even in harsh conditions. Options available with layflat air-egress liner for an easy, bubble-free application.

Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
Premium Calendered Vinyl							
Gloss White	UVSPM300GWF5450 \$	54" x 50 yd	3 mil PVC	Permanent	90# Layflat	1	5 years
Gloss White	UVSPM300GWR5450 \$	54" x 50 yd	3 mil PVC	High-Peel Removable	90# Layflat	1	5 years
Gloss White	UVSPE300GWF5450 \$	54" x 50 yd	3 mil PVC	Permanent	90# Layflat Air-Egress	1	5 years
Gloss White	UVSPE300GWR5450 \$	54" x 50 yd	3 mil PVC	High-Peel Removable	90# Layflat Air-Egress	1	5 years
Matte White	UVSPM400FW-P5450 \$	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat	1	5 years
Matte White	UVSPM400FW-R5450 \$	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat	1	5 years
Matte White	UVSPE400FW-P5450 \$	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat Air-Egress	1	5 years
Matte White	UVSPE400FW-R5450 \$	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat Air-Egress	1	5 years
Gloss Clear	UVSPM400C-P5450 \$	54" x 50 yd	3.2 mil PVC	Permanent	90# Layflat	1	5 years
Gloss Clear	UVSPM400C-R5450 \$	54" x 50 yd	3.2 mil PVC	High-Peel Removable	90# Layflat	1	5 years

* Print Compatibility - Wide Format (Eco-Solvent/Solvent, Latex, UV)



NextBond® High-Bond Opaque Print Media

Achieve unmatched opacity and durability with NextBond® High-Bond Opaque. With >99.5% opacity, it completely conceals existing graphics without gray pigment contamination. Its double layer of UV-cured adhesive creates a strong, durable bond on challenging surfaces, while built-in UV inhibitors ensure 5 years of fade-resistant outdoor performance. Turn to NextBond® High-Bond Opaque when applying graphics in cold temperatures as low as -10°F.

Finish/Resin	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
High-Bond Opaque Premium Calendered Vinyl (HBO)							
Opaque Matte White	UVSPM400FWOP-HBP5450 \$	54" x 50 yd	3.2 mil	High-Bond Permanent	90# Layflat	1	5 years
Opaque Matte White	UVSPM400FWOP-HBR5450 \$	54" x 50 yd	3.2 mil	High-Bond High-Peel Removable	90# Layflat	1	5 years
Opaque Matte White	UVSPE400FWOP-HBP5450 \$	54" x 50 yd	3.2 mil	High-Bond Permanent	90# Layflat Air-Egress	1	5 years
Opaque Matte White	UVSPE400FWOP-HBR5450 \$	54" x 50 yd	3.2 mil	High-Bond High-Peel Removable	90# Layflat Air-Egress	1	5 years

NextBond® Overlaminate Films

Protect your printed graphics with Nekoosa's NextBond® Overlaminate Films. NextBond® permanent adhesive applies evenly across the printed graphic, eliminating silvering, and preventing delamination. The robust liner ensures a smooth, clear finish without cloudiness and runs seamlessly through the laminator without generating static.

Finish/Resin	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
Overlaminate Films							
Matte Vinyl*	UVLM3MCL5450B \$	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Luster Vinyl*	UVLM3LL5450B \$	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Gloss Vinyl*	UVLM3CL5450B \$	54" x 50 yd	3.2 mil PVC	Permanent	1.2 mil PET	1	5 years
Velvet Matte Polycarbonate**	UV5044552LM \$	51" x 50 yd	5 mil PC	Permanent	1.2 mil PET	1	2 years
Velvet Matte Polycarbonate**	UV5044732LM \$	54" x 50 yd	5 mil PC	Permanent	1.2 mil PET	1	2 years
Velvet Matte Polycarbonate**	UV5044553LM \$	51" x 50 yd	10 mil PC	Permanent	1.2 mil PET	1	2 years
Velvet Matte Polycarbonate**	UV5044733LM \$	54" x 50 yd	10 mil PC	Permanent	1.2 mil PET	1	2 years
Optically Clear Polyester	UVLML1CL5450 \$	54" x 50 yd	1 mil PET	Permanent	1.2 mil PET	1	3 years
Embossed Polyolefin	UVLML3PP5450 \$	54" x 50 yd	3 mil PP	Permanent	1.2 mil PET	1	1 year

*UVLM3PP is UL410 certified and suitable for interior floor graphics.

NextBond® Mounting Films

Easily convert non-adhesive backed films into durable, long-lasting, pressure sensitive signage with Nekoosa's NextBond® Mounting Films. The smooth, optically clear polyester (PET) construction guarantees a flawless finish without cloudiness, and it runs effortlessly through laminators without tearing, buckling, wrinkling, or curling.

Product	Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton	Outdoor Durability
Mounting Films								
2 Liner	Optically Clear	UVCMTT100PM5450 \$	54" x 50 yd	1 mil PET	Permanent/Permanent	1.2 mil PET/1.2 mil PET	1	3 years
2 Liner	Optically Clear	UVCMTT100PR5450 \$	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	1.2 mil PET/1.5 mil Printed PET	1	3 years
2 Liner	Optically Clear	UVCMTT100AEPR5450 \$	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	1.2 mil PET/4.2 mil Printed Air-Egress PET	1	3 years
Self Wound	Clear	UVCMTT100SFLPM5450 \$	54" x 50 yd	1 mil PET	Permanent/Permanent	1.5 mil Differential PET	1	3 years
Self Wound	Clear	UVCMTT100SFLPR5450 \$	54" x 50 yd	1 mil PET	Permanent/High-Peel Removable	1.5 mil Differential PET	1	3 years



NEKOOSA BUCKS

available in select rolls listed above.

CUSTOM SIZES AVAILABLE - Each NextBond® product listed above is offered in custom sizes. Please contact us for more details.

= PVC-Free



A woman with long dark hair is sitting on a stool in a music store, playing an acoustic guitar. She is wearing a light blue long-sleeved shirt and brown pants. The store has many guitars hanging on the wall behind her. She is sitting on a stool on a rug with a guitar and flame design. The rug has the text "HEID MUSIC" on it.

TEXTURED PRINT MEDIA

Trifecta®

Applications

- One-Step Floor Graphics
- Wall Graphics
- Countertop Graphics
- Retail P.O.P. Graphics
- Directional & Wayward Signage
- Short-Term Event Signage
- Hospitality Signage
- Promotional & Sale Graphics
- Museum & Exhibit Graphics
- Venue & Stadium Signage
- Wall Murals
- Floor Advertisements



TRIFECTA®

MULTIPURPOSE REMOVABLE
TEXTURED VINYL

One product, endless applications. Create floor, wall, and countertop graphics with one universal media ... Trifecta®.

Print, Apply, Done - No overlaminant film required, saving time and materials

Durable 6 mil semi-rigid matte white textured vinyl facestock rated for < 3 years of outdoor use, ensuring long last performance

High opacity and bright white point delivers vibrant, high impact printed graphics

Reliable clear adhesive removes cleanly from both indoor and outdoor surfaces for < 1 year without leaving a trace of residue behind

Stable 90# layflat polycoated liner ensures smooth feeding, precise cutting, and easy installation without curling or shifting

UL 410 slip resistance certified

ASTM E84 Class 1 or A fire rated

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

When to use Trifecta

One-Step Floor Graphics - Create UL 410 slip resistant floor graphics in one easy step... no overlaminant required. Easy to install and remove. Trifecta® is suitable for indoor short term floor graphics (<6 months).

Wall Graphics - Hassle free textured wall graphics - peel, stick, done. No need for tapes, tacks, or nails and will remove cleanly from painted dry wall.

Countertop Graphics - Promote impulse buys, deliver essential information, enhance your space and more with a dimensional textured finish that creates a positive customer experience.

Certified for
HP Latex Inks



SCAN HERE FOR
FREE SAMPLES ►



STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Textured Matte White	SPMTRI54100 \$	54" x 100 ft	6 mil	Universal Removable	90# Layflat	1




NEKOOSA BUCKS


available in select rolls listed above.

Certified for
HP Latex Inks

Easy to apply and remove from these surfaces:



*We recommend testing Trifecta® on your specific application surface to ensure compatibility



GENERAL SIGNAGE & BANNER STANDS

Premium Vinyl

Classic Vinyl

SYNAPS OM Wide Format

HUGE SAVINGS
ON BOATS AND PONTOONS

Summer
SALES
EVENT!

HUGE INVENTORY

FINANCING AVAILABLE,
WE WORK FOR YOU!

MANUFACTURER REBATES
AND INCENTIVES

MERCURY RE-POWER
SPECIALS

DEALER INCENTIVES MAKE
NOW THE TIME TO BUY



KENSSPORTS.COM



Applications

- Banner Graphics
- Cut Lettering
- Decals
- Point-of-Purchase Signage
- Bumper Stickers
- Fleet Markings
- Name Plates
- In-Store Promotions

PREMIUM VINYL

HIGH PERFORMANCE
CALENDERED VINYL

Turn to Nekoosa's Premium Vinyl when you need to produce specific signage applications that require superior features including robust adhesive systems, liners and finishes.

Choose from a diverse range of film, adhesive, and liner combinations engineered specifically for your application

Easily apply premium 3, 4 or 6 mil calendered vinyl face films to indoor or outdoor flat, textured, or slightly curved surfaces without rivets

Achieve your desired aesthetic with matte white, gloss white, or clear options

Suitable for indoor and short term outdoor applications (<5 years outdoors)

Available in 90# layflat or 90# air-egress layflat options for efficient finishing and installation

Printer Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ►



PREMIUM VINYL

HIGH PERFORMANCE
CALENDERED VINYL


STANDARD SIZES ▶

Finish/Color	SKU #	Roll Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Gloss White	SPM300GWF2050	20" x 50 yd	3 mil	Permanent	90# Layflat	1
Gloss White	SPM300GWF5450 \$	54" x 50 yd				1
Gloss White	SPM300GWF6050	60" x 50 yd				1
Gloss White	SPE300GWR/GR5450 \$	54" x 50 yd	3 mil	Gray Removable	90# Layflat Air-Egress	1
Gloss White	SPM300GWR/GR5450 \$	54" x 50 yd	3 mil		90# Layflat	1
Gloss White	SPM300GWR/GR6050	60" x 50 yd				1
Gloss White	SPE300GWF/GR5450 \$	54" x 50 yd	3 mil	Gray Permanent	90# Layflat Air-Egress	1
Gloss White	SPM300GWF/GR5450 \$	54" x 50 yd	3 mil		90# Layflat	1
Gloss White	SPM300GWF/GR6050	60" x 50 yd				1
Gloss White	SPM300GWF/HT5450 \$	54" x 50 yd	3 mil	High-Tack Permanent	90# Layflat	1
Gloss White	SPM600G5450 \$	54" x 50 yd	6 mil	High-Tack Permanent	90# Layflat	1
Matte White	SPM400FW/P5450 \$	54" x 50 yd	4 mil	Permanent	90# Layflat	1
Matte White	SPM400FW/P6050	60" x 50 yd				1
Matte White	SPE400FWR/GR5450 \$	54" x 50 yd	4 mil	Gray Removable	90# Layflat Air-Egress	1
Matte White	SPM400FWR/GR5450 \$	54" x 50 yd	4 mil		90# Layflat	1
Matte White	SPM400FWR/GR6050	60" x 50 yd				1
Matte White	SPE400FWP/GR5450 \$	54" x 50 yd	4 mil	Gray Permanent	90# Layflat Air-Egress	1
Matte White	SPM400FWP/GR5450 \$	54" x 50 yd	4 mil		90# Layflat	1
Matte White	SPM400FWP/GR6050	60" x 50 yd				1
Matte White	SPM400FWP/HT5450 \$	54" x 50 yd	4 mil	High-Tack Permanent	90# Layflat	1
Matte White	SPE400FW/R5450 \$	54" x 50 yd	4 mil	Removable	90# Layflat	1
Matte White	SPM400FW/R6050	60" x 50 yd				1
Matte White	SPM600F450N \$	54" x 50 yd	6 mil	High-Tack Permanent	90# Layflat	1
Matte White	SPM600FW/R5450 \$	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat	1
Matte White	SPE600FW/R \$	54" x 50 yd			90# Layflat Air-Egress	1




NEKOOSA BUCKS

available in select rolls listed above.



Applications

- Banner Graphics
- Cut Lettering
- Decals
- Point-of-Purchase Signage
- Bumper Stickers
- Fleet Markings
- Name Plates
- In-Store Promotions



CLASSIC VINYL

GENERAL USE
CALENDERED VINYL

Nekoosa's Classic Vinyl product portfolio is intended for interior and exterior point-of-purchase graphic applications.

Suitable for indoor and outdoor applications (<3 years outdoors)

Grades with removable adhesive will remove cleanly from surfaces within 1 year

Matte, gloss, or clear finishes

Clear or gray block-out, permanent, or removable pressure sensitive adhesive

Air-egress options available

Layflat 90# release liner, superior for printing with latex and UV wide format printers

Easy installation onto flat and simple curves without rivets

Print Compatibility: Wide Format (Solvent, Eco-Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ►




CLASSIC VINYL

GENERAL USE
CALENDERED VINYL

STANDARD SIZES ▶

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Gloss White	SPM390G5450	54" x 50 yd	3 mil	Gray Permanent	90# Layflat	1
	SPM390GWF5450	54" x 50 yd	3 mil	Permanent	90# Layflat	1
	SPM390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layflat	1
	SPE390GWF/GR5450	54" x 50 yd	3 mil	Gray Permanent	90# Layflat Air-Egress	1
	SPE390GWR/GR5450	54" x 50 yd	3 mil	Gray Removable	90# Layflat Air-Egress	1
Matte White	SPM490FWP5450	54" x 50 yd	4 mil	Permanent	90# Layflat	1
	SPM490FWR5450	54" x 50 yd	4 mil	Removable	90# Layflat	1
	SPM490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layflat	1
	SPM490FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# Layflat	1
	SPE490FWP/GR5450	54" x 50 yd	4 mil	Gray Permanent	90# Layflat Air-Egress	1
	SPE490FWR/GR5450	54" x 50 yd	4 mil	Gray Removable	90# Layflat Air-Egress	1
Gloss Clear	SPM400C450	54" x 50 yd	4 mil	Permanent	90# Layflat	1

Certified for
HP Latex Inks



Applications

- Retractable Banner Stands
- Stanchion Stand Graphics Inserts
- Wide Format Graphics
- Point-of-Purchase Signage
- Hanging Graphics
- Backlit Graphics
- Aisle Invaders
- Menu Boards
- Wayfinding Signage
- Retail Storefront Graphics
- Museum & Exhibit Graphics
- Outdoor Durable Signage
- Transit & Bus Shelter Posters



SYNAPS OM WIDE FORMAT

DURABLE, LAYFLAT
POLYESTER FILM

No lamination, No curling. Just fast, flawless, durable wide format graphics.

No Lamination Required – Save time and production costs with a durable, ready-to-use print media, no additional lamination needed

Durable & Scratch Resistant – Engineered to withstand demanding environments and heavy handling – resists scratches, abrasions, curling, wrinkling, bowing, and edge fraying

Waterproof & Tear Resistant – Reliable performance in wet and extreme outdoor conditions, ideal for long-lasting signage in any weather

Layflat After Rolling – Maintains a smooth, professional appearance after being rolled during shipping or long-term storage

Highest Quality Prints – A bright white point and double-sided matte finish produce bold colors, sharp image detail, and consistent results front and back

Fade & Heat Resistant – Graphics remain vibrant even when exposed to direct sunlight, heat, and repeated handling

Versatile Finishing – Compatible with common post-production finishing methods like grommeting, die-cutting, trimming, and mounting

Sustainable Choice – PVC-free and certified by RecyClass for containing a minimum of 15% recycled polyester (rPET) for a more environmentally-friendly and responsible print solution

Print Compatibility – Wide Format Latex & UV



SCAN HERE FOR
FREE SAMPLES ►



SYNAPS OM WIDE FORMAT

DURABLE, LAYFLAT
POLYESTER FILM

STANDARD SIZES ▶

Film Thickness	SKU #	Size	GSM	Rolls/Cartons
SYNAPS OM - Wide Format Rolls				
5 mil	66102 \$	54" x 100'	135	1
8 mil	66103 \$	36" x 100'	230	1
10 mil	66104 \$	54" x 100'	300	1
14 mil	66110 \$	36" x 100'	450	1
	66111 \$	54" x 100'		1

Film Thickness	SKU #	Size	GSM	Sheets/Cartons
SYNAPS OM - Flatbed Sheets				
5 mil	66003	28" x 40"	135	300
8 mil	66007	28" x 40"	230	175
10 mil	66011	28" x 40"	300	100
14 mil	66039	28" x 40"	450	100

*Each SYNAPS OM thickness listed above is offered in custom sizes. Please contact us for more information.



NEKOOSA BUCKS

available in select rolls listed above.



Synaps

DESIGNED TO PERFORM

15 %

RECYCLED
PLASTIC

Certified by RecyClass



WINDOW GRAPHICS

Sign-Ad®

Hi-Stat®

Hi-Stat Opti-Cling®

ClingZ®

Ztac™

Barrier Film

Opaque Window Film



Applications

Interior & Exterior
Window Graphics

Point-of-Purchase
Window Advertisements

One-Way Window
Messaging

Double-Sided Window
Signage

Opaque Window
Graphics

Optically Clear
Window Graphics

Price Stickers

Counter Mats



SIGN-AD®

REMOVABLE
WINDOW GRAPHIC FILM

Advertise your newest product or upcoming event with window graphics printed on Nekoosa's Sign-Ad® removable window film.

Available in clear, optically clear, white, and opaque finishes

Removable low-tack or moderate-tack adhesive options for easy installation and removal without leaving a trace of residue behind

Superior printing, die-cutting, and installation performance due to a robust 90# layflat paper liner

Air-egress option available

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

PVC-FREE OPTION  **Sign-Ad® Clear:** 4 mil. gloss clear film designed with a removable adhesive and 90# layflat release liner. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.



SCAN HERE FOR
FREE SAMPLES ►



SIGN-AD®

REMovable
WINDOW GRAPHIC FILM

STANDARD SIZES ▶

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Matte White	SPMSA5450 \$	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
	SPMSA6050	60" x 50 yd				1
Opaque Gloss White	SPMSABF5450 \$	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1
	SPMCAD5450 \$	54" x 50 yd				1
Gloss Clear	SPMCAD5450PP	54" x 50 yd	4 mil	Low-Tack Removable	90# Layflat	1
	SPMCAD6050	60" x 50 yd				1
Clear Air-Egress	SPECADP5450N	54" x 50 yd	4 mil	Low-Tack Removable	Clear Printed Film with Air-Egress	1
Gloss Optically Clear	SPMCADP5450 \$	54" x 50 yd	4 mil	Low-Tack Removable	Clear Film	1



NEKOOSA BUCKS

available in select rolls listed above.



Certified for
HP Latex Inks

Easy to apply and remove from these surfaces:



Applications

- Window Graphics
- Point-of-Purchase Window Advertisements
- Reversible Print Window Displays
- Double Sided Window Graphics
- Optically Clear Window Displays
- Automotive Window Graphics
- Window Decals
- Seasonal Signage
- Holiday Décor
- Price Stickers
- LED Screen Protection



HI-STAT®

STATIC CLING
VINYL

Hi-Stat® static cling vinyl is a very flexible film which adheres to most clean, high polished surfaces without adhesive.

Ideal for temporary promotional applications used indoors or outdoors (<3 months)

Easy to apply, remove, and reposition for application to most clean, high polished surfaces – no surface damage

Can be wet applied, but no solvents needed for application or removal

Can be die-cut, kiss-cut, and plotter cut

Available in white, clear, or optically clear finishes

Wide format rolls enhanced with a 90# polycoated layflat release liner for optimal performance on wide format printers

Laminate Nekoosa's Hi-Stat® Clear with Sign-Ad® Gloss White Opaque to easily create removable 'push-pull' two way signage

Print Compatibility: Wide Format (Eco-Solvent/Solvent, and Latex, and UV)

Certified for
HP Latex Inks



SCAN HERE FOR
FREE SAMPLES ►



HI-STAT®

STATIC CLING
VINYL

STANDARD SIZES ▶

Finish/Color	SKU #	Roll Size	Film Thickness	Liner	Rolls/Carton
Wide Format					
Gloss White	SPMHSW5450 \$	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
	SPMHSW6050	60" x 50 yd		90# PE-Coated Layflat	1
Gloss Clear	SPMHSC5450 \$	54" x 50 yd	8 mil	90# PE-Coated Layflat	1
	SPMHSC6050	60" x 50 yd		90# PE-Coated Layflat	1
Optically Clear Opti-Cling®	SPMHSC5C5450 \$	54" x 50 yd	8 mil	Matte Clear Film	1



NEKOOSA BUCKS

available in select rolls listed above.

Certified for
HP Latex Inks

HI-STAT®



Applications

- Screen Safe Labels
- In-Store Promotional Signage
- Large Format Graphics
- Tileable Murals
- P.O.P. Signage
- Reverse Sided Graphics
- Trade Show & Event Signage
- Window Graphics
- Holiday Décor & Decals
- Guerrilla Marketing



ELECTRICALLY CHARGED
POLYPROPYLENE

ClingZ® is an adhesive-free electrically charged film that adheres to any dry interior surface and is effortless to reposition.

Ideal for temporary indoor marketing applications

Effortless to apply, remove, and reposition to any dry interior surface

Adhesive free – no glue, tape, tacks, or pins required

Chemically inert, PVC-free, and phthalate-free

Can be die cut, kiss cut, and plotter cut

Print Compatibility: Wide Format (UV)



SCAN HERE FOR
FREE SAMPLES ►





ELECTRICALLY CHARGED
POLYPROPYLENE

STANDARD SIZES ▶

	Color	SKU #	Size	GSM	Roll Wgt	Qty/Unit
Wide Format	White	71514 \$	54" x 75"	161	12	1/Roll




NEKOOSA BUCKS

available in select rolls listed above.



Easy to apply and remove from these surfaces and many more...



*We recommend testing ClingZ® on your specific application surface to ensure compatibility



Applications

Window Graphics

Tileable Mural

P.O.P. Signage

Reverse Sided Window Graphics

Trade Show & Event Signage

Holiday Décor and Decals

Hot Deli Glass Case Signage

Glass Freezer & Cooler Doors



ztac™ | ULTRA LOW-TACK POLYESTER

Ztac™ is an ultra-low tack, repositionable, PVC-free film designed for easy application and removal on very smooth indoor surfaces.

Effortless to apply, remove, and reposition multiple times without leaving a trace of adhesive residue behind

Repositionable – will hold its original shape without "dog earring"

ClingZ requires a white boarder to properly adhere

Suitable for indoor use on very smooth surfaces like windows, glass, and polished metal

Can be die cut, kiss cut, perforated, scored, and folded

Chemically inert, PVC-free, and phthalate-free

Print Compatibility: Wide Format (UV)



SCAN HERE FOR
FREE SAMPLES ►





STANDARD SIZES ▶

Color	SKU #	Size	Film Thickness	Adhesive	Liner	GSM	Rolls
Wide Format							
White	71411 \$	54" x 50 yd	3 mil	Low Tack Dot Pattern Adhesive	Paper	208	1
Clear	71410 \$	54" x 50 yd	3 mil	Low Tack Dot Pattern Adhesive	Paper	201	1



NEKOOSA BUCKS

available in select rolls listed above.



Easy to remove from these smooth, indoor surfaces and more...



*We recommend testing Ztac™ on your specific application surface to ensure compatibility



Applications

- Push-Pull Graphics
- Window Decals
- Posters
- Mouse Pads
- Decals



BARRIER FILM

OPAQUE
POLYPROPYLENE

Applied to Sign-Ad® Clear or Hi-Stat® Clear, the complete opacity of this barrier film allows the printing of two-way decals for interior and exterior viewing.

Bright white, 100% opaque two-sided window graphics

4 mil flexible vinyl face stock and 0/split 90# poly coated liner

Permanent adhesive

Laminate to a clear static cling or clear pressure sensitive film

Eliminates the need to print many layers of ink on one film

Print Compatibility: Wide Format (UV)



SCAN HERE FOR
FREE SAMPLES ►



BARRIER FILM

OPAQUE
POLYPROPYLENE

STANDARD SIZES ▶

	Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format	Opaque Gloss White	SPMBF5450N \$	54" x 50 yd	2.3 mil	White Permanent Acrylic	53#	1

**NEKOOSA BUCKS**

available in select rolls listed above.



Applications

- Push-Pull Graphics
- Window Graphics
- Posters
- Decals
- P.O.P. Displays
- Advertising Graphics



OPAQUE WINDOW FILMS

Opaque window films can be laminated to clear Hi-Stat®, Sign-Ad®, or NextBond® products to create double sided “push-pull” signage for window decals, window graphics, and point-of-purchase displays.

BARRIER FILM

Bright white, 2.3 mil opaque polypropylene film with a permanent adhesive

Laminates to a clear static cling or clear pressure sensitive film

Print Compatibility: Wide Format (UV)

SIGN-AD® OPAQUE

Bright white, opaque 6 mil vinyl with a moderate-tack removable white adhesive

Laminate to another clear Nekoosa product to easily create two-way signage

Suitable for indoor and outdoor use (<1 year outdoors)

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



BARRIER FILM
SCAN HERE FOR
FREE SAMPLES



SIGN-AD® OPAQUE
SCAN HERE FOR
FREE SAMPLES



OPAQUE WINDOW FILMS

OPAQUE BARRIER FILM

STANDARD SIZES ▶

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Opaque Gloss White	SPMBF5450N 	54" x 50 yd	2.3 mil	Permanent	53#	1

 = PVC-Free

SIGN-AD® OPAQUE

STANDARD SIZES ▶

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
Opaque Gloss White	SPMSABF5450 	54" x 50 yd	6 mil	Moderate-Tack Removable	90# Layflat	1



NEKOOSA BUCKS

available in select rolls listed above.





CUT FILMS

Nekoosa CV300 Series®

VinylEfx®

PolyEfx®

Applications

- Banner Graphics
- Cut Lettering
- Decals
- Holiday Décor
- Point-of-Purchase Signage
- Bumper Stickers
- Fleet Markings
- Safety Signage
- Commercial Signage
- Identification Markings
- Appliance Labels
- Nameplates



NEKOOSA CV300 SERIES®

CUT LETTERING
SIGN VINYL

Create endless signage applications with CV300 Series®.

- Excellent dimensional stability
- Cuts and weeds easily
- Available in a variety of colors and standard roll sizes
- For ease of installation, apply cut letters with RTape® Conform® 4075RLA
- Soft in nature, adaptable for conforming to curves or flat surfaces
- 3 mil gloss vinyl facestock rated for <6 years of outdoor durability
- Moderate peel, moderate tack permanent adhesive
- 78# paper liner
- Specifically formulated for banner graphics and lettering



SCAN HERE FOR
FREE SAMPLES ►



NEKOOSA CV300 SERIES®

CUT LETTERING
SIGN VINYL

■ Indoor & Outdoor Series: Roll Size (in)



* Other sizes may be available upon request.

STANDARD SIZES ▶

Code/Color	SKU #	Size
Nekoosa CV300 Series® Cut Vinyl		
114 Clear	CVCL2450A	24" x 50 yd
	CVCL4850A	48" x 50 yd
10 White	CVWH2450A	24" x 50 yd
	CVWH4850A	48" x 50 yd
20 Matte White	CVSTW2450A	24" x 50 yd
	CVSTW4850A	48" x 50 yd
15 Bright Yellow	CVBY2450A	24" x 50 yd
	CVBY4850A	48" x 50 yd
25 Sunflower	CVSF2450A	24" x 50 yd
	CVSF4850A	48" x 50 yd
91 Gold	CVGO2450A	24" x 50 yd
	CVGO4850A	48" x 50 yd
36 Orange	CVOR2450A	24" x 50 yd
	CVOR4850A	48" x 50 yd
43 Bright Red	CVBT2450A	24" x 50 yd
	CVBT4850A	48" x 50 yd
53 Cardinal Red	CVCD2450A	24" x 50 yd
	CVCD4850A	48" x 50 yd
47 Olympic Blue	CVOB2450A	24" x 50 yd
	CVOB4850A	48" x 50 yd

Code/Color	SKU #	Size
Nekoosa CV300 Series® Cut Vinyl		
57 Medium Blue	CVMB2450A	24" x 50 yd
	CVMB4850A	48" x 50 yd
37 Sapphire Blue	CVSB2450A	24" x 50 yd
	CVSB4850A	48" x 50 yd
62 Deep Blue	CVDB2450A	24" x 50 yd
	CVDB4850A	48" x 50 yd
196 Apple Green	CVAG2450A	24" x 50 yd
	CVAG4850A	48" x 50 yd
18 Hunter Green	CVHG2450A	24" x 50 yd
	CVHG4850A	48" x 50 yd
90 Silver	CVSI2450A	24" x 50 yd
	CVSI4850A	48" x 50 yd
73 Dark Gray	CVDG2450A	24" x 50 yd
	CVDG4850A	48" x 50 yd
12 Black	CVBK2450A	24" x 50 yd
	CVBK4850A	48" x 50 yd
22 Matte Black	CVSTB2450A	24" x 50 yd
	CVSTB4850A	48" x 50 yd



Applications

- Cut Lettering
- Decals
- Point-of-Purchase Signage
- Holiday Decor
- Bumper Stickers
- Fleet Markings
- Decorative In-Store Displays

- Seasonal Signage

- Decorative Labels

- Trade Show Graphics

- Event Signage

- Banner Graphics

- Name Plates



VINYLEFX®

METALIZED CUT LETTERING SIGN VINYL

Eye-catching metallic, reflective, and glittering vinyls for cut lettering applications and printed graphics.

Available in both Indoor Decorative and Outdoor Durable series (<3 years outdoors) with permanent adhesive

Easy application to flat, smooth surfaces – dry application only

Cuts and weeds easily

Apply cut letters with RTape® Conform® 4075RLA and printed graphics with RTape® Conform® 4760RLA application tape

Allow for $\frac{1}{8}$ "- $\frac{1}{4}$ " border around the edges of printed graphics

Overlaminate can be used if extra protection is required

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)




SCAN HERE FOR
FREE SAMPLES ►



VINYLEFX®

METALIZED CUT
LETTERING SIGN VINYL



STANDARD SIZES ▶

Pattern/Color	SKU#	Size
Indoor Decorative		
Smooth Silver	VX1764-24150	24" x 50 yd
	VX1764-48150	48" x 50 yd
	VX1764-54150	54" x 50 yd
Smooth Gold	VX2293-24150	24" x 50 yd
	VX2293-48150	48" x 50 yd
	VX2293-54150	54" x 50 yd
Smooth Rose Gold	VX5439-24150	24" x 50 yd
	VX5439-48150	48" x 50 yd
	VX5439-54150	54" x 50 yd
Fine Brush Silver	VX6770-24150	24" x 50 yd
	VX6770-48150	48" x 50 yd
	VX6770-54150	54" x 50 yd
Fine Brush Rose Gold	VX5003-24150	24" x 50 yd
	VX5003-48150	48" x 50 yd
Rainbow Brite Overall Silver	VX3138-24150	24" x 50 yd
Metal Flake Silver	VX2716-24150	24" x 50 yd
	VX2716-48150	48" x 50 yd
Metal Flake Gold	VX5186-24150	24" x 50 yd
Diamond Plate Silver	VX6008-24150	24" x 50 yd
	VX6008-48150	48" x 50 yd
Florentine Leaf Gold	VX1754-24150	24" x 50 yd

Pattern/Color	SKU#	Size
Outdoor Durable		
Smooth Silver	VX9809-24150	24" x 50 yd
	VX9809-48150	48" x 50 yd
Smooth Gold	VX9387-24150	24" x 50 yd
	VX9387-48150	48" x 50 yd
Smooth Rose Gold	VX4577-24150	24" x 50 yd
	VX4577-48150	48" x 50 yd
Fine Brush Silver	VX4126-24150	24" x 50 yd
	VX4126-48150	48" x 50 yd
Fine Brush Gold	VX6582-24150	24" x 50 yd
	VX6582-48150	48" x 50 yd
Fine Brush Rose Gold	VX3922-24150	24" x 50 yd
	VX3922-48150	48" x 50 yd
Rainbow Brite Overall Silver	VX1488-24150	24" x 50 yd
Large Engine Turn Gold	VX8966-24150	24" x 50 yd
Diamond Plate Silver	VX9703-24150	24" x 50 yd
	VX9703-48150	48" x 50 yd
Florentine Leaf Gold	VX1566-24150	24" x 50 yd





Applications

- Cut Lettering
- Decals
- Point-of-Purchase
- Signage
- Holiday Décor
- Fleet Markings
- Decorative In-Store
- Displays
- Seasonal Signage
- Decorative Labels
- Trade Show Graphics
- Event Signage
- Banner Graphics
- Name Plates
- Bumper Stickers
- In-Store Promotions

POLYEFX®

POLYESTER CUT LETTERING
SIGN VINYL

Metalized polyester films used in the production of high quality applications that require metallic luster, durability and dimensional stability.

Dimensionally stable films for high quality die cutting applications

2 mil metalized polyester facestock

High peel, high tack permanent adhesive

90# layflat paper liner

Not recommended for outdoor use

Print Compatibility: Wide Format (UV)



SCAN HERE FOR
FREE SAMPLES ►



POLYEFX®

POLYESTER CUT LETTERING
SIGN VINYL

POLYESTER



BRIGHT SILVER

24 48 54

BRUSHED SILVER

24 48 54

BRIGHT GOLD

24 48 54

STANDARD SIZES ▶

Color	SKU #	Size	Film Thickness	Adhesive	Liner	Rolls/Carton
Indoor Metalized Polyester						
Bright Silver	CMS2450A	24" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMS4850A	48" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMS5450A	54" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
Brushed Silver	CMBS2450A	24" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMBS4850A	48" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMBS5450A	54" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
Bright Gold	CMG2450A	24" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMG4850A	48" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1
	CMG5450A	54" x 50 yd	2 mil	High-Peel, High-Tack Permanent	90# Layflat	1

*54" x 50 yd rolls are stocked, and 24" x 50 yd and 48" x 50 yd rolls will be made to order.

*Each product listed above is offered in custom sizes. Please contact us for more details.

 = PVC-Free


WALL GRAPHICS

Wall Graphics®

Augusta Wall Graphics®



Applications

Interior and Exterior
Wall Graphics

Wall Décor

Point-of-Purchase Wall
Signage

Renovation Barricades

Wayward Signage

Posters

Textured Wall Graphics



WALL GRAPHICS®

WALL GRAPHIC
FILM

Nekoosa's Wall Graphics® portfolio is a comprehensive offering of repositionable, easily removable films for interior and exterior wall graphic applications.

Microsphere Removable Adhesive	High-Peel Removable Adhesive
<ul style="list-style-type: none"> Matte white or gloss white finishes 4, 6, and 8 mil facestock rated for <3 years of outdoor use Augusta Wall Graphics® 6 mil semi-rigid textured embossed with 90# layflat polycoated paper liner also available Suitable for short term indoor and outdoor applications (<1 year clean removability from application surfaces) Recommended application surfaces: smooth, flat painted walls, wall paper, wood paneling, concrete, polished stone, stainless steel, glass 	<ul style="list-style-type: none"> High-peel adhesive properties allow for a broader range of application surfaces – painted plywood, textured walls, and low-to-no VOC paints 6 mil semi-rigid matte white facestock rated for <3 years of outdoor use Options available with a 90# layflat or 90# air-egress layflat polycoated paper liner Suitable for indoor and outdoor applications (<6 months clean removability from application surfaces) Recommended application surfaces: painted plywood, textured walls, sheetrock, concrete, and cinder block

High opacity films with an excellent white point

Stable 90# layflat polycoated paper liner for ease of printing and installation

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

PVC-FREE OPTION  **Wall Graphics® Matte White:** 4 mil. matte white film designed with a 90# layflat release liner and microsphere removable adhesive. Enhanced topcoat for Latex and UV wide format printing with outdoor durability up to 4 years.

Certified for
HP Latex Inks



SCAN HERE FOR
FREE SAMPLES ►



WALL GRAPHICS®

WALL GRAPHIC FILM

STANDARD SIZES ▶

Finish/Color	SKU #	Size	Thickness	Adhesive	Liner	Rolls/Carton
Wide Format						
	SPMWG5450	54" x 50 yd				1
	SPMWG6050	60" x 50 yd				1
	SPMWG5450PP 	54" x 50 yd	4 mil	Microsphere Removable	90# Layflat	1
Matte White	SPMWG65450 	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
	SPMWG66050	60" x 50 yd				1
	SPM600FW/R5450	54" x 50 yd	6 mil	High-Peel Removable	90# Layflat	1
	SPE600FW/R5450	54" x 50 yd			90# Layflat Air-Egress	1
	SPMWG85450	54" x 50 yd	8 mil	Microsphere Removable	90# Layflat	1
Gloss White	SPMWG6G5450	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1
Augusta Embossed Matte White	SPMAUG5450 	54" x 50 yd	6 mil	Microsphere Removable	90# Layflat	1



NEKOOSA BUCKS

available in select rolls listed above.

Certified for
HP Latex Inks

Easy to apply and remove from these surfaces and many more...

Microsphere Removable



High-Peel Removable



*We recommend testing Wall Graphics® on your specific application surface to ensure compatibility



FLOOR GRAPHICS

Walk-On Graphics®



Applications

Wayward Floor Graphics

Floor Advertising
Graphics

Point-of-Purchase Floor
Signage

Social Distancing Floor
Graphics

Directional Arrows

Counter Mats



WALK-ON GRAPHICS®

SLIP RESISTANT
FLOOR GRAPHIC
SYSTEM

The Walk-On Graphics® two part system includes a printable vinyl base film and a UL 410 slip resistant overlaminates to create durable floor signage applications.

Recommended for use on smooth, clean, flat surfaces like tile, sealed wood, ceramic tile, vinyl, and sealed concrete

4 mil printable vinyl base film available in white or clear finishes with removable adhesive

4 mil clear optically clear and 6 mil clear embossed UL 410 certified overlaminates options

Suitable for indoor short term floor graphics (<6 months)

Graphics withstand normal floor maintenance and cleaning

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)



SCAN HERE FOR
FREE SAMPLES ►



WALK-ON GRAPHICS®

SLIP RESISTANT
FLOOR GRAPHIC SYSTEM

STANDARD SIZES ▶

Color	SKU #	Film Thickness	Adhesive	Liner	Durability	Size
Base Film						
White	SPMWOGWB5450N	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
Clear	SPMWOGCB5450N	4 mil	Removable	90# Layflat	6 months	54" x 50 yd
Recommended Overlaminate						
Optically Clear	LM4CL5450	4 mil	Permanent	PET	3 years	54" x 50 yd
Embossed Clear	LM6CE5450	6 mil	Permanent	PET	Indoor Only	54" x 50 yd

*Overlaminate listed above are UL 410 certified and suitable for interior floor graphics.



Easy to apply and remove from these surfaces:



OVERLAMINATES

Polyester

Calendered Vinyl

Polycarbonate

Polyolefin

NEKO
MANUFACTURE
PE

PRESSURE
FILM

SYNTHETIC POLYESTER
PAPER

BACKLIT
POLYESTER

ac
-Ad

SYNAPS

LumaP

printed on an Acuity Advance

Applications

- Flat & Simple Curves
- Printed Graphics
- Point-of-Purchase Displays
- Wall Graphics
- Window Graphics
- Floor Graphics
- Exhibits
- Trade Show Graphics
- Transit
- Displays
- Dry Erase Graphics
- Counter Mats
- Photographic Prints
- In-Store Signage



OVERLAMINATE FILMS

PORTFOLIO

Overlaminate films that enhance overall graphic depth while protecting printed materials from UV radiation, environmental elements, moisture, and abrasion.

Calendered vinyl, polycarbonate, polyester, and polyolefin options available to fit your specific application - **Laminate to similar substrates for the best results*

Choose from a range of finishes, including matte, gloss, luster, velvet, optically clear, or textured options to achieve the perfect blend of aesthetics and functionality

High-performing, permanent pressure-activated adhesives engineered to prevent common flaws in the laminating process like silvering, orange peeling, and delamination

Excellent performance on flat or simply curved application surfaces

Unique options also available – UL 410 slip resistance and dry erase



SCAN HERE FOR
FREE SAMPLES ►



OVERLAMINATE FILMS PORTFOLIO

STANDARD SIZES ▶

Finish/Color	SKU #	UV Protection	Size	Film Thickness	Adhesive	Liner
Calendered Vinyl Overlaminate Films						
Luster Clear	LM3LL5450	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3LL6050	•	60" x 50 yd			
Matte Clear	LM3MCL5450	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3MCL6050	•	60" x 50 yd			
Gloss Clear	LM3CL5450	•	54" x 50 yd	3.2 mil	Permanent	78# Paper
	LM3CL6050	•	60" x 50 yd			
Gloss Optically Clear*	LM4CL5450	•	54" x 50 yd	4 mil	Permanent	PET
Embossed Clear*	LM6CE5450		54" x 50 yd	6 mil Semi-Rigid	Permanent	PET

*LM4CL and LM6CE are UL 410 certified and suitable for interior floor graphics.

Polyester Overlaminate Films						
Optically Clear	LM2CL5450		54" x 50 yd	2 mil	Permanent	PET
Optically Clear Dry Erase	LM1DE5450		54" x 50 yd	1 mil	Permanent	PET

Polyolefin Overlaminate Film						
Embossed Clear	LMPP5450		54" x 50 yd	3 mil	Permanent	PET

*Also available in the NextBond® portfolio

*LMPP5450 is UL410 certified and suitable for interior floor graphics



NEKOOSA BUCKS

available in select rolls listed above.



TRANSLUCENTS & REFLECTIVES

Translucent Calendered Vinyl

Reflective Vinyl



Applications

- Illuminated Signage
- Fleet Graphics
- Taxi-Tops
- Gas Station Canopies
- Awnings
- Blinds
- Light Boxes
- Shop Fascias
- Window Graphics



TRANSLUCENT CALENDERED VINYL

ADHESIVE
BACKED
TRANSLUCENT
FILM

The ideal solution for both photographic and high quality signage applications where vivid color saturation and extreme image resolution is required.

Maximum color density with advanced ink adhesion technology

For indoor and outdoor use

Removable adhesive

Ideally suited for mild solvent and solvent inks

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

TRANSLUCENT CALENDERED VINYL

ADHESIVE BACKED
TRANSLUCENT FILM

STANDARD SIZES ▶

	Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner
Wide Format						
	Matte White	SPMTUR5450N	54" x 50 yd	4 mil	Removable	90# Layflat
	Matte White	SPMTUR6050N	60" x 50 yd	4 mil	Removable	90# Layflat

Custom Size Offering: 60" x 50 yd rolls are available upon request, and subject to order minimums.



Applications

- Vehicle & Fleet Markings
- Traffic & Commercial Signage
- Traffic Control Devices
- Labels
- Safety Decals



REFLECTIVE VINYL

ADHESIVE BACKED
REFLECTIVE VINYL

Reflective Vinyl is a flexible, enclosed lens glass-bead retroreflective sheeting that reflects light. Ideal for safety and commercial signage applications.

For indoor and outdoor use (<7 years) – highly resistant to extreme hot, cold, dry, and humid weather conditions

Permanent bonding after 48 hours, removable adhesive with heat (<3 years)

Can be applied to flat, corrugated, and riveted surfaces

Available in white

Pressure-activated adhesive for easy installation

Print Compatibility: Wide Format (Eco-Solvent/Solvent, Latex, and UV)

REFLECTIVE VINYL

ADHESIVE BACKED
REFLECTIVE VINYL

STANDARD SIZES ▶

Finish/Color	SKU #	Size	Film Thickness	Adhesive	Liner
Wide Format					
White	SPMRF4825	48" x 25 yd	7 mil	Permanent*	78#
	SPMRF4850	48" x 50 yd	7 mil	Permanent*	78#

*Removable up to 3 years with heat.

MOUNTING FILMS



Applications

Window Graphics
(Push/Pull Graphics)

Posters

Medical Applications

Switches

Mouse Pads

Decals



MOUNTING FILMS

PERMANENT AND
REMOVABLE POLYESTER

Easily convert non-adhesive backed films to pressure sensitive materials with either a permanent or removable mounting film.

Offered in a variety of gauges and adhesive combinations

Options available for both indoor and outdoor applications

Printed film liners and self-wound liners available

Air-egress liner options available for easy, bubble free application

Available in wide format rolls - custom sizes available upon request



SCAN HERE FOR
FREE SAMPLES ►



MOUNTING FILMS

PERMANENT AND REMOVABLE
POLYESTER

STANDARD SIZES ▶

Color	SKU #	Film Thickness	Side 1		Side 2		Durability	Size				
			Adhesive	Liner	Adhesive	Liner						
Wide Format												
Permanent/Permanent												
White	» CMTT200WSL5150 » CMTT200WSL5450	2 mil	Permanent	40# C2S	Permanent	N/A (Self Wound)	3 years	51" x 50 yd 54" x 50 yd				
Permanent/Removable												
Optically Clear	» CMTT100PR3850 » CMTT100PR5150 » CMTT100PR5450	1 mil	Permanent	Clear Film	Removable	Clear Printed Film	3 years	38" x 50 yd 51" x 50 yd 54" x 50 yd				
	» CMTT100SLPR3850 » CMTT100SLPR5150 » CMTT100SLPR5450							38" x 50 yd 51" x 50 yd 54" x 50 yd				
	» CMTT100AEPR3850 » CMTT100AEPR5150 » CMTT100AEPR5450							38" x 50 yd 51" x 50 yd 54" x 50 yd				

 = PVC-Free



DYE SUBLIMATION



Applications

- Ceramics
- Flags
- Clothing
- Blankets
- Tablecloths
- Shower Curtains
- Sporting Apparel
- Tiles
- Home Décor
- Glass
- Mouse Pads
- Tradeshow Exhibits
- Signs & Banners
- Metal Photos
- Wood Designs
- Fiber Glass



NEKOOSA DYE SUBLIMATION TRANSFER PAPER

Dye sublimation paper for consistent, high-definition image transfer on both hard and soft surfaces.

Stable, layflat 105 & 140 gsm to support a wide range of design, shape, and complexity

One paper designed for both hard and soft surfaces

Professional quality, consistent image for sharp and clean transfer

Permanent image transfer into polyester or poly-coated surfaces

Compatible with all major dye sublimation printer brands designed with water-based ink systems

Made in the USA and 100% recyclable

Print Compatibility: Inkjet*

HP Stitch printer profiles available for download at colorbase.com/profile-search



SCAN HERE FOR
FREE SAMPLES ►



NEKOOSA DYE SUBLIMATION TRANSFER PAPER

STANDARD SIZES ▶

	SKU #	Basis Weight	Color	Core	Rolls/Carton	Cartons/Pallet	Roll Size	Sq Ft / Roll
105 gsm Transfer Paper								
	DY-10524393 \$	105 gsm	White	3"	1	48	24" x 393'	786.0
	DY-10544393 \$	105 gsm	White	3"	1	36	44" x 393'	1441.0
	DY-10554393 \$	105 gsm	White	3"	1	36	54" x 393'	1768.5
	DY-10564393 \$	105 gsm	White	3"	1	36	64" x 393'	2096.0
	DY-10574393 \$	105 gsm	White	3"	1	36	74" x 393'	2423.5
140 gsm Transfer Paper								
	DY-14044262 \$	140 gsm	White	3"	1	36	44" x 262'	960.7
	DY-14054262 \$	140 gsm	White	3"	1	36	54" x 262'	1179.0
	DY-14064262 \$	140 gsm	White	3"	1	36	64" x 262'	1397.3
	DY-14074262 \$	140 gsm	White	3"	1	24	74" x 262'	1615.7

*Roll widths listed above also available in cradle-packs

*Other rolls sizes and gsm's available upon request. Contact Nekoosa for more details.



NEKOOSA BUCKS

available in select rolls listed above.





**PREMIER
MANUFACTURER OF
SPECIALTY
PRINT MEDIA**
NEKOOSA.COM

Waterproof Synthetic Paper

P.O.P. Displays, Banner Stands & General Signage

Window, Wall & Floor Graphics

Outdoor Graphic Media

Overlaminate

Cut Films

Application Tapes & Premasks

Dye Sublimation Transfer Paper

Carbonless Papers

Extruded Films



This logo represents Nekoosa's commitment to offering sustainable alternatives to traditional PVC materials.

01.09.26 | M1568-REF