CONFORM®

APPLICATION TAPE
WITH RLA



Conform® is the original application tape with Release Liner Adhesion (RLA®) that lays flat without tunneling or edge curling.

Conform

Standard weight paper application tape that works in either wet or dry applications

Factory cut, razor slit rolls

No adhesive balls, gapping between layers or crushed edges

Tears cleanly – no stringy, legging adhesive

Multiple roll widths available

No adhesive build-up on stored graphics

4075RLA High Tack

- High tack rubber adhesive
- Small to mid-sized pre-spaced vinyls and printed graphics

4076RLA Very High Tack

- Coated with a slightly higher tack rubber adhesive
- Small-sized cut graphics and hard-to-lift vinyls

4050RLA Medium Tack

- Medium tack rubber adhesive
- Medium to large-sized, pre-spaced vinyl and printed graphics

4078RLA Medium Tack

- Medium tack rubber adhesive
- Wall graphics, textured and frosted vinyl

Applications

General Purpose Sign Applications

Decals

Banners

Wall Graphics

r.tape A NEKOOSA BRAND | NEKOOSA

800.826.4886 | sales@nekoosa.com

NEKOOSA.COM

11.11.26 | M1199-OV

CONFORM®

APPLICATION TAPE
WITH RLA







STOCKED PRODUCTS


Tack Level	Size	SKU #	Rolls/Carton	Cartons/Plt
4050 RLA				
Medium w/ RLA	2.25" x 100 yd	**1420150**	20	27
	3.25" x 100 yd	**1420190**	12	27
	4.25" x 100 yd	**1420230**	12	27
	6.50" x 100 yd	**1420320**	8	27
	8.50" x 100 yd	**1420400**	4	27
	10.50" x 100 yd	**1420480**	4	27
	12" x 100 yd	**1420540**	4	27
	14" x 100 yd	**1420620**	4	27
	15" x 100 yd	**1420660**	4	27
	16" x 100 yd	**1420700**	4	27
	18" x 100 yd	**1420756**	2	42
	20" x 100 yd	**1420860**	2	42
	24" x 100 yd	**1421020**	2	42
	30" x 100 yd	**1421260**	1	42
	36" x 100 yd	**1421500**	1	42
	48" x 100 yd	**1422016**	1	42
	54" x 100 yd	**1422034**	1	42
	60" x 100 yd	**1422066**	1	42

Tack Level	Size	SKU #	Rolls/Carton	Cartons/Plt
4076 RLA				
Extra High w/ RLA	6.5" x 100 yd	**1750688**	8	27
	10.5" x 100 yd	**1750758**	4	27
	12" x 100 yd	**1750790**	4	27
	14" x 100 yd	**1750808**	4	27
	15" x 100 yd	**1750848**	4	27
	16" x 100 yd	**1750828**	4	27
	18" x 100 yd	**1751080**	2	27
	20" x 100 yd	**1751120**	2	42
	24" x 100 yd	**1751208**	2	42
	30" x 100 yd	**1751280**	1	42
	36" x 100 yd	**1751400**	1	42
	48" x 100 yd	**1751880**	1	42

Tack Level	Size	SKU #	Rolls/Carton	Cartons/Plt
4075 RLA				
High w/ RLA	1.25" x 100 yd	**1740010**	36	27
	2.25" x 100 yd	**1740050**	20	27
	3.25" x 100 yd	**1740090**	12	27
	4.25" x 100 yd	**1740130**	12	27
	5.25" x 100 yd	**1740170**	8	27
	6.50" x 100 yd	**1740220**	8	27
	8.50" x 100 yd	**1740300**	4	27
	10.50" x 100 yd	**1740380**	4	27
	12" x 100 yd	**1740440**	4	27
	14" x 100 yd	**1740520**	4	27
	15" x 100 yd	**1740560**	4	27
	16" x 100 yd	**1740600**	4	27
	18" x 100 yd	**1740680**	2	42
	20" x 100 yd	**1740760**	2	42
	24" x 100 yd	**1740920**	2	42
	30" x 100 yd	**1741160**	1	42
	36" x 100 yd	**1741400**	1	42
	48" x 100 yd	**1741880**	1	42
	54" x 100 yd	**1742122**	1	42
	60" x 100 yd	**1742362**	1	42

Tack Level	Size	SKU #	Rolls/Carton	Cartons/Plt
4078 RLA				
Medium w/ RLA	6.5" x 100 yd	**1776494**	8	27
	12" x 100 yd	**1776626**	4	27
	14" x 100 yd	**1776674**	4	27
	24" x 100 yd	**1776910**	2	42
	30" x 100 yd	**1777058**	1	42
	48" x 100 yd	**1777470**	1	42

FSC
www.fsc.org
FSC® C004895
The mark of responsible forestry



r.tape
A NEKOOSA BRAND

NEKOOSA

800.826.4886 | sales@nekoosa.com

NEKOOSA.COM

11.11.26

CONFORM®

APPLICATION TAPE
WITH RLA

TECHNICAL DATA

				4078RLA	4050RLA	4075RLA	4076RLA
Physical Properties & Conditions for Use							
Adhesive	Rubber-based	**Caliper**	Facestock	3.0 mil	3.0 mil	3.0 mil	3.0 mil
Color	Off White/Translucent		Facestock + Adhesive	4.1 mil	4.2 mil	4.2 mil	4.3 mil
Tensile	297 N/100 mm (17lb/in)	**Tack Level**		Medium	Medium	High	Very High
Elongation	3-4%	**Adhesion***	PSTC -101	9-11 N/100 mm (7.5-8 oz)	13-14 N/100 mm (12-14 oz)	18-20 N/100 mm (15-18 oz)	19-21 N/100 mm (17-19 oz)
Tear Resistance	50						
Shelf Life	1 year						

* Adhesion to steel

WARRANTY Tapes are only warranted to be free of defects in workmanship or materials at time of shipment. Nekoosa will replace or credit any material deemed to be defective. No acceptance or responsibility for loss, damage, or expense, implied or otherwise, shall be assumed by the seller or manufacturer. The end user assumes all risk and liability.

The information provided herein is correct to the best of Nekoosa's knowledge. No liability for any errors, facts or opinions are accepted. Customers must satisfy themselves as to the suitability of this product for their application. No responsibility for any loss as a result of any person placing reliance on any material contained herein will be accepted.